

Industrial DC 5 String Combiner Box Wear Resistant PV Combiner Box For Solar Panel

Basic Information

Place of Origin: China

Brand Name: Golden Electric /OEM

• Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000,

ISO 20000, OHSAS/ OHSMS 18001,

IATF16949

Minimum Order Quantity:

• Packaging Details: Carton/Pallet

Delivery Time: Peak Season Lead Time: more than 12

months Off Season Lead Time: within 15

workdays

• Payment Terms: LC, T/T, PayPal, Western Union

Supply Ability: 5000/Month



Product Specification

Shell Protection Grade: IP66

• Brand: Golden Electric /OEM

• Voltage: 1000V

Installation Method: Wall Mounting TypeStructure Characteristic: Plug-Push Module

Number Of Output Strings: 1Strings: 4

Apply For: Solar Panels System

Nominal Discharge Current: 20kaMaximum Discharge 40ka

Current:

• Voltage Protection Level: 3.8kv

Transport Package: Export Standard Packing
Specification: 4/6/8/10/12/14/16/18 Strings

Trademark: Golden Or Netural, Or Customer Brand




More Images









Product Description

Product Description:

GD-PV4/1 PV combiner box bus synthetic DC input of 4 PV components to 1 output. Each channel is with a fuse. Output side is equipped with lightning protection and circuit breaker. It greatly simplify input wiring of DC power distribution cabinet and inverter. Realize lightning protection, short circuit protection and grounding protection. PV combiner box divided into two types: intriligent box and non-intelligent box. Intelligent PV combiner box is equipped with monitoring unit, then detect input current of each string, detect inside temperature, detect lightning protection status, detect circuit breaker status and summarize output voltage and so on.

Design and configuration strictly accordance with the "Technical specification for photo-voltaic junction equipment" CGC/GF 037:2014

IP65 protection grade. Provide users with a safe, brief, beautiful and applicable photo-voltaic system products.

The product adopts outdoor wall mounted type, which adapt to the harsh environment. In addition to the core components, the other can be customized by users requirements.

Product Parameters:

GD-PV4/1 Name

Electric parameter

System maximum dc voltage 1000 Maximum input current for each string 15A Maximum input strings

20A/32A Maximum output switch current Ν Number of inverter MPPT

Number of Output strings

Lightning protection

Category of test II grade protection

20kA Nominal discharge current Maximum discharge current 40kA Voltage protection level 3.8kV

Maximum continuous operating

voltage Uc

Poles 3P

Structure characteristic Plug-push module

System

1050V

Protection grade IP65

DC isolation switch(standard)/ Output switch DC circuit breaker(optional)


Waterproof Connectors Standard PV dc fuse Standard Standard PV surge protrctor Monitoring module optional Preventing diode optional Box material

Installation method Wall mounting type -25°C~+55°C Operating Temperature

Elevation of temperature 2km

Permissible relative humidity 0-95%,no condensation

Product Details Show:



♦High reliability

With DC FUSE

With DC Surge Protection Device

With DC circuit breaker or DC load isolation switch.

♦Strong adaptability

IP65 design, waterproof, anti dust and anti ularaviolet.

Strict test for high and low temperature, used widely/

The simple installation, the simplified system wiring, the convenient wiring.

The box body is made of cold rolled steel and other metal materials.


♦Flexible configuration


Used for single crystal silicon solar modules, polycrystalline silicon solar modules, thin film solar modules. Current rating of the photovoltaic fuse, cicuit breaker, load isolation switch is modified.


Packing:





Other Strings Drawing:











You May Like:



FAQ:

1) Q:How can i trust your company?

A:Golden electric is The top 10 manufacture in China -more than 350 Agents in local market and more than 100 foreign clients make OEM,ODM order from us,Golden electric is a big company, we have cooperation with LS, EKF the worldclass companies. Our company over 100 employees, products pass CE,IEC,TÜV,SAA, RCM, ROHS certificates.

2) Q:Your products?

A: Golden electric is factory for Automatic transfer switch, Surge protector device, distribution box Enclosure, inverter, DC fuse etc. Providing customers very competitive sources, and can be your sourcing agent in China. Goods are following international standards, IE, CE, ISO9001 ,SGS etc.

3) Q: After Sales Service?

A: We will provide the best After-sales Service

4) Q: What's the payment term?

A: Normally 100% T/T in advanced payment. If big order then about 50% advanced payment, balance before shipment.PAYPAL,WESTERN UNION,CASH for small order.

5) Q: Your address?

A: Locates in Guangzhou province, China, welcome to visit us

6) Q:What's your contact information?

Send your Inquiry Details in the Below, Click 'send" Now!! We will do our best to give you a perfect service.









chinagoldene.com