



## 4 Input 1 Output Connector with Branch Cable UL94V-0 Flame Class and High Power

Our Product Introduction

### Basic Information

- Place of Origin: China
- Brand Name: Golden Electric /OEM
- Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000, ISO 20000, OHSAS/ OHSMS 18001, IATF16949
- Minimum Order Quantity: 1
- Packaging Details: Carton/Pallet
- Delivery Time: Peak Season Lead Time: more than 12 months  
Off Season Lead Time: within 15 workdays
- Payment Terms: LC, T/T, PayPal, Western Union
- Supply Ability: 5000/Month



### Product Specification

- Model NO.: GD-IP67
- Contact Resistance: Below 5m
- Rated Voltage: 1000V(TUV),600V(UL)
- Rated Current: 25A/30A/45A/80A Optioanl
- Warranty: 2 Year
- Model No.: PV Mc004-3t1
- Shape: Round
- Transport Package: Standard Export Carton
- Specification: 2.5/4/6 14/12/10AWG
- Trademark: Golden Electric Or Customize
- Origin: China
- HS Code: 8537209000
- Supply Ability: 5000/Month
- Application: Power
- Certification: CE



### More Images



for more products please visit us on [chinagoldene.com](http://chinagoldene.com)

## Product Description

### Product Description

MC-4 Solar Panel Cable Connectors with Assembly Tool,10 Pairs Copper Solar Wire Adapter Male/Female Waterproof Connector for Connecting Solar Panels 1000V 30A

### Features

- 1.Load Capability with big current and high voltage
- 2.Lower contact resistance
- 3.Desugn of waterproof and dustproof
- 4.Excellent performances of high-low temperature,fireproof ,anti-ultraviolet

### Product Parameters

Type	PV-004-4T1
Rated Voltage	1000V DC/1500V DC
Contact resistance	<1mΩ
Rated current:	30A/50A
Temperature range	-40°C ~ +85°C
Contact material	Copper,tin plated
Insulation Voltage	6000V
Fire-proof level	UL94-V0

### Details display



#### PPO material


Insulating material, strong heat resistance, low flammable point. Wear-resistant, durable and corrosion-resistant; the contact hole head of the product is provided with guide insulation to prevent static electricity



#### High-quality sealing waterproof ring

The product adopts high-quality waterproof ring, and the waterproof and dustproof grade reaches IP67


#### Drawings



#### Application field

Solar photovoltaic connector PV004-4T1 (compatible with MC4 connector) is a connector when solar photovoltaic panels are connected in series to form an array module. It has the characteristics of fast and reliable connection, dustproof and waterproof, and easy to use. The shell has anti-aging, anti-ultraviolet, etc. ability





The Delivery time and shipping of MC4 solar cable connector

**Deilivery time:**

1-7 days after confirming order

**Shipping:**

1. Shipment port:GUANGZHOU
2. By Air or by Sea for batch goods,Airport/ Port receiving;
3. Customers specifying freight forwarders



**Guangzhou Golden Electric Co., Ltd.**



008618998498109



eva@china-golden.com.cn



chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District,  
Guangzhou city,Guangdong province,China