



Secure Solar DC PV Fuse Holder 1000V 10A 15A 20A 30A for Solar System Cable Connection

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Golden Electric /OEM
- Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000, ISO 20000, OHSAS/ OHSMS 18001, IATF16949
- Minimum Order Quantity: 1
- Packaging Details: Carton/Pallet
- Delivery Time: Peak Season Lead Time: more than 12 months
Off Season Lead Time: within 15 workdays
- Payment Terms: LC, T/T, PayPal, Western Union
- Supply Ability: 5000/Month



Product Specification

- Model NO.: PV004-F
- Species: Mc4 Connector
- Production Process: Cold Pressing
- Housing Material: PPE
- Shape: Round
- Rated Voltage: 1000V(TUV),600V(UL)
- Flame Class: UL94V-0
- Protection Class: Class Level 2
- Warranty: 2 Years
- Rated Current: 10A/15A/20A/20A+
- Transport Package: Standard Export Carton
- Specification: 2.5-6.0 Sqmm
- Trademark: Golden Or Natural, Or Customer Brand
- Origin: China
- HS Code: 8536690000



More Images



for more products please visit us on chinagoldene.com

Product Description

Product Description

The solar extension cable is mainly used for the connection between PV modules and inverter (Controller). It can be produced according to different requirements.

We have a variety of connectors for photovoltaic systems. Line-to-Line types: PV004(30A), PV008(80A). Branch types: 2T1, 3T1, 4T1,T2,T3,T4,T6. Special function connector PV004-D (with diode) and PV004-F(with Fuse).

Product Features



High-strength waterproof apron
waterproof is safe and stable

High-strength PPO insulation material
high load current, high voltage design



Ambient temperature $-40^{\circ}\text{C} \sim +85^{\circ}\text{C}$

The shell material is adapted to the environment of different areas and resists to UV rays.

Built in fuse

Rated current 10A/15A/20A



Product Parameters

Technical Data	
Type	PV004-F
Rated Voltage	1000VDC
Rated impulse voltage	8000V

Rated insulation voltage	6000V
Rated Current	30A
Standard	EN 62852: 2015 IEC 62852(ed.1)
Protection Degree	IP67
Contact Resistance	≤0.5mΩ
Pollution Degree	2
Ambient Temperature	-40~+85°C
Cable cross section area	2,5 mm² 4,0mm² 6,0 mm²
Cable outer diameter	4.0-7.0mm
Insulation Material	PC /PPO
Flame Class	UL94-V0

Product Details

High Strength PPO Plastic

It has the advantages of large rigidity and high heat resistance.
In addition, PPO still had the advantages of wear-resisting and pollution resistance



Stable Self-locking

The connector is connected by pressing, and the male and female connectors open and close freely



Solar PV Connector

safe/assembly is simple/easy to use

☒ long service life ☒ UV radiation ☒ waterproof




long warranty

quality guarantee



Recommand Product

Hot selling



Company Profile

- Golden Electric Co.,Ltd ,was founded in 2007, we are professional for make **AC and DC electric items** such as **cable gland,MC4 Connector, isolator switch , fuse , breaker , distribution box , PV combiner box ,surge protector, Indicator lamp,Solar Charge Controller,Industrial plug and socket,Wind Turbine, Solar product and so on.**
- Golden has been granted ISO9001 management system certifications. The comprehensive product line has more than 1000 models which have been approved by TUV,CE,CQC,SGS,ROHS,SASO. The productsells well to UK, Spain, Portugal, Singapore, Turkey, Russia, Korea, South Africa... more than 60 countries and regions.
- Golden is always striving hard to provide the best services and competitive price to all customers.

FAQ

1)Q:How can i trust your company?

A:Golden electric is The top 10 manufacture in China - more than 350 Agents in local market and more than 100 foreign clients make OEM,ODM order from us,Golden electric is a big company, we have cooperation with LS, EKF the world-class companies. Our company over 100 employees, products pass CE,IEC,TUV,SAA, RCM, ROHS certificates.

2) Q:Your products?

A: Golden electric is factory for Automatic transfer swithc,Surge protector device,distribution box Enclosure, inverter, DC fuse etc. Providing customers very competitive sources, and can be your sourcing agent in China. Goods are following international standards, IE, CE, ISO9001 ,SGS etc.

3) Q: Do you have forwarder?

A: Yes, we have good forwarder cooperated over 10 years, they help us import and export . For small package orders, suggest to use by Express.

4) Q: Your address ?

A: Locates in Guangzhou province, China,welcome to visit us

5) Q:What's the Fuse connector guarantee?

A: 2 years warranty. If customer's problem, then customer burden. If our problem, then we send new goods to customer to

replace asap.

6) Q:What's about MOQ? Delivery time ?

A: 1pcs for Fuse Connector.

7) Q: What's the payment term?

A: Normally 100% T/T in advanced payment. If big order then about 50% advanced payment, balance before shipment.PAYPAL,WESTERN UNION,CASH for small order .

8) Q:What's your contact information ?

Send us your inquiry !we will reply you in 24 hours !



Guangzhou Golden Electric Co., Ltd.



008618998498109



eva@china-golden.com.cn



chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District,
Guangzhou city,Guangdong province,China