

# 100A Isolating Disconnect PV Solar DC Isolator Switch For Solar Power Systems

# **Basic Information**

Place of Origin: China

Brand Name: Golden Electric /OEM

• Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000,

ISO 20000, OHSAS/ OHSMS 18001,

IATF16949

Model Number: Solar Isolator Switch

Minimum Order Quantity:

Packaging Details: Carton/Pallet

• Delivery Time: Peak Season Lead Time: more than 12

months Off Season Lead Time: within 15

workdays

Payment Terms:
LC, T/T, PayPal, Western Union

• Supply Ability: 5000/Month



# **Product Specification**

Number Of Poles: 2p 4p

Grounding: Single Ground Run: Plug-In

Switching Mode: Single Throw-in

• Structure Of Operating: Manual

Brand: Golden Electric/OEMProduct Name: Surge Protective Device

Model: Sniso-32Application: Power System

• Discharge Current: 32A

Color: White And Black Packing: Hard Carton Box

Warranty: 2 YearsOEM/ODM: AvailableQuality: Top Stndard



# More Images









# **Product Description**

#### Company Profile

GoldenElectricCo., Ltd.

is professional make of Electrical products .Such as distribution box, waterproof plug, socket, wall switch, waterproof plastic ,Aluminum box ,Changeover Switch and disconnecting switch,MC4 Connector.isolator switch.fusebreaker.distribution box,PV combiner box .surge protector, Indicatorlamp,Solar Charge Controller,Industrialplugandsocket,BusbarInsulator,Meter Socket,Wind Turbine, Terminal Block,Solar product and so on. all products comply with IEC, A S/NZS standard. passed CE, IP66, ROHS certificates.at present we have exported to many countries and have serve these customers with professional electrical solution.

#### **Product Description**

## **PV Isolator Switch Feature**

IP66 rated enclosure

Unique spring loandcd switching mechanism for high speed switching (5mS max)

Knife edge and self-cleaning

contacts for increasing switch life

Long arc chambers to strengthen rapid arc suppression

25mm<sup>2</sup> rising clamp terminals for easy wiring

Rated Current		Α	16	25	32	63	100
Isolation Voltage		٧	1500	1500	1500	1500	1500
Rated Operating Current DC21B							
Series Connection	750V	Α	16	25	32	63	100
Parallel Connection	750V	Α	29	45	50	80	160
	1125V	Α	13	16	20	38	80
Series Connection	1500V	Α	9	11	13	26	50
	750V	Α	16	25	32	63	100
Series Connection	1125V	Α	16	25	32	63	100
	750V	Α	16	25	32	63	100
4P Series Connection	1125V	Α	16	25	32	63	100
	1500V	Α	16	25	32	63	100
Protection level		IP66					
Mechanical Life			10	10	10	10	10

Rated short circuit Current (1s)1,2,4/+2H

Breaking capcaity

Height above sea level

A 800/1300 900/1500 1000/1700 1100/1200 1200/2500 lcm 800/1300 900/1500 1000/1700 1100/1200 1200/2500 ≤2000 m≥2000 The above capaity reduction is used













# **Products Category**





**Current Protector** 

TUV Approved PV System Connection Electric









Mc4 Solar Connector 2 in 1 Branch Multiple PV Connector

## Packing & Delivery

Packaging Details: Stardand Carton Box

40pcs per inner box/ 41cmx36cmx12cm/ 12.6kg

DC Isolator Switch Delivery Time:

1-10days after confirming order, detail delivery date should be decided according to production season and order quantity.



Lead time:

Quantity(pieces) 1 - 1000>1000

Lead time (days) 15 To be negotiated

## FAQ

Q1: Are you a factory or trading company

A1: We are a factory, we can guarantee our price is first-hand, very cheap and competitive.

Q2: How does your factory do regarding quality control?

A2: All the products will be 100% checked before the shipment

Q3: When can I get the price?

A3:Usually we quote within 24 hours after we get your inquiry.

Q4: How could I get a sample?

A4: if you can not buy our product in your local area, we will ship a sample to you. You will be charged a sample price plus all related shipping costs. Express delivery charge depends on the quantity of the samples.

Q5: What is the price of shipping?

A5: Depending upon the port of delivery, prices vary.

## Any more query please contact with us, thank you!



Guangzhou Golden Electric Co., Ltd.



008618998498109



eva@china-golden.com.cn



chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District, Guangzhou city, Guangdong province, China