

Black PVC Insulation Copper PV Wire Water Resistant with Nylon Jacket 5.5mm

ISO 9001, ISO 9000, ISO 14001, ISO 14000,

ISO 20000, OHSAS/ OHSMS 18001,

Peak Season Lead Time: more than 12 months Off Season Lead Time: within 15

LC, T/T, PayPal, Western Union

Basic Information

- Place of Origin:
- Brand Name: Golden Electric /OEM

China

IATF16949

workdays

5000/Month

1

- Certification:
- Minimum Order Quantity:
- Packaging Details: Carton/Pallet
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

 Application: 	All
 Jacket: 	Nylon
Product Name:	Thhn Wire Cable
Color:	Requirement
Certificate:	ISO9001/ISO14001 /OHSAS18001/CCC
Standard:	GB/T12706
Conductor:	Copper
 Insulation: 	PVC
Sheathed:	Nylon
Keywords:	Thhn Wire Cable 2.5mm 3.5mm 35mm 50mm 250mm
• Voltage:	600V
 Transport Package: 	Wooden Case/Plastic Film Case
 Specification: 	Different Sizes And Specifications

Golden Electric Or Customize



More Images

Trademark:




Our Product Introduction for more product

Company

Profile GoldenElectricCo., Ltd.

is professional make of Electrical products .Such as distribution box, waterproof plug, socket, wall switch, waterproof plastic ,Aluminum box ,Changeover Switch and disconnecting switch,MC4 Connector.isolator switch.fusebreaker.distribution box,PV combiner box .surge protector, Indicatorlamp,Solar Charge Controller,Industrialplugandsocket,BusbarInsulator,Meter Socket,Wind Turbine, Terminal Block,Solar product and so on. all products comply with IEC, A S/NZS standard. passed CE, IP66, ROHS certificates.at present we have exported to many countries and have serve these customers with professional electrical solution.













Products Details

Part Number	AWG Size	Conductor No./mm	Nom.O.D. (cm)	Nom.Insul.Thick. (cm)	Approx LBS/MFT	Ampacity@9 0ºC
THHN 14 1	14	Solid	0.26	0.04	15	15
THHN 14 19	14	19/0.38	0.28	0.04	16	15
THHN 12 1	12	Solid	0.30	0.04	23	20
THHN 12 19	12	19/0.47	0.33	0.04	24	20
THHN 10 1	10	Solid	0.41	0.05	38	30
THHN 10 19	10	19/0.60	0.41	0.05	38	30
THHN 8 19	8	19/0.75	0.54	0.08	63	55
THHN 6 19	6	19/0.95	0.63	0.08	95	75
THHN 4 19	4	19/1.19	0.81	0.10	152	95
THHN 3 19	3	19/1.33	0.88	0.10	189	110
THHN 2 19	2	19/1.50	0.96	0.10	234	130
THHN 1 19	1	19/.0664	1.10	0.13	299	150
THHN 1/0 19	1/0	19/1.68	1.20	0.13	372	170
THHN 2/0 19	2/0	19/1.89	1.32	0.13	462	195





Mc4 1Input 1 Output PV Cable Connector

Automatic Recovery Over and Voltage Protector

Packing & Delivery

Packaging Details : Inner packing:Wooden reel,Plastic reel,Paper reel Ourter pakcing:Carton box,Pull outbox,Palleta available

Lead time: Quantity(meters) 1 - 10000 > 10000 Lead time (days) 7 To be negotiated



FAQ

Q1: Are you a factory or trading company

- A1: We are a factory, we can guarantee our price is first-hand, very cheap and competitive.
- Q2: How does your factory do regarding quality control?
- A2: All the products will be 100% checked before the shipment

Q3: When can I get the price?

A3:Usually we quote within 24 hours after we get your inquiry.

Q4: How could I get a sample?

A4: if you can not buy our product in your local area, we will ship a sample to you. You will be charged a sample price plus all related shipping costs. Express delivery charge depends on the quantity of the samples.

Q5: What is the price of shipping?

A5: Depending upon the port of delivery, prices vary.

Any more query please contact with us, thank you!

Guangzhou Golden Electric Co., Ltd.						
Q	008618998498109	eva@china-golden.com.cn	Chinagoldene.com			
Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District, Guangzhou city,Guangdong province,China						