

Brass Connector Material Used in Zealand Rainproof Socket for Industrial Applications

ISO 9001, ISO 9000, ISO 14001, ISO 14000,

ISO 20000, OHSAS/ OHSMS 18001,

Peak Season Lead Time: more than 12 months Off Season Lead Time: within 15

LC, T/T, PayPal, Western Union

Basic Information

- Place of Origin:
- Brand Name: Golden Electric /OEM

China

IATF16949

workdays

5000/Month

1

- Certification:
- Minimum Order Quantity:
- Packaging Details: Carton/Pallet
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

Customized:	Yes
Condition:	New
• Feature:	Safe, Durable, Timesaving
 Rated Voltage: 	250V
Protection:	IP66
• Earth Contact Position:	6h, 9h
• Hours:	9h
Core Diameter:	PC
• Temperature Range:	-25- +80
 Installation: 	Straight Plug
Connector Material:	Brass
• Wiring:	Wireless
Operating Temperature:	-20-90
 Rated Frequency: 	140
Shell Material:	Copper Galvanized



More Images









Product Description

Australian Standard Industrial Waterproof Socket IP66



1.Rain and dust proof 2.Compression and fall resistance 3.anti-corrosion 4.Good matrial

- 5.High temperature flame retardant
- 6.Factory direct sale

Product Parameters



Brand	Golden Electric
Product line	Industrial waterproof combination switch socket(Australian standard)
Product model	56CV310/56CV315/56CV320/56CV332
Number of poles	3P(round hole)(flat hole)+switch
Voltage	250V
Current	10A/15A/20A/32A
Net weight	0.79kg
Waterproof level	IP66

Brand	Golden Electric
Product line	Industrial waterproof combination switch socket (Australian standard)
Product model	56CV410/56CV420/56CV432/56CV440/56CV450
Number of poles	4P(round hole)+switch
Voltage	500V
Current	10A/20A/32A/40A/50A
Net weight	0.95kg
Waterproof level	IP66






Brand	Golden Electric
Product line	Industrial waterproof combination switch socket (Australian standard)
Product model	56CV510/56CV520/56CV532/56CV540/56CV550
Number of poles	5P(round hole)+switch
Voltage	500V
current	10A/20A/32A/40A/50A
Net weight	0.9kg
Waterproof level	IP66

Model No. Phase of Switch Pin Style of Socket Current Voltage IP rating Certificate Matched Plug Model No.

56CV310		3 Flat Pin	10A	250Vac	IP66	SAA	56P310
56CV315	Single Phase	STIALTIN	15A	200 Vac	IP66	SAA	56P315
56CV320	Single Fliase	3 Round Pin	20A	500Vac	IP66	SAA	56P320
56CV332			32A	500 Vac	IP66	SAA	56P332
56CV410			10A		IP66	SAA	56P410
56CV420			20A		IP66	SAA	56P420
56CV432	Three phase	4 Round Pin	32A	500Vac	IP66	SAA	56P432
56CV440			40A		IP66	SAA	56P440
56CV450			50A		IP66	SAA	56P450
56CV510			10A		IP66	SAA	56P510
56CV520			20A		IP66	SAA	56P520
56CV532	Three phase	5 Round Pin	32A	500Vac	IP66	SAA	56P532
56CV540			40A		IP66	SAA	56P540
56CV550			50A		IP66	SAA	56P550

Size



参数 Parameter

电流 (A)		10		15		20			32		4	0	5	i0
针数 (P)	3	4	5	3	3	4	5	3	4	5	4	5	4	5
A(mm)	101	101	101	101	101	101	101	101	101	101	101	101	101	10
B(mm)	196	196	196	196	196	196	196	196	196	196	196	196	196	19
C(mm)	94	94	94	94	94	94	94	94	94	94	94	94	94	94
D(mm)	63	63	63	63	63	63	63	63	63	63	63	63	63	63

Hole reference

		孔位参考		
56CV310	56CV315	56CV320	56CV332	
$\begin{pmatrix} & & \\ & & \\ & & \end{pmatrix}$	$\left(\begin{array}{c} \\ 1 \end{array} \right)$	\bigcirc		
3P 10A 250V	3P 15A 250V	3P 20A 250V	3P 32A 250V	
56CV410	56CV420	56CV432	56CV440	56CV450
4P 10A 500V	4P 20A 500V	4P 32A 500V	4P 40A 500V	4P 50A 500V
56CV510	56CV520	56CV532	56CV540	56CV550
5P 10A 500V	5P 20A 500V	5P 32A 500V	5P 40A 500V	5P 50A 500V

Product Details



High quality copper parts

Using high quality copper material, corrosion resistance is strong, to ensure the use of electricity safety and lasting, withexcellent electrical conductivity, thermal conductivity

Gasket seal

Each joint adopts high strength sealing rubber, corrosion resistance, waterproof guarantee, improve service life





IP66 waterproof rating

Waterproof ring, waterproof cap design. Work normally in rainy days, safe and convenient, and improve work efficiency

Viewable window

The cover is made of new transparent PC material, and the inside of the socket can be seen intuitively when working. Safe, durable and convenient



HOT PRODUCT



Packaging & Shipping

Packing:Standard export carton packing

Shipping:1. By Air or by Sea for batch goods, Airport/ Port receiving; 2. Customers specifying freight forwarders or negotiable shipping methods!



Company Profile

- Golden Electric Co.,Ltd ,was foundad in 2017, we are professional for make AC and DC electric items such as isolator switch , fuse , breaker , distribution box , PV combiner box ,surge protector, Industrial plug and socket,Solar product and so on.

- Golden has been granted ISO9001 management system certifications. The comprehensive product line has more than 1000 models which have been approved by TUV,CE,CQC,SGS,ROHS,SASO. The productsells well to UK, Spain, Portugal, Singapore, Turkey, Russia, Korea, South Africa... more than 60 countries and regions.

- Golden is always striving hard to provide the best services and competitive price to all customers.

FAQ

Q1. Can I have a sample order?

A: Yes, we welcome sample order to test and check quality. Mixed samples are acceptable.

Q2. What about the lead time?

A:Sample needs 1 work-days, mass production time needs 1-2 weeks for order quantity more than 100pcs.

Q3. Do you have any MOQ limit for tried-order?

A: Low MOQ, 1pc for sample checking is available

Q4. How do you ship the goods and how long does it take to arrive?

A: We usually ship by DHL, UPS, FedEx or TNT. It usually takes 3-5 working-days to arrive. Airline and sea shipping also optional.

Q5. Is it OK to print my logo on product?

A: Yes. Please inform us formally before our production and confirm the design firstly based on our sample.

Q6: Do you offer guarantee for the products?

A: Yes, 2 years

How to contact us Send your Inquiry Details in the Below, please Click "send" Now! Good price and sample are waiting for you.

Guangzhou Golden Electric Co., Ltd.

O 008618998498109 **O** eva@china-golden.com.cn

cn 🕑 chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District, Guangzhou city,Guangdong province,China