

SMC Fiberglass Reinforced Polyester Electric Power Meter Box for Low Voltage Operation

ISO 9001, ISO 9000, ISO 14001, ISO 14000, ISO 20000, OHSAS/ OHSMS 18001,

Peak Season Lead Time: more than 12

LC, T/T, PayPal, Western Union

months Off Season Lead Time: within 15

Basic Information

- Place of Origin:
- Brand Name: Golden Electric /OEM

China

IATF16949

workdays

5000/Month

Power Plants

SMC

IP44

1

- Certification:
- Minimum Order Quantity:
- Packaging Details: Carton/Pallet
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

- Application Range:
- Shell Material:
- Shell Protection Grade:
- Brand:
- Quality:
- Name:
- Installation Type:
- Application:
- Feature:
- Model:
- Thickness:
- Logo:
- Waterproof Degree:
- Transport Package:
- Specification:
- Golden Electric /OEM High Standard SMC Fiberglass Electric Meter Box Floor-Standing Indoor/Outdoor Electric Box Convenient Fieberglass Enclosure 1.2/1.5/2.0mm Can Be Customized IP44
- Standard Packing Carton
- Different Size



More Images









Product Description

Box part are high temperature formed with complete insulting polyester composite material(SMC). The whole body is formed by functional parts linked together, having high manufacturing precision. It has feature of new and compact structure, convenient assembly, and special rain proof design and ventilation design.

The Box has excellent electric specifications, such as insulation index, dielectric strength, leakage resistance tracking index and aging resistance. Even in the wet condition, it won't have condensation. High mechanical strength makes it safer than metal boxes, even wire fault inside the box or broken by external force will not cause the box electrified. It is suitable for the area with big population without guard net.

Product Features



Cabinet advantages:

- 1. Chemical resistance
- 2. Strong aging resistance
- 3. Strong insulation performance
- 4. Good temperature resistance
- 5. Good flame retardancy
- 6. Light weight, high strength and toughness
- 7. No gap sensitivity

Cabinet features:

- 1.Effectively prevent condensation and frost;
- 2.Excellent outdoor protection class, up to IP44;
- 3. Building block structure, light weight, convenient installation;
- 4.Streamline shape, hard to paste advertisement on the surface, in line with environmental protection requirements5.Open Angle 180 °, replacement door and activities without tools;

6.Stable overall structure, three-point locking, external padlock;7.Matte surface, harmonious and beautiful, light and dirty beam.

Product Parameters

| Index Name | Unit | Index Value | Test Standard |
|---|-------------------|-------------------------|----------------|
| Index Name | mg | <20 | JB3961-1 |
| Water Absorption | °C | 200~204 | JB3961-A |
| Heat Distortion Temperature | g/cm ³ | 1.75~1.95 | GB1033-A |
| Density | kJ/m ² | 70~90 | GB1043 |
| Impact Strength | MPa | 150~80 | JB3961-1 |
| Bending Strength | Ω | >1.0 x 10 ¹³ | GB10064 |
| Insulation Resistance(normal) | Ω | >1.0 x 10 ¹² | GB10064 |
| Insulation Resistance(water immersed 24h) | MV/m | >12.0 | GB1408 |
| Power Frequency Dielectric Strength | | <4.5 | GB1409 |
| Relative Dielectric Constant(1MHZ) | | <0.0015 | GB1409 |
| Dielectric Dissipation Factor(1MHZ) | S | >180 | GB1411 |
| Arc Resistance | V | >600 | GB4207 |
| Electric Leakage Resistance Tracking Index(PTI) | Class | >FV0 | GB11020 |
| Fire Resistance Property | Class | ZA1 | GB132-1996 |
| Smoke Density | Class | 15 | GB/T.8627-1999 |

Application:

Low-voltage cable branch box, street lighting control box, both for distribution and control of power distribution equipment, suitable for all kinds of transmission and distribution substations, industrial, mining and chemical enterprises, urban and rural residential quarters, multi-high-rise buildings, airports, docks, etc. Outdoor public places.





| Туре | Width*Height*Depth(mm) | IP Rate |
|--------------------|------------------------|---------|
| | 400*880*320 | 44 |
| | 400*960*320 | 44 |
| | 400*990*320 | 44 |
| Ē | 600*880*320 | 44 |
| | 600*910*320 | 44 |
| | 600*990*320 | 44 |
| | 600*1020*320 | 44 |
| | 800*880*320 | 44 |
| Hanging Wall-mount | 800*990*320 | 44 |
| | 1000*880*320 | 44 |
| | 1000*990*320 | 44 |
| | 1200*880*320 | 44 |
| | 1200*990*320 | 44 |
| | 600*990*500 | 44 |
| | 800*990*500 | 44 |
| | 1000*990*500 | 44 |
| | 1200*990*500 | 44 |
| Floor-Standing | 400*1140*320 | 44 |
| | 400*1250*320 | 44 |
| | 600*1140*320 | 44 |
| | 600*1250*320 | 44 |
| | 800*1140*320 | 44 |
| | 800*1250*320 | 44 |
| | 1000*1140*320 | 44 |
| | 1000*1250*320 | 44 |
| | 1200*1140*320 | 44 |
| | 1200*1250*320 | 44 |
| | 600*1250*500 | 44 |
| | 800*1250*500 | 44 |
| | 1000*1250*500 | 44 |
| | 1200*1250*500 | 44 |



Company Profile

- Golden Electric Co.,Ltd ,was foundad in 2017, we are professional for make AC and DC electric items such as cable gland, isolator switch , fuse , circuit breaker , distribution box , PV combiner box ,surge protector, Industrial plug and socket,Solar product etc.

- Golden has been granted ISO9001 management system certifications. The comprehensive product line has more than 1000 models which have been approved by TUV,CE,CQC,SGS,ROHS,SASO. The productsells well to UK, Spain, Portugal, Singapore, Turkey, Russia, Korea, South Africa... more than 60 countries and regions.

- Golden is always striving hard to provide the best services and competitive price to all customers.

FAQ

1)I trust your company?

A:Golden electric is The top 10 manufacture in China - more than 350 Agents in local market and more than 100 foreign clients make OEM,ODM order from us,Golden electric is a big company, we have cooperation with LS, EKF the worldclass companies. Our company over 100 employees, products pass CE,IEC,TUV,SAA, RCM, ROHS certificates. 2) Q:Your products?

A: Golden electric is factory for Isolator Switch, Automatic transfer switch, Surge protector device, distribution box Enclosure, inverter, DC fuse etc. Providing customers very competitive sources, and can be your sourcing agent in China. Goods are following international standards, IE, CE, ISO9001, SGS etc.

3) Q: Do you have forwarder?

A: Yes, we have good forwarder cooperated over 10 years, they help us import and export . For small package orders, suggest to use by Express.

| A: Locates in 5) Q:What's the of A: 2 years wat replace asap. 6) Q:What's about A: 1pcs for SM 7) Q: What's the | 4) Q: Your address ? A: Locates in Guangzhou province, China,welcome to visit us 5) Q:What's the distribution box guarantee? A: 2 years warranty. If customer's problem, then customer burden. If our problem, then we send new goods to customer t replace asap. 6) Q:What's about MOQ? Delivery time ? A: 1pcs for SMC Enclosure. Normally less than with stock, quick support. 7) Q: What's the payment term? A: Normally 100% T/T in advanced payment. If big order then about 50% advanced payment, balance before | | | | |
|--|--|--|--|--|--|
| shipment.PAYPAL | WESTERN UNION, CASH for small order . | | | | |
| | d inquiry to us !we will reply you in 24hours ! | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | Guangzhou Golden Electric Co., Ltd. | | | | |
| | S 008618998498109 Seva@china-golden.com.cn Schinagoldene.com | | | | |

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District, Guangzhou city,Guangdong province,China