



Distribution Metering Box Customized Request for Metal Box and Cover 24 to 40 Way Pz30

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Golden Electric /OEM
- Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000, ISO 20000, OHSAS/ OHSMS 18001, IATF16949
- Minimum Order Quantity: 1
- Packaging Details: Carton/Pallet
- Delivery Time: Peak Season Lead Time: more than 12 months Off Season Lead Time: within 15 workdays
- Payment Terms: LC, T/T, PayPal, Western Union
- Supply Ability: 5000/Month




Product Specification

- Surface Treatment: Textured Epoxy Polyester Powder Coating
- Material And Color: Cold Roll Steel To Pain In Ral7032
- Standard Configuration: Enclosure And Door, Mounting Plate, Bar Lock
- External Mechanical Impact Ik10 Resistance:
- Model No.: Pz30
- Material: Cold-Roll Steel Sheet
- MOQ: 1PCS
- Transport Package: Standard Export Carton
- Specification: Different Sizes And Specifications
- Trademark: Golden Electric Or Customize
- Origin: China
- HS Code: 8537209000
- Supply Ability: 5000/Month
- Type: Distribution Metering Box



More Images



for more products please visit us on chinagoldene.com

Product Description

About us:

GUANGZHOU GOLDEN ELECTRIC Co., Ltd. is professional supplier of Electrical products.

We are Specialized in producing and supplying portable distribution box, waterproof plug, socket, circuit breaker, wall switch, waterproof plastic and Aluminum box. all products comply with IEC, A S/NZS standard. passed CE, IP66, ROHS certificates.

Advanced process technologies, standard production processes and precise testing equipment, all ensure the products we supply can satisfy with customers' need. Our Cooperative factory has 15 injection molding machines, 16 CNC and 13 automatic lathes and 12 testing equipment. at present we have exported to many countries and have serve these customers with professional electrical solution.

Golden Electric especially has rich experience with custom-made outdoor and indoor distribution box designing, drawing and assembling. We also have a professional team to serve new and existing customers sincerely. Welcome to visit our factory. Thanks



Product Description



PZ30 series flush type and surface distribution boxes/distribution boards are mainly used in the circuit Of AC 50Hz, rated voltage 220V/380V, and acted to install the modular combination equipment. It is widely used in the family, high building, house, station, port, airport, commercial house, hospital, cinema, enterprises and so on occasion. The plastic unit of the GNB Series Flush type and Surface type distribution boxes adopts ABS flame-proof material with the characteristics of flame-proof, impulse proof excellent insulation property and so on.

Detailed Photos

.High-strength cold-rolled steel plate, the shell is sprayed with plastic, durable and corrosion-resistant



Product Parameters

Rated operating voltage	AC380V or AC220V
Maximum rated operating current	100ARated
insulation voltage	500V

Rated Frequency			50Hz				
Degree of protection			IP30				
Rated short-time withstand current			6KA				
No.	Description	Type	Size of flush mounted panel(mm)		Size of flush mounted box, size of suspension mounted type (mm)		
			H	W	H1	W1	D
1	4 circuits mounted units	PZ30-4A/M	170	175	150	145	90
2	6 circuits mounted units	PZ30-6A/M	225	210	185	200	90
3	8 circuits mounted units	PZ30-8A/M	225	245	220	200	90
4	10 circuits mounted units	PZ30-10A/M	285	285	260	260	90
5	12 circuits mounted units	PZ30-12A/M	285	320	295	260	90
6	15 circuits mounted units	PZ30-15A/M	285	375	350	260	90
7	18 circuits mounted units	PZ30-18A/M	285	425	400	260	90
8	Single-row 20 circuits mounted units	PZ30-20A/M	285	465	440	260	90
9	Double-row 20 circuits mounted units	PZ30-20A/M	485	285	260	460	90
10	Double-row 24 circuits mounted units	PZ30-24A/M	485	320	295	460	90
11	Double-row 30 circuits mounted units	PZ30-30A/M	485	375	350	460	90
12	Double-row 36 circuits mounted units	PZ30-36A/M	485	425	400	460	90
13	row 45 circuits mounted units	PZ30-45A/M	690	375	350	665	90

Features:

- *Standard IEC60670
- *Protection degree IP30;
- *4,6,8,10,12,15,18,20,24,30,36,40,45,54 modules available;
- *4-24circuits single row, 24-40 circuits double rows ,45-54 circuits three rows available;
- *Flush and surface installation available;
- *Transparent and opaque available;
- *Straight line surface;
- *Convenient bound opening key;
- *Flame-retardant metal panel ,ivory-white ,neverfade ,metal frame;
- *The installation screw is occlusion ,elegant;
- *Terminal with flame-retardant shield, wiring is safe and reliable;
- *The base is good cool-rolled steel plate,single row ,box is 0.8mm thickness, double or multi rows 1.0mm thin and the surface is plastic casted;
- *Good zinc-plated din to prevent from rust.
- *Adjustable DIN rail ,adjustable depth

Production and Shipping



Hot Selling Distribution Box



Q1: Are you a factory or trading company

A1: We are a factory, we can guarantee our price is first-hand, very cheap and competitive.

Q2: How does your factory do regarding quality control?

A2: All the products will be 100% checked before the shipment

Q3: When can I get the price?

A3: Usually we quote within 24 hours after we get your inquiry.

Q4: How could I get a sample?

A4: if you can not buy our product in your local area, we will ship a sample to you. You will be charged a sample price plus all related shipping costs. Express delivery charge depends on the quantity of the samples.

Q5: What is the price of shipping?

A5: Depending upon the port of delivery, prices vary.

Any more query please contact with us, thank you!



Guangzhou Golden Electric Co., Ltd.



008618998498109



eva@china-golden.com.cn



chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District,
Guangzhou city,Guangdong province,China