

South Africa Wall Mounted IP55 4gang Switch 1gang Socket Switch Socket **Rated Current 13A**

ISO 9001, ISO 9000, ISO 14001, ISO 14000, ISO 20000, OHSAS/ OHSMS 18001,

Peak Season Lead Time: more than 12

LC, T/T, PayPal, Western Union

months Off Season Lead Time: within 15

Basic Information

- Place of Origin:
- Brand Name: Golden Electric /OEM

China

IATF16949

Carton/Pallet

workdays

5000/Month

1

- Certification:
- Minimum Order Quantity:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

• IP Rating:

Brand:

Color:

IP55 Golden Or Netural Or Customer Brand Number Of Holes: Porous Sample: Sample Could Be Offered White PC Panel And Copper Silver Alloy Inside • Material: 110V~250V . Max. Voltage: Transport Package: Polybag/Color Box/Master Carton Specification: **Different Sizes And Specifications** • Trademark: Golden Electric Or Customize China 8543709990

5000/Month

With Switch

Standard Grounding



- Origin:
- HS Code:
- Supply Ability:
- Grounding:

More Images

- Type:

Ð



Product Description

The switch contacts are made of high quality silver alloy material, which have a good performance against electric arc and melt weld. The on-off operations exceed40000 times. The socket are made of phosphor bronze, which have the character of good electrical conductivity and lasting elasticity.



Low water absorption, Not easy to deformation, Good stability Impact resistance IP55 Waterproof From different directions to prevent splashing

Product Parameters

Processing development According to the needs of the switch socket configuration

Model	WST-SA , 1 Gang Socket
Rated voltage	110-250(V)
Rated current	16(A)
Ambient temperature	-20ºC~55ºC
Material	ABS/Flame retardant PC
Color	White gray
Processing development According to the needs of the switch socket configuration	
Model	WST-SA4S, 4Gang Switch 1Gang Socket
Rated voltage	110-250(V)
Rated current	16(A)
Ambient temperature	-20ºC~55ºC

Color	White gray	
Processing development According to the needs of the switch socket configuration		
Model	WST-2SAS, 2Gang Switch 2Gang Socket	
Rated voltage	110-250(V)	
Rated current	16(A)	
Ambient temperature	-20ºC~55ºC	
Material	ABS/Flame retardant PC	
Color	White gray	
Processing development According to the needs of the switch socket configuration		
Model	WST-2SA , 2 Gang Socket	
Rated voltage	110-250(V)	
Rated current	16(A)	
Ambient temperature	-20ºC~55ºC	
Material	ABS/Flame retardant PC	
Color	White gray	
Processing development According to the needs of the switch socket configuration		
а С	nt According to the needs of the switch socket configuration	
Model	nt According to the needs of the switch socket configuration WST-SA2S, 2Gang Switch 1Gang Socket	
Model	WST-SA2S, 2Gang Switch 1Gang Socket	
Model Rated voltage	WST-SA2S , 2Gang Switch 1Gang Socket	
Model Rated voltage Rated current	WST-SA2S , 2Gang Switch 1Gang Socket 110-250(V) 16(A)	
Model Rated voltage Rated current Ambient temperature	WST-SA2S , 2Gang Switch 1Gang Socket 110-250(V) 16(A) -20ºC~55ºC	
Model Rated voltage Rated current Ambient temperature Material Color	WST-SA2S , 2Gang Switch 1Gang Socket 110-250(V) 16(A) -20°C~55°C ABS/Flame retardant PC	
Model Rated voltage Rated current Ambient temperature Material Color	WST-SA2S , 2Gang Switch 1Gang Socket 110-250(V) 16(A) -20°C~55°C ABS/Flame retardant PC White gray	
Model Rated voltage Rated current Ambient temperature Material Color Processing developme	WST-SA2S , 2Gang Switch 1Gang Socket 110-250(V) 16(A) -20°C~55°C ABS/Flame retardant PC White gray ant According to the needs of the switch socket configuration	
Model Rated voltage Rated current Ambient temperature Material Color Processing developme Model	WST-SA2S , 2Gang Switch 1Gang Socket 110-250(V) 16(A) -20°C~55°C ABS/Flame retardant PC White gray mt According to the needs of the switch socket configuration WST-SAS , 1 Gang Switch Socket	



GUANGZHOU GOLDEN ELECTRIC Co., Ltd. is professional supplier of Electrical products.

We are Specialized in producing and supplying portable distribution box, waterproof plug, socket, wall switch, waterproof plastic ,Aluminum box ,Changeover Switch and disconnecting switch. all products comply with IEC, A S/NZS standard. passed CE, IP66, ROHS certificates.

Advanced process technologies, standard production processes and precise testing equipment, all ensure the products we supply can satisfy with customers' need. Our Cooperative factory has 15 injection molding machines, 16 CNC and 13 automatic lathes and 12 testing equipment. at present

we have exported to many countries and have serve these customers with professional electrical solution.

Welcome to visit our factory. Thanks

FAQ

Sample Lead time 3-7 days Sample Cost Free of charge samples

Lead Time15-20 business days after sample is confirmed, depend on the quantity

Port Guangzhou, China

Payment L/C, T/T, Western Union

Q1: Are you a factory or trading company

A1: We are a factory, we can guarantee our price is first-hand, very cheap and competitive.

Q2: How does your factory do regarding quality control?

A2: All the products will be 100% checked before the shipment

Q3: When can I get the price?

A3:Usually we quote within 24 hours after we get your inquiry.

Q4: How could I get a sample?

A4: if you can not buy our product in your local area, we will ship a sample to you. You will be charged a sample price plus all related shipping costs. Express delivery charge depends on the quantity of the samples.

Q5: What is the price of shipping?

A5: Depending upon the port of delivery, prices vary.

Any more query please contact with us, thank you!

Guangzhou Golden Electric Co., Ltd. 008618998498109 eva@china-golden.com.cn Chinagoldene.com Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District, Guangzhou city, Guangdong province, China