M19 3pin IP68 Waterproof Industrial Plug And Socket For 3 Pin Cable

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Golden Electric /OEM
- Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000, ISO 20000, OHSAS/ OHSMS 18001, IATF16949
- Minimum Order Quantity: 1
- Packaging Details: Carton/Pallet
- Delivery Time: Peak Season Lead Time: more than 12 months Off Season Lead Time: within 15 workdays
- Payment Terms: LC, T/T, PayPal, Western Union
- Supply Ability: 5000/Month

Product Specification

- Suit For: Outdoor LED Light
- Type: M19 3pin Connector
- Transport Package: Standard Export Carton
- Specification: 2P, 3P, 3P+N, 3P+N+E
- Trademark: Golden Electric Or Customize
- Origin: China
- HS Code: 8537209000
- Supply Ability: 5000/Month
- Operating Frequency: Low Frequency
- Gender: Female
- Model Number: S-33037308965
- Voltage: 380V
- Model: IP68 Waterproof Connector
- Waterproof Rate: IP68
- Customization: Available | Customized Request

More Images

for more products please visit us on chinagoldene.com

Our Product Introduction

for more products please visit us on chinagoldene.com

Product Description

Company Profile

GoldenElectricCo., Ltd.
is professional make of Electrical products .Such as distribution box, waterproof plug, socket, wall switch, waterproof plastic ,Aluminum box ,Changeover Switch and disconnecting switch,MC4 Connector.isolator switch.fusebreaker.distribution box,PV combiner box .surge protector, Indicatorlamp,Solar Charge Controller,Industrialplugandsocket,BusbarInsulator,Meter Socket,Wind Turbine, Terminal Block,Solar product and so on. all products comply with IEC, A S/NZS standard. passed CE, IP66, ROHS certificates.at present we have exported to many countries and have serve these customers with professional electrical solution.

Product Description

Product Name	M19 3Pin Connector IP68 Waterproof Connector Plug Socket Male Female 2 3 4 5 6 7 8 9 10 Pin Cable Connectors for Led Light
Description	1.Operating Environmental Conditions Working temperature: -25ºC~105ºC Storage temperature: -25ºC~85ºC Large pneumatic pressure: (86-106)Kpa Relative humidity: ≤90% Waterproof level: IP68 Connector Type: Soldering connector 2. Product Structure Description Connection mode: Line with injection molding Rated Current: 20A Maximum cable diameter : Φ10.5mm Connector contacts and coatings: Φ1.5. 260ºC temperature resistance V-0 Fire retardant Contact plastic: nylon waterproof apron: Silicone Connector contacts and plating: copper, copper plated nickel plated zinc.
Dropshipping	Warmly welcome, we have rich logistics experience, click to contact our customer service.
OEM/ODM	Warmly welcom, click to contact our customer service.

Golden Electric

Golden Electric

Golden Electric

Golden Electric

Products Category

2Gang Switch 2Gang Amerian Standard Socket

AD LED Indiactor Signal Warning Ligth Lamp

Solar PV Waterproof DC Isolation Switch

Blue Waterproof Plug Socket Connector

Packing & Delivery

Selling Units: Single item

Single package size: 12X8X2 cm

Single gross weight: 0.025 kg

Package Type: Foam Box + Carton Box

Picture Example:

Lead time:

Quantity(pieces)	1 - 10	11 - 5000	>5000
Lead time (days)	7	15	To be negotiated

FAQ

Q1: Are you a factory or trading company
A1: We are a factory, we can guarantee our price is first-hand, very cheap and competitive.
Q2: How does your factory do regarding quality control?
A2: All the products will be 100% checked before the shipment
Q3: When can I get the price?
A3:Usually we quote within 24 hours after we get your inquiry.
Q4: How could I get a sample?
A4: if you can not buy our product in your local area, we will ship a sample to you. You will be charged a sample price plus all related shipping costs. Express delivery charge depends on the quantity of the samples.
Q5: What is the price of shipping?
A5: Depending upon the port of delivery, prices vary.

Any more query please contact with us, thank you!

Guangzhou Golden Electric Co., Ltd.

008618998498109 eva@china-golden.com.cn chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District,
Guangzhou city,Guangdong province,China