



Rg59 Coaxial Cable Male Connector Plug 500Hz IP67 Waterproof Panel Plug

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Golden Electric /OEM
- Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000, ISO 20000, OHSAS/ OHSMS 18001, IATF16949
- Minimum Order Quantity: 1
- Packaging Details: Carton/Pallet
- Delivery Time: Peak Season Lead Time: more than 12 months Off Season Lead Time: within 15 workdays
- Payment Terms: LC, T/T, PayPal, Western Union
- Supply Ability: 5000/Month



Product Specification

- Impedance: 75Ω
- Frequency Range: DC~1GHz
- Working Voltage: 170V Max
- Withstand Voltage: 500V RMS
- Contact Resistance: $\leq 10 \text{ m}\Omega$
- Insulation Resistance: $\geq 1000 \text{ M}\Omega$
- Durability: ≥ 500
- Product Name: Rg59 RG6 Rg11 F Connector
- Transport Package: Ethernet Cable Connector
- Specification: 2P, 3P, 3P+N, 3P+N+E
- Trademark: Golden Electric Or Customize
- Origin: China
- HS Code: 8537209000
- Supply Ability: 5000/Month
- Gender: Male, Male



More Images



for more products please visit us on chinagoldene.com

Product Description

Company

Profile

GoldenElectricCo., Ltd.

is professional make of Electrical products .Such as distribution box, waterproof plug, socket, wall switch, waterproof plastic ,Aluminum box ,Changeover Switch and disconnecting switch,MC4 Connector.isolator switch.fusebreaker.distribution box,PV combiner box .surge protector, Indicatorlamp,Solar Charge Controller,Industrialplugandsocket,BusbarInsulator,Meter Socket,Wind Turbine, Terminal Block,Solar product and so on. all products comply with IEC, A S/NZS standard. passed CE, IP66, ROHS certificates.at present we have exported to many countries and have serve these customers with professional electrical solution.

Product Description

Temp.range	-40~+60°C
Vibration	100m/s ² (10~500Hz)
Impedance	75Ω
Frequency Range	DC~1GHz
Working Voltage	170V max
Withstand Voltage	500V rms
Contact resistance	Center Contact ≤ 10 mΩ
Insulation resistance	≥ 1000 MΩ
VSWR	Straight ≤ 1.20 Right angle ≤ 1.30
Durability	≥500



Black Color RG6 Wire Connector Compression

F type joining devices use for 75 Ω cable assign system, especially CATV, broadcast television network, It can already be used for having impedance to mate the occasion required, can be used in not mating the occasion too. It is joined, inserts helping jointly that its characteristic is whorl , the price is suitable. F type joining devices can exchange and use with the similar products in the world. FL10 products are M10X0.75 whorl, the structure, performance are the same as F type



Golden Electric



Golden Electric





Golden Electric



Golden Electric





Golden Electric



Golden Electric





Golden Electric



Golden Electric





Golden Electric



Golden Electric





Golden Electric



Golden Electric



Products Category



AC LED Indicator Light Warning Light



DC Solar Isolator Switches Mc4 Connector



AC Fuse Cylindrique



Blue Outdoor Waterproof Plug Socket Connector

FAQ

Q1: Are you a factory or trading company

A1: We are a factory, we can guarantee our price is first-hand, very cheap and competitive.

Q2: How does your factory do regarding quality control?

A2: All the products will be 100% checked before the shipment

Q3: When can I get the price?

A3: Usually we quote within 24 hours after we get your inquiry.

Q4: How could I get a sample?

A4: if you can not buy our product in your local area, we will ship a sample to you. You will be charged a sample price plus all related shipping costs. Express delivery charge depends on the quantity of the samples.

Q5: What is the price of shipping?

A5: Depending upon the port of delivery, prices vary.

Any more query please contact with us, thank you!



Guangzhou Golden Electric Co., Ltd.

☎ 008618998498109

✉ eva@china-golden.com.cn

🌐 chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District,
Guangzhou city, Guangdong province, China

