



Three-Phase Voltage/Current Protector with Adjustable High Voltage Samples US 1/Piece

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Golden Electric /OEM
- Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000, ISO 20000, OHSAS/ OHSMS 18001, IATF16949
- Minimum Order Quantity: 1
- Packaging Details: Carton/Pallet
- Delivery Time: Peak Season Lead Time: more than 12 months
Off Season Lead Time: within 15 workdays
- Payment Terms: LC, T/T, PayPal, Western Union
- Supply Ability: 5000/Month



Product Specification

- Current Type: AC
- Display: Dual LED Display
- Frequency: 50/60 Hz
- Efficiency: High Efficiency
- Functions: Over/Under Voltage, Over Current
- Transport Package: Standard Carton
- Specification: Different Sizes And Specifications
- Trademark: Golden Electric Or Customize
- Origin: China
- HS Code: 8537209000
- Supply Ability: 5000/Month
- Type: Signal Type Arrester
- Application: Protector
- Operation Voltage: High Voltage
- Certification: ROHS, ISO9001



More Images



for more products please visit us on chinagoldene.com

Product Description

Product Description


Three phase voltage/current protector integrates over-voltage protection, under-voltage protection, over-current protection and integrated intelligent protector. When there is over-voltage, under-voltage and over-current solid barriers in the line, this product can instantly cut off the circuit, avoiding unnecessary damage to electrical equipment. When the circuit returns to normal, the protector can automatically restore the circuit to make the electrical equipment work normally. The overvoltage value, undervoltage value, overcurrent value, circuit recovery time value and overcurrent protection reset time value of this product can be set by themselves. Adjust the corresponding parameters according to local actual conditions and electrical usage conditions.




Strict manufacturing and careful protection
Automatic reset to prevent power failure for a long time
Quick response to prevent the hidden danger of over voltage and under voltage

Automatic recovery after protection action
Voltage protection recover
Action time delay time
Adjustable ,Adjustable





- : Manual switch
 - : Menu key
 - : Adjustment key
 - : Adjustment key
- : Output indication
 - : Over-voltage indication
 - : Under-voltage indication
 - : Voltage unbalance indication





Functions

1. Over-voltage protection
2. Under-voltage protection
3. Asymmetry protection
4. Phase sequence protection
5. Automatic recovery

Technical parameter	Setting range	Factory setting	Step	Function description
Power-on delay time	1s-500s	10s	1s	After external power cut,the time needed for power-on when power recovery.
Over-voltage protection value	230V-300V	270V	1V	When the voltage is higher than the set value, the protector will cut off the line.
Over-voltage recovery value	225V-295V	265V	1V	When the voltage is lower than the set value, the protector will automatically reset, and the set value must be less than the over-voltage protection value by more than 5V.
Over-voltage recovery delay time	1s-500s	30s	1s	After voltage recovery,the time needed for automatic reset.
Over-voltage protection action time	0.1s-30s	1.0s	0.1s	When the voltage is higher than the set value,the time needed for protection action.
Under-voltage protection value	140V-210V	170V	1V	When the voltage is lower the set value, the protector will cut off the line.
Under-voltage recovery value	145V-215V	175V	1V	When the voltage is higher than the set value, the protector will automatically reset, and the set value must be more than the under-voltage protection value by more than 5V.
Under-voltage recovery delay time	1s-500s	30s	1s	After voltage recovery,the time needed for automatic reset.
Under-voltage protection action time	0.1s-30s	1.0s	0.1s	When the voltage is lower than the set value,the time needed for protection action.
Three phase voltage error value	-9.5%-9.5%	0		Correct the three phase voltage error.
Three phase voltage unbalance value	20V-99V	20V	1V	When the error among the three phase voltage is bigger than the set value,the protector will cut off the line.
Three phase voltage unbalance recovery value	5V-94V	20V	1V	When three phase voltage unbalance value is lower than the set value,the protector will automatically reset.
Phase sequence protection switch	OFF/ON	ON		Switch on or on the phase sequence protection function.
Phase-loss protection	ON			One of the three-phase voltages is losing,the protector will cut off the line.

Main menu setting



Power switch

Three phase voltage and current protector



FQA

Q1: Are you a factory or trading company

A1: We are a factory, we can guarantee our price is first-hand, very cheap and competitive.

Q2: How does your factory do regarding quality control?

A2: All the products will be 100% checked before the shipment

Q3: When can I get the price?

A3: Usually we quote within 24 hours after we get your inquiry.

Q4: How could I get a sample?

A4: if you can not buy our product in your local area, we will ship a sample to you. You will be charged a sample price plus all related shipping costs. Express delivery charge depends on the quantity of the samples.

Q5: What is the price of shipping?

A5: Depending upon the port of delivery, prices vary.

Any more query please contact with us, thank you!



Guangzhou Golden Electric Co., Ltd.

☎ 008618998498109

✉ eva@china-golden.com.cn

🌐 chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District,
Guangzhou city, Guangdong province, China