

# Different Sizes and Specifications DIN Rail Protector Relay with Kwh Energy Meter

#### **Basic Information**

Place of Origin: China

Brand Name: Golden Electric /OEM

• Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000,

ISO 20000, OHSAS/ OHSMS 18001,

IATF16949

Minimum Order Quantity:

• Packaging Details: Carton/Pallet

Delivery Time: Peak Season Lead Time: more than 12

months Off Season Lead Time: within 15

workdays

• Payment Terms: LC, T/T, PayPal, Western Union

Supply Ability: 5000/Month



#### **Product Specification**

• Current Type: AC

• Display: Dual LED Display

Frequency: 50/60 HzEfficiency: High Efficiency

Functions: Over/Under Voltage, Over Current

• Transport Package: Standard Carton

Specification: Different Sizes And Specifications
 Trademark: Golden Electric Or Customize

Origin: China
 HS Code: 8537209000
 Supply Ability: 5000/Month

• Type: Signal Type Arrester

Application: Protector
 Operation Voltage: High Voltage
 Certification: ROHS, ISO9001



#### More Images









#### **Product Description**

Single phase voltage/current protector integrates over-voltage protection, under-voltage protection, over-current protection and integrated intelligent protector. When there is over-voltage, under-voltage and over-current solid barriers in the line, this product can instantly cut off the circuit, avoiding unnecessary damage to electrical equipment. When the circuit returns to normal, the protector can automatically restore the circuit to make the electrical equipment work normally. The overvoltage value, undervoltage value, overcurrent value, circuit recovery time value and overcurrent protection reset time value of this product can be set by themselves. Adjust the corresponding parameters according to local actual conditions and electrical usage conditions.



Real time display of working current, voltage and kWh

The current and voltage can be set according to the power consumption state
The intelligent control chip displays the current electric current and automatically breaks when the current/voltage exceeds the set value

The corresponding protection value can be set according to the current of the electric field used in the construction site and dormitorylf the power consumption in the dormitory is 5A,the overcurrent protection value can be set as 5A. If it exceeds 5Athe power will be cut off automatically. After the electric equipment is pulled out, the current can be restored within 5A and can be restored automatically Intelligent control, screen display real-time voltage/current/kWh





# Guide rail buckle

The design of the buckle makes the product firmly fixed

#### Intelligent anti-interference

The intelligent chip is adopted to improve the anti-interference, solve the problems of FM frequency instability and screen fluctuation, and resist battery interference.





#### **Functions**

.Over-voltage Protection

.Under-voltage Protection

.Over-current Protection

.Automatic Recovery

.Action & Recovery Time Adjutable


.Voltage Meter

.Ammeter

.Energy Meter

Function	Technical Parameter	Function	Technical Parameter
Input voltage	AC 140-300V	Power-on delay time	1-500s default 10s
Over-voltage protection value	230-300V default 270V	Over-voltage recovery value	225-295V default 265V
Under-voltage protection value	140-210V default 170V	Under-voltage recovery value	145-215V default 175V
Over-current protection value	63A:1-63A default 40A	Over-current recovery value	0.5-62.5A
	80A:1-80A default 60A		0.5-79.5A
Recovery delay time	1-500s default 30s	Action time	0.1-30s default 1s
Continuous over current faults times	1-20 times default OFF	Voltage/current/kilo watt-hour calibration	-9.9-9.9%
Power consumption	≦2W	Electrical and mechanical life	≥100000cycles
Boundary dimendion	86×38×68MM	Wiring	Over-entering down-out

# Main menu setting





Other Hot-Selling Products













#### FQA

Q1: Are you a factory or trading company

A1: We are a factory, we can guarantee our price is first-hand, very cheap and competitive.

Q2: How does your factory do regarding quality control?

A2: All the products will be 100% checked before the shipment

Q3: When can I get the price?

A3:Usually we quote within 24 hours after we get your inquiry.

Q4: How could I get a sample?

A4: if you can not buy our product in your local area, we will ship a sample to you. You will be charged a sample price plus all related shipping costs. Express delivery charge depends on the quantity of the samples.

Q5: What is the price of shipping?

A5: Depending upon the port of delivery, prices vary.

### Any more query please contact with us, thank you!

# Guangzhou Golden Electric Co., Ltd.

008618998498109

eva@china-golden.com.cn

chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District, Guangzhou city,Guangdong province,China