

Small C DC 24V Surge Protector Signal Arrester Device for Enhanced Signal Protection

Basic Information

• Place of Origin: China

Brand Name: Golden Electric /OEM

• Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000,

ISO 20000, OHSAS/ OHSMS 18001,

IATF16949

Minimum Order Quantity:

• Packaging Details: Carton/Pallet

Delivery Time: Peak Season Lead Time: more than 12

months Off Season Lead Time: within 15

workdays

• Payment Terms: LC, T/T, PayPal, Western Union

Supply Ability: 5000/Month



Product Specification

• Shape: Module

Material: Aluminum AlloyedBrand: Golden Or OEM

Weight: 60gColor: BlackSPD Location: Indoor

Product Name: 12VDC Surge Protector
Nominal Voltage: 6V/12V/24V/48V

• Maximum Working Current: 300mA • Series Resistance: 15Ω • Working Temperature: $-40^{\circ}\text{C} + 80^{\circ}\text{C}$

• Transport Package: Standard Export Carton

• Specification: 2p And 3p

• Trademark: Golden Or Netural Or Customer Brand

• Origin: China



More Images










Product Description

OBVXJ is the series of devices for discharging transient overvoltages induced in RS 485 networks. OBVXJ designed for protection of data, communication, measuring and control lines against surge effects. The protector with RS485 input and output connectors able to hold up nominal discharge currents of 5kA for each line.


- -Suitable for the protection of instrumentation installed in RS485 networks. By their nature, they are highly exposed to induced transient overvoltages (surges) associated with meteorological activity.
- Protection of 1or 2 pairs of wires.
- -For nominal voltage.Un:12V24V48V
- -Low residual voltage in all the working voltages.
- -Available with optional Din-rail mountable.



Reference	OBVXJ- 6	OBVXJ- 12	OBVXJ- 24	OBVXJ- 48	
Nominal voltage : Un	6Vdc	12Vdc	24Vdc	48Vdc	
Maximum continuous operating voltage: Uc	8Vdc	15Vdc	30Vdc	65Vdc	
Nominal discharge current for line C2 10kV(1,2/50µs) / 5kA(8/20µs): In (C2)	5kA				
Protection level at In (8/20µs):	12V	25V	40V	75V	
Maximum working current:	300mA				
Series resistance:	15Ω				
Response time:	< 10ns				
Working temperature:	-40°C+80°C				
SPD location:	Indoor				
Type of connection:	Series (two ports)				
Input / Output connector:	BS485 / BS485				

Certificated tests according to: IEC 61643-21, EN 61643-21

Surge Protective Device Arrester Dimensions:



Packaging & Shipping

Packaging Details:

Customized Packing: Header card packing, Blister with card packing, Double blister packing, Canister packing, other

packing can be supplied according customers request.

Shipping:

- 1. By Air or by Sea for batch goods, Airport/ Port receiving;
- 2. Customers specifying freight forwarders or negotiable shipping methods!

Delivery Detail:

Shipped in 7 days after payment



Company Profile







- Golden Electric Co.,Ltd ,was foundad in 2017, we are professional for make AC and DC electric items such as cable gland, isolator switch , fuse , breaker , distribution box , PV combiner box ,surge protector, Industrial plug and socket,Solar product and so on.
- Golden has been granted ISO9001 management system certifications. The comprehensive product line has more than 1000 models which have been approved by TUV,CE,CQC,SGS,ROHS,SASO. The productsells well to UK, Spain, Portugal, Singapore, Turkey, Russia, Korea, South Africa... more than 60 countries and regions.
- Golden is always striving hard to provide the best services and competitive price to all customers.



Manufacture of solar













Q1: If I'm interested in your Solar SPD when I can receive your quotation and detail information after send the enquiry?

A:All your enquiry will be replied in 8hours.

Q2:Your Solar SPD seems perfect but what's the difference between you and other suppliers?Because I find some cheaper price from others!

A: Our DC SPD is special for Solar system all the parts in the SPD are high quality customized. Not all the DC SPD are Solar SPD!

Q3:Can I get a sample before the order because I really don't how is your DC SPD quality?

A:Of course!We also think sample order is the best way to build the trust.

Q4:How's the delivery?Because I really need them is urgently?

A:For sample order 3~7days will be no problem. And for regular order we promise in 15days.

Q5:How's the warranty period for your DC SPD?

A:We offer one year warranty for our customer.

How to contact us

Send your Inquiry Details in the Below, please Click "send" Now! Good price and sample are waiting for you.





008618998498109



eva@china-golden.com.cn



chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District, Guangzhou city, Guangdong province, China