

1 Phase AC 220V Time Relay St3PC Series 220VAC Timer Delay with Working Power AC220V

Basic Information

- Place of Origin:
- China Brand Name:
- Certification:
- Minimum Order Quantity:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



Carton/Pallet

1



LC, T/T, PayPal, Western Union

Non-Electric Parameter Relay

AC24V/36V/110V/220V/380V

Golden Electric Or Customize

DC24V/110V/220V

2 Set Delay Contact

Carton Box

8537209000

5000/Month

China

Na-Ne Different Range 3A-250V (Resistive)

5000/Month

Miniature



Product Specification

- Size: • Type:
- Working Power:
- Timing Range:
- · Contact Capacity:
- Contact Qty:
- Transport Package:
- Trademark:
- Origin:
- HS Code:
- Supply Ability:
- Theory:
- Usage:
- - Time Relay
 - Household Appliances Relay, Lathe Relay,





More Images









Our Product Introduction

Product Description

Timer relay used as time delay component in the control circuit with AC 50Hz, AC 380V and below or DC 24V, to connect or disconnect the circuit at preset time.

With compact size, light weight, high accuracy, wide time delay range, high quality performance, can be widely used for time delay control in automation control circuit, this series relay can be interchange with JSZ3 type relay.

Product Parameters

Features:

*Used for control of time order

*With front-surface and back-surface connecting sockets


*LED pilotdisplay action state

Voltage	DC12V-48V AC24V-380V50HZ		
Powerexpend	DC1.0W AC1.0VA		
Control output	5A220VAC		
Insulation Resistance	DC500V 100MΩ		
Dielectric Strength	BCC1500VAC BOC1000VAC		
OperatingTemperature	-10ºC~50ºC		
Huminity	35%-85%		
Weight	50g		
InstallingHolingSize	40x50mm		

时间范围 Time range

开关位置 延时类别		2	3	4
	1 3 2 4	1 2 3 4	1 3 3 4	1
A	0.05-0.5s	0.05-5s	2.5-30s	0.25–3m
В	0.1-1s	0.1-10s	5-60s	0.5-6m
С	0.5-5s	5-50s	0.5–5m	2.5-30m
D	1–10s	10-100s	1–10m	5-60m
E	5-60s	1–10m	5-60m	0.5-6h
F	0.25-2m	2.5-20m	0.25-2h	1–12h
G	0.5-4m	5-40m	0.5-4h	2-24h

外形图、接线图、延时波形 Dimension.Bottom View



Company

Profile

- Golden Electric Co.,Ltd ,was founded in 2017, we are professional for make AC and DC electric items such as cable gland, isolator switch , fuse , circuit breaker , distribution box , PV combiner box ,surge protector, Industrial plug and socket,Solar product etc.

- Golden has been granted ISO9001 management system certifications. The comprehensive product line has more than 1000 models which have been approved by TUV,CE,CQC,SGS,ROHS,SASO. The productsells well to UK, Spain, Portugal, Singapore, Turkey, Russia, Korea, South Africa... more than 60 countries and regions.

- Golden is always striving hard to provide the best services and competitive price to all customers.

FAQ

1) Q:How can i trust your company?

A:Golden electric is The top 10 manufacture in China - more than 350 Agents in local market and more than 100 foreign clients make OEM,ODM order from us,Golden electric is a big company, we have cooperation with LS, EKF the world-class companies. Our company over 100 employees, products pass CE,IEC,TUV,SAA, RCM, ROHS certificates.

2) Q:Your products?

A: Golden electric is factory for Junction Box,Isolator Switch,Automatic transfer switch,Surge protector device,distribution box Enclosure, inverter, DC fuse etc. Providing customers very competitive sources, and can be your sourcing agent in China. Goods are following international standards, IE, CE, ISO9001, SGS etc.

3) Q: After Sales Service?

A: We will provide the best After-sales Service

4) Q: What's the payment term?

A: Normally 100% T/T in advanced payment. If big order then about 50% advanced payment, balance before shipment.PAYPAL,WESTERN UNION,CASH for small order.

5) Q: Your address ?

A: Locates in Guangzhou province, China, welcome to visit us

Any more query please contact with us, thank you!

Guangzhou Golden Electric Co., Ltd.

C 008618998498109 🖸 eva@china-golden.com.cn 📀 chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District, Guangzhou city, Guangdong province, China