

385V 3 Phase Surge Protection Device 20ka AC Cut Off Quickly For Industrial

Basic Information

Place of Origin: China

Brand Name: Golden Electric /OEM

• Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000,

ISO 20000, OHSAS/ OHSMS 18001,

IATF16949

Minimum Order Quantity:

• Packaging Details: Carton/Pallet

• Delivery Time: Peak Season Lead Time: more than 12

months Off Season Lead Time: within 15

workdays

• Payment Terms: LC, T/T, PayPal, Western Union

Supply Ability: 5000/Month



Product Specification

Shape: Gyro TypeMaterial: Nylon

Brand: Golden Electric /OEM
AC: AC275/320/385/420/440
Product Name: AC Surge Protective Device

• Imax(Ka): 20ka

Pole: 1p, 2p And 3p, 3p+NUsage: AC Power System

Us(Ka): 10kaTerminal Screw: M5

• Transport Package: Standard Export Carton

• Specification: 1P/2P/3P/4P

Trademark: Golden Or Netural, Or Customer Brand

Origin: ChinaHS Code: 8536300000



More Images









Product Description

Product Description



BV1-D series surge protective device(SPD)is suitable for TN-S TN-C-S TT IT etc. power supply system of AC 50/60Hz, 380V, installed on the joint of LPZ1 or LPZ2 and LPZ3, it's designed according to IEC61643-1 GB18802.1, it adopt s 35mm standard rail, there is a failure release mounted on the module of surge protective device. When the SPD fails in breakdown for overheat and over-current, the failure release will help electric device separate from the power system and give the indication signal, green mean s normal, red means abnormal, it's also could be replaced for the module when has operating voltage.

It's suitable for D grade surge protection, BV1-D10 BV1-D20 series surge protective device according to GB188021.1-2 002, in stalled on the joint of LPZ1 or LPZ2 and LPZ3, usually installed in household distribution boards, computer equipment, information equipment, electronic equipment and in the socket box in front of control equipment or ne ar the control equipment.

Notice: When you order our goods, please write the model and quantity carefully. For example: BV1Đ10/4P-320, 8 pieces

Product Features

Could be replaced for the module not need power cut.

Maximum current of endure the lightning stroke 20kA(8/20µs).

Time of response 25ns.

The color of visible window shows operating status, green means normal, red means abnormal.

Product Parameters


Model	BV1-D1		BV1-D2	
Maximum Continuous Operating Voltage Uc(V~)	AC 275V/320V/385V/420V/440V			
Voltage Protection Level Up (V~) kV	0.7	1.0	1.2	1.5
Nominal Discharge Current In(8/20us)	5kA		10kA	
Maximum Discharge CurrentImax(8/20us)	10kA		20kA	
Fuse or Switch	10A, 16A		16A, 25A	
Response Time ns	25			
Operating Environment ^o C	-40°C∼+85°C			
Installation	Standard Rail 35mm			
The Cross Section of L/N line(mm2)	6mm2			
The Cross Section of PE Line(mm2)	10mm2			
Material of Outer Covering	Fiberglass			
Relatively Humidity	≤95%			

Product Details

Model and Meaning



Dimension



Packing







Recommand Product













Company Profile

- Golden Electric Co.,Ltd ,was foundad in 2007, we are professional for make AC and DC electric items such as cable gland,MC4 Connector, isolator switch , fuse , breaker , distribution box , PV combiner box ,surge protector, Indicator lamp,Solar Charge Controller,Industrial plug and socket,Meter Socket,Wind Turbine, Terminal Block,Solar product, Voltage & Current Protector and so on.
- Golden has been granted ISO9001 management system certifications. The comprehensive product line has more than 1000 models which have been approved by TUV,CE,CQC,SGS,ROHS,SASO. The productsells well to UK, Spain, Portugal, Singapore, Turkey, Russia, Korea, South Africa... more than 60 countries and regions.
- Golden is always striving hard to provide the best services and competitive price to all customers.

FAQ

1)Q:How can i trust your company?

A:Golden electric is The top 10 manufacture in China - more than 350 Agents in local market and more than 100 foreign clients make OEM,ODM order from us,Golden electric is a big company, we have cooperation with LS, EKF the world-class companies. Our company over 100 employees, products pass CE,IEC,TUV,SAA, RCM, ROHS certificates.

2) Q:Your products?

A: Golden electric is factory for Automatic transfer swithc, Surge protector device, distribution box Enclosure, inverter, DC fuse etc. Providing customers very competitive sources, and can be your sourcing agent in China. Goods are following international standards, IE, CE, ISO9001, SGS etc.

3) Q: Do you have forwarder?

A: Yes, we have good forwarder cooperated over 10 years, they help us import and export . For small package orders, suggest to use by Express.

4) Q: Your address?

A: Locates in Guangzhou province, China, welcome to visit us

5) Q:What's the Surge Protection Device guarantee?

A: 2 years warranty. If customer's problem, then customer burden. If our problem, then we send new goods to customer to replace asap.

6) Q:What's about MOQ? Delivery time?

A: 1pcs for Surge Protection Device.

7) Q: What's the payment term?

A: Normally 100% T/T in advanced payment. If big order then about 50% advanced payment, balance before shipment.PAYPAL,WESTERN UNION,CASH for small order .

8) Q:What's your contact information?

Send us your inquiry !we will reply you in 24 hours !

If you need information about this product. Please Click here to contact me and we will provide you with more information about the products.



008618998498109

eva@china-golden.com.cn



chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District, Guangzhou city, Guangdong province, China