

40ka 230V DC Surge Protector With Lightning Protection For Solar System SPD

Basic Information

Place of Origin: China

Brand Name: Golden Electric /OEM

• Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000,

ISO 20000, OHSAS/ OHSMS 18001,

IATF16949

Minimum Order Quantity:

• Packaging Details: Carton/Pallet

Delivery Time: Peak Season Lead Time: more than 12

months Off Season Lead Time: within 15

workdays

• Payment Terms: LC, T/T, PayPal, Western Union

Supply Ability: 5000/Month



Product Specification

Product Name: 40ka Surge Protecto

SPD Port: One Port
Lmax(8/20 μ S): 40ka
Working Environment -40-85°C

Temperature:

UC: 280VProtection Level: IP20Warranty: 1year

• SPD Category: Voltage Switching Type

• Up(1.2/50 μs): 1.2kv

Transport Package: Standard Export Carton

• Specification: 2P/3P

Trademark: Golden Electric Or Customize

Origin: ChinaHS Code: 8543709990



More Images









Product Description

Company Profile

GoldenElectricCo., Ltd.


is professional make of Electrical products .Such as distribution box, waterproof plug, socket, wall switch, waterproof plastic ,Aluminum box ,Changeover Switch and disconnecting switch,MC4 Connector.isolator switch.fusebreaker.distribution box,PV combiner box .surge protector, Indicatorlamp,Solar Charge Controller,Industrialplugandsocket,BusbarInsulator,Meter Socket,Wind Turbine, Terminal Block,Solar product and so on. all products comply with IEC, A S/NZS standard. passed CE, IP66, ROHS certificates.at present we have exported to many countries and have serve these customers with professional electrical solution.


Product Description

G20-40 series series secondary power surge protectors are designed according to IEC and GB standards. The products with powerful surge release capability, each of the maximum discharge current $20 \sim 80 \text{kA}(8/20 \mu \text{s})$, applicable to low-voltage distribution system protection at all levels, according to different distribution systems (TT/TN/IT) can choose a variety of combinations.

G2040MT

Tura	G2040MT/XXX/1P.2P.3P.4P								
Туре	150	175	200	275	280	320	335	385	440
in accordance with	IEC61643-11:2011;UL1449-4th								
Category IEC/UL	Туреп,Т2								
Maximum continuous operating voltage(UC) AC	150V	175V	200V	275V	280V	320V	335V	385V	440V
Maximum continuous operating voltage(UC) DC	150V	200V	225V	350V	420V	505V	560V	620V	/
Nominal discharge current(8/20us) In	20kA								
Maximum discharge current(8/20us) Imax	40kA								
Voltage protection level(Up)	≤1.0kV	≤1.2kV	≤1.2kV	≤2.2kV	≤2.2kV	≤2.2kV	≤2.2kV	≤2.4kV	≤2.5kV
Product Size	72*90*69mm								
Core component	Varistor								
Response time ta	≥25ns								
Protection grade	IP20								
Normal working temperature	-40°C~+80°C								















Products Category





DC Moulded Case Circuit Breaker for Solar System

Knife Change Over Switch





Automatic Recovery Over and Under Voltage Protector Device

Waterproof Socket Insulator Socket

Packing & Delivery

Selling Units: Multiple of 48

Package size per batch: 34X34X17 cm

Gross weight per batch: 11.800 kg

Lead time:

Quantity(pieces) 1 - 144145 - 480481 - 960>960

Lead time (days) 3 7 15 To be negotiated

FAQ

Q1: Are you a factory or trading company

A1: We are a factory, we can guarantee our price is first-hand, very cheap and competitive.

Q2: How does your factory do regarding quality control?

A2: All the products will be 100% checked before the shipment

Q3: When can I get the price?

A3:Usually we quote within 24 hours after we get your inquiry.

Q4: How could I get a sample?

A4: if you can not buy our product in your local area, we will ship a sample to you. You will be charged a sample price plus all related shipping costs. Express delivery charge depends on the quantity of the samples.

Q5: What is the price of shipping?

A5: Depending upon the port of delivery, prices vary.

Any more query please contact with us, thank you!



Guangzhou Golden Electric Co., Ltd.



008618998498109



eva@china-golden.com.cn



chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District, Guangzhou city, Guangdong province, China