



1000V 10ka DC Outdoor Surge Protector 10/350μS Overvoltage Safety Protection

Basic Information

- Place of Origin: China
- Brand Name: Golden Electric /OEM
- Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000, ISO 20000, OHSAS/ OHSMS 18001, IATF16949
- Minimum Order Quantity: 1
- Packaging Details: Carton/Pallet
- Delivery Time: Peak Season Lead Time: more than 12 months
Off Season Lead Time: within 15 workdays
- Payment Terms: LC, T/T, PayPal, Western Union
- Supply Ability: 5000/Month



Product Specification

- UC: 800VDC / 1000VDC / 1200VDC
- Up: 3.2kv / 4.0kv / 4.4kv
- Ln(8/20μs): 10ka
- Limp(10/350μs): 40ka
- Response Time [T: 1
- Mounting: 35mm DIN Rail
- Test Standard: IEC 61643-1/GB 18802.1
- Enclosure Material: Purple (Module) / Light Gray (Base) Thermo Plastic
- Warranty: 2 Years
- Transport Package: Standard Export Carton
- Specification: 2P/3P
- Trademark: Golden Electric Or Customize
- Origin: China
- HS Code: 8543709990



More Images



Product Description

Company Profile

GoldenElectricCo., Ltd.

is professional make of Electrical products .Such as distribution box, waterproof plug, socket, wall switch, waterproof plastic ,Aluminum box ,Changeover Switch and disconnecting switch,MC4 Connector.isolator switch.fusebreaker.distribution box,PV combiner box .surge protector, Indicatorlamp,Solar Charge Controller,Industrialplugandsocket,BusbarInsulator,Meter Socket,Wind Turbine, Terminal Block,Solar product and so on. all products comply with IEC, A S/NZS standard. passed CE, IP66, ROHS certificates.at present we have exported to many countries and have serve these customers with professional electrical solution.

Product Description

Type	WR-T2T3-DC/3P
Uc	800VDC / 1000VDC / 1200VDC
Lightning impulse current (10/350)	40kA
Discharge current (8/20) [In]	10kA
Up	3.2kV / 4.0kV / 4.4kV
tA	≤25ns
Max.backup fuse(L)	200A gL/gG
Max.backup fuse(L-L')	125A gL/gG
TOV voltage	355V / 5sec
Operating temperature	-40°C...+80°C
Cross-sectional area	35mm ² solid / 50mm ² flexible
Mounting on	35mm DIN rail
Enclosure material	Purple (module) / light gray (base) thermo plastic
Test standard	IEC61643-1; GB18802.1 YD/T1235.1
Certificate	CE, ROHS ISO9001 CQC TUV

Features:

Pluggable module, easy for installation and maintenance

High discharge capacity, quick response

Double thermal disconnection devices, provide more reliable protection

Multifunctional terminals for connection of conductors and busbars

Green window will change when fault occurs, also provide remote alarm terminal



Golden Electric



Golden Electric





Golden Electric



Golden Electric





Golden Electric



Golden Electric



1. The surge protection device installation at LPZ 0 -1 or higher, protecting low voltage equipment against lightning and surge damages.
2. Applied in PSD Class I (Class B) for various power supply system.
3. Designed according to IEC 61643-1/GB 18802.1.

Products Category



Portable Combination Socket Industrial Electrical Junction Box Switch



Industrial Mechanical Interlock Socket and Switch



Making and Breaking Electric 3 Phase Isolator Switch



MCCB Circuit Breaker

Packing & Delivery

Selling Units: Single item

Single package size: 39.6X30.6X17 cm

Single gross weight: 1.000 kg

Package Type: Overvoltage Protection 1000v 10ka DC SPD Surge Arrester Packing Details:

Inner box + outside carton

4pcs per carton for inner box 120pcs per carton for outside carton

Picture Example:



Lead time:

Quantity(pieces) 1 - 12 - 50 51 - 100 >100

Lead time (days) 3 5 7 To be negotiated

FAQ

Q1: Are you a factory or trading company

A1: We are a factory, we can guarantee our price is first-hand, very cheap and competitive.

Q2: How does your factory do regarding quality control?

A2: All the products will be 100% checked before the shipment

Q3: When can I get the price?

A3: Usually we quote within 24 hours after we get your inquiry.

Q4: How could I get a sample?

A4: if you can not buy our product in your local area, we will ship a sample to you. You will be charged a sample price plus all related shipping costs. Express delivery charge depends on the quantity of the samples.

Q5: What is the price of shipping?

A5: Depending upon the port of delivery, prices vary.

Any more query please contact with us, thank you!



Guangzhou Golden Electric Co., Ltd.



008618998498109



eva@china-golden.com.cn



chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District,
Guangzhou city, Guangdong province, China