

Low Voltage Nh Series Double Indicators Fuse 4-630A Fast Acting Cylinder

ISO 9001, ISO 9000, ISO 14001, ISO 14000, ISO 20000, OHSAS/ OHSMS 18001,

Peak Season Lead Time: more than 12

LC, T/T, PayPal, Western Union

months Off Season Lead Time: within 15

Basic Information

- Place of Origin:
- Brand Name: Golden Electric /OEM

China

IATF16949

workdays

5000/Month

Ceramic

1

- Certification:
- Minimum Order Quantity:
- Packaging Details: Carton/Pallet
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

- Material:
- Rated Breaking Capacity:
- Rated Voltage:
- Operating Class:
- Function:
- Model:
- Current:
- Feature:
- Transport Package:
- Specification:
- Trademark:
- Origin:
- Supply Ability:
- Breaking Capacity:
- Type:
- 500V 120ka, 690V 50ka
 690VAC 500VAC
 Gg Fuse
 Overcurrent Protection
 Low Voltage HRC Fuse Link
 Up To 630A
 With Indicator
 Standard Export Carton
 80A/100A/160A/315A/400A/630A
 Golden Or Netural, Or Customer Brand
 China
 20000PCS/Month
 High





More Images









for more products please visit us on chinagoldene.com

Product Description

Product Description

The series of fuse links is mainly used in AC 50Hz, rated voltage up to 1140V, rated current up to 1250A and for protecting electric equipment from overload and short-circuit (gG/gL). It can reliably break the min. fusion current to any current within 120kA.

It is also available for the protection of semiconductor parts and equipment againest short-circuit (type aR) and protection of motors(type aM).

This series of fuse link conforms to GB13539 and IEC 60629 standards.

Basic Data

The model, outline dimension ,rated voltage and rated current are shown in Figures.


Product Features




It adopts the material with high quality. The arc-extingushing medium is quartz sand and fuse tube is high strength ceramic. The advanced manufacturing craft work ecsures the performance of small power waste,stable characteristic for the product. The outline structure and installation dimension jionts the advanced similar products from domedtic and abroad.

Product Parameters

Model NumberNH000S NH00S NH0S NH1S NH2S NH3SVoltage690VAC 500VACCurreNHUp to 630ABreaking
Capacity500V 120kA, 690V 50kAOperating classgG FuseStandardsGB13539.1/.2 IEC 60269-1/-2Country of OriginChina





R Model	ated voltage	Rated curreNH	l Dimension
MODEI	(Vac)	(A)	ACDEH
NH000S	500/690	4-160	78.549.5211552.5
NH00S	500/690	10-160	78 50.53015 60
NH0S	500/690	6-160	125 67 3015 60
NH1S	500/690	32-250	135 68 4620 58
NH2S	500/690	80-400	150 68 5825 68
NH3S	500/690	160-630	150 68 8032 82

Recommand Product



- Golden Electric Co.,Ltd ,was foundad in 2007, we are professional for make AC and DC electric items such as cable gland,MC4 Connector, isolator switch , fuse , breaker , distribution box , PV combiner box ,surge protector, Indicator lamp,Solar Charge Controller,Industrial plug and socket,Busbar Insulator,Meter Socket,Wind Turbine, Terminal Block,Solar product and so on.

- Golden has been granted ISO9001 management system certifications. The comprehensive product line has more than 1000 models which have been approved by TUV,CE,CQC,SGS,ROHS,SASO. The productsells well to UK, Spain, Portugal, Singapore, Turkey, Russia, Korea, South Africa... more than 60 countries and regions.

- Golden is always striving hard to provide the best services and competitive price to all customers.

FAQ

1) Q:How can i trust your company?

A:Golden electric is The top 10 manufacture in China - more than 350 Agents in local market and more than 100 foreign clients make OEM,ODM order from us,Golden electric is a big company, we have cooperation with LS, EKF the world-class companies. Our company over 100 employees, products pass CE,IEC,TUV,SAA, RCM, ROHS certificates. 2) Q:Your products?

A: Golden electric is factory for Automatic transfer swithc, Surge protector device, distribution box Enclosure, inverter, DC fuse etc. Providing customers very competitive sources, and can be your sourcing agent in China. Goods are following international standards, IE, CE, ISO9001, SGS etc.

- 3) Q:What standars is the main reference for using fuses in European countries? A:IEC 60269
- **4) Q:What factors will affect the breaking capacity?** A: AC/DC Voltage, shot current levels.
- 5) Q: What factors will affect the overload capability?

A: Pre-loading, cyclic loading surges, manufacturing tolerances.

6) Q: Do you have forwarder?

A: Yes, we have good forwarder cooperated over 10 years, they help us import and export . For small package orders, suggest to use by Express.

7) Q: Your address ?

A: Locates in Guangzhou province, China, welcome to visit us

8) Q:What's the Industrial Plug and Socket Distribution Box guarantee?

A: 2 years warranty. If customer's problem, then customer burden. If our problem, then we send new goods to customer to replace asap.

9) Q:What's about MOQ? Delivery time ?

A: 1pcs for Industrial plug and socket distribution Box.

10) Q: What's the payment term?

A: Normally 100% T/T in advanced payment. If big order then about 50% advanced payment, balance before shipment.PAYPAL,WESTERN UNION,CASH for small order .

11) Q:What's your contact information ?

Send us your inquiry !we will reply you in 24 hours !

If you need information about this product. Please **Click here** to contact me and we will provide you with more information about the products.

Guangzhou Golden Electric Co., Ltd.

008618998498109

eva@china-golden.com.cn

Chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District, Guangzhou city,Guangdong province,China