



CE Approved HRC Ceramic Fuse Link Fuses Nh Type 125A 250A Blade Fuse Block Links Nh1 Nh2 Nh3 Low Voltage

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Golden Electric /OEM
- Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000, ISO 20000, OHSAS/ OHSMS 18001, IATF16949
- Minimum Order Quantity: 1
- Packaging Details: Carton/Pallet
- Delivery Time: Peak Season Lead Time: more than 12 months
Off Season Lead Time: within 15 workdays
- Payment Terms: LC, T/T, PayPal, Western Union
- Supply Ability: 5000/Month



Product Specification

- Material: Ceramic
- Rated Breaking Capacity: 500V 120ka, 690V 50ka
- Rated Voltage: 690VAC 500VAC
- Operating Class: Gg Fuse
- Function: Overcurrent Protection
- Model: Low Voltage HRC Fuse Link
- Current: Up To 630A
- Feature: With Indicator
- Transport Package: Standard Export Carton
- Specification: 80A/100A/160A/315A/400A/630A
- Trademark: Golden Or Natural, Or Customer Brand
- Origin: China
- Supply Ability: 20000PCS/Month
- Breaking Capacity: High
- Type: Current Fuse



More Images



for more products please visit us on chinagoldene.com

Product Description

Product Description

The series of fuse links is mainly used in AC 50Hz, rated voltage up to 1140V, rated current up to 1250A and for protecting electric equipment from overload and short-circuit (gG/gL). It can reliably break the min. fusion current to any current within 120kA.

It is also available for the protection of semiconductor parts and equipment against short-circuit (type aR) and protection of motors (type aM).

This series of fuse link conforms to GB13539 and IEC 60629 standards.

Basic Data

The model, outline dimension, rated voltage and rated current are shown in Figures.

Product Features




It adopts the material with high quality. The arc-extinguishing medium is quartz sand and fuse tube is high strength ceramic. The advanced manufacturing craft work ensures the performance of small power waste, stable characteristic for the product. The outline structure and installation dimension joints the advanced similar products from domestic and abroad.

Product Parameters

Model Number	NH000S NH00S NH0S NH1S NH2S NH3S
Voltage	690VAC 500VAC
Current	Up to 630A
Breaking Capacity	500V 120kA, 690V 50kA
Operating class	gG Fuse
Standards	GB13539.1/2 IEC 60269-1/-2
Country of Origin	China

Product Details



Model	Rated voltage (Vac)	Rated current (A)	NH	Dimension				
				A	C	D	E	H
NH000S	500/690	4-160		78.5	49.5	21	15	52.5
NH00S	500/690	10-160		78	50.5	30	15	60
NH0S	500/690	6-160		125	67	30	15	60
NH1S	500/690	32-250		135	68	46	20	58
NH2S	500/690	80-400		150	68	58	25	68
NH3S	500/690	160-630		150	68	80	32	82

Recommend Product



- Golden Electric Co.,Ltd ,was founded in 2007, we are professional for make AC and DC electric items such as cable gland,MC4 Connector, isolator switch , fuse , breaker , distribution box , PV combiner box ,surge protector, Indicator lamp,Solar Charge Controller,Industrial plug and socket,Busbar Insulator,Meter Socket,Wind Turbine, Terminal Block,Solar product and so on.

- Golden has been granted ISO9001 management system certifications. The comprehensive product line has more than 1000 models which have been approved by TUV,CE,CQC,SGS,ROHS,SASO. The productsells well to UK, Spain, Portugal, Singapore, Turkey, Russia, Korea, South Africa... more than 60 countries and regions.

- Golden is always striving hard to provide the best services and competitive price to all customers.

FAQ

1) Q:How can i trust your company?

A:Golden electric is The top 10 manufacture in China - more than 350 Agents in local market and more than 100 foreign clients make OEM,ODM order from us,Golden electric is a big company, we have cooperation with LS, EKF the world-class companies. Our company over 100 employees, products pass CE,IEC,TUV,SAA, RCM, ROHS certificates.

2) Q:Your products?

A: Golden electric is factory for Automatic transfer swithc,Surge protector device,distribution box Enclosure, inverter, DC fuse etc. Providing customers very competitive sources, and can be your sourcing agent in China. Goods are following international standards, IE, CE, ISO9001 ,SGS etc.

3) Q:What standars is the main reference for using fuses in European countries?

A:IEC 60269

4) Q:What factors will affect the breaking capacity?

A: AC/DC Voltage, shot current levels.

5) Q: What factors will affect the overload capability?

A: Pre-loading, cyclic loading surges,manufacturing tolerances.

6) Q: Do you have forwarder?

A: Yes, we have good forwarder cooperated over 10 years, they help us import and export . For small package orders, suggest to use by Express.

7) Q: Your address ?

A: Locates in Guangzhou province, China,welcome to visit us

8) Q:What's the Industrial Plug and Socket Distribution Box guarantee?

A: 2 years warranty. If customer's problem, then customer burden. If our problem, then we send new goods to customer to replace asap.

9) Q:What's about MOQ? Delivery time ?

A: 1pcs for Industrial plug and socket distribution Box.

10) Q: What's the payment term?

A: Normally 100% T/T in advanced payment. If big order then about 50% advanced payment, balance before shipment.PAYPAL,WESTERN UNION,CASH for small order .

11) Q:What's your contact information ?

Send us your inquiry !we will reply you in 24 hours !

If you need information about this product. Please [Click here](#) to contact me and we will provide you with more information about the products.



Guangzhou Golden Electric Co., Ltd.



008618998498109



eva@china-golden.com.cn



chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District, Guangzhou city,Guangdong province,China