

China

IATF16949

workdays

5000/Month

1

Waterproof Disconnector Board 400A 630A Fuse Holder for HRC Knife Fuse **Isolating Switch**

ISO 20000, OHSAS/ OHSMS 18001,

Peak Season Lead Time: more than 12

LC, T/T, PayPal, Western Union

Basic Information

- Place of Origin:
- Brand Name: Golden Electric /OEM
- Certification:
- Minimum Order Quantity:
- Carton/Pallet Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

- Structure Of Operating: Electric
- Brand: Golden Electric /OEM Rate Voltage: AC690V/AC400V Rated Current: 160A,250A,400A,630A • Product Name: Fuse Disconnector Switch Low Voltage Power Distribution System • Application: • Model: Fuse Type Isolatoing Switch Transport Package: Standard Export Carton Specification: 3P • Trademark: Golden Or Netural, Or Customer Brand China • Origin: 20000PCS/Month • Supply Ability: • Type: Low-voltage



More Images

 Structure: Installation:





Three-column Disconnector

Outdoor/Indoor





Product Description

HR17 series fuse-swith disconnector is a new product developed by our company. Rated insulation voltage up to 800V. rated operational voltage up to 690V. rated operational current up to 630A, rated frequency 50Hz, in the distribution circuit and motor circuit which has high short-circuit current as the power switch, isolating switch, emergency switch as well as circuit protection, but normally it is not used to make and break a single motor directly.

It can be mounted on the busbar, can also be installed in the fixed plate, it provides the upper and lower input and output structure, with a knife-edge introduction and arc-control decive, and the switch cover has irregular closed detection holes, builtin signal switch, detection switch. it can be optional fuse monitor, can also be used as knife switch. The switch with beautiful shape, nivel and concision, it meets the IEC60947-3, GB14048.3 standards.

Features & Benefits IP20 Self-extinguis-hable materials Globally compliant

Application Power distibution and Motor protection

Product Features



Copper T2

The contact is made of T2 red copper material with excellent electrical performance.

Add Amount of Copper


Lengthen and widen the contact design, increase the capacity,can carry the normal working current to 800A.




Product Parameters

		4.00		400	000			
		160	250	400	630			
Rated insulation voltage V								
Rated Current A	400V	160	250	400	250			
	AC23							
	690V	100	160	315	315			
	AC23							
Operating force N		≤250	≤350	≤350	≤450			
Associated Fuse	Model	NT00,RT16-00	NT1,RT16-1	NT2,RT16-2	NT3,RT16-3			
	Rated current of matched fuse in 400V (Breaking capacity)	80,100,125,160(≥100	80,100,125,160,2 00, 224,250(≥100kA)		500,630(≥100k			
	Rated current of matched	kA) 20,25,32,35,40,50,63 , 80,100,125,160(≥50k A)	80 100 125 160 2	125,160,200,224,250, 300,315,355,400(≥50k A)	A) 315,355,400,4 25, 500,630(≥50kA)			

Product Details



Recommand Product



Product Model	Model, size and specification of application fuse link	Rated insulation Voltage(V)		Dimension(mm)			
	model, size and specification of application ruse link	rated insulation voltage(v)	Α	В	С	D	
HR17-160	NT00/00C NH00/00C RT16-00/000	690	160	200	83	205	
HR17-250	NT1 NH1 RT16-1	690	185	247	110	295	
HR17-400	NT2 NH2 RT16-2	690	210	290	125	340	
HR17-630	NT3 NH3 RT16-3	690	256	300	145	360	

 \bigcirc \bigcirc Golden El Golden⁶ (Golden⁶ 910354 1000% c 1979 154 1979 154 1979 154 1979 154 CE IER 9 Golden Electric \bigcirc 7 olden Electri Golden Electric Golden Elect · I · I · I .

Company Profile

- Golden Electric Co.,Ltd ,was foundad in 2007, we are professional for make AC and DC electric items such as cable gland,MC4 Connector, isolator switch , fuse , breaker , distribution box , PV combiner box ,surge protector, Indicator lamp,Solar Charge Controller,Industrial plug and socket,Busbar Insulator,Meter Socket,Wind Turbine, Terminal Block,Solar product and so on.

- Golden has been granted ISO9001 management system certifications. The comprehensive product line has more than 1000 models which have been approved by TUV,CE,CQC,SGS,ROHS,SASO. The productsells well to UK, Spain, Portugal, Singapore, Turkey, Russia, Korea, South Africa... more than 60 countries and regions.

- Golden is always striving hard to provide the best services and competitive price to all customers.

FAQ

1) Q:How can i trust your company?

A:Golden electric is The top 10 manufacture in China - more than 350 Agents in local market and more than 100 foreign clients make OEM,ODM order from us,Golden electric is a big company, we have cooperation with LS, EKF the worldclass companies. Our company over 100 employees, products pass CE,IEC,TUV,SAA, RCM, ROHS certificates.

2) Q:Your products?

A: Golden electric is factory for Automatic transfer swithc, Surge protector device, distribution box Enclosure, inverter, DC fuse etc. Providing customers very competitive sources, and can be your sourcing agent in China. Goods are following international standards, IE, CE, ISO9001, SGS etc.

- 3) Q:What is the standard for fuse switch disconnector? A:IEC 60947-3
- 4) Q:Is the material self-extinguis-hable materials? A: Yes.
- 5) Q: What Size NH fuse can fit in this fuse switch disconnector? A: From NH00-NH3.

6) Q: Do you have forwarder?

A: Yes, we have good forwarder cooperated over 10 years, they help us import and export . For small package orders,

suggest to use by Express.

- 7) Q: Your address ?
 - A: Locates in Guangzhou province, China, welcome to visit us

8) Q:What's the Fuse guarantee?

A: 2 years warranty. If customer's problem, then customer burden. If our problem, then we send new goods to customer to replace asap.

9) Q:What's about MOQ? Delivery time ?

A: 1pcs for Fuse.

10) Q: What's the payment term?

A: Normally 100% T/T in advanced payment. If big order then about 50% advanced payment, balance before shipment.PAYPAL,WESTERN UNION,CASH for small order .

11) Q:What's your contact information ?

Send us your inquiry !we will reply you in 24 hours !

If you need information about this product. Please **Click here** to contact me and we will provide you with more information about the products.



C	008618998498109	0	eva@china-golden.com.cn	e	chinagoldene.com		
Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District, Guangzhou city,Guangdong province,China							