



## 30-Day Refund Guarantee Automatic Level Regulator and Float Switch for Water Tank

Our Product Introduction

### Basic Information

- Place of Origin: China
- Brand Name: Golden Electric /OEM
- Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000, ISO 20000, OHSAS/ OHSMS 18001, IATF16949
- Minimum Order Quantity: 1
- Packaging Details: Carton/Pallet
- Delivery Time: Peak Season Lead Time: more than 12 months  
Off Season Lead Time: within 15 workdays
- Payment Terms: LC, T/T, PayPal, Western Union
- Supply Ability: 5000/Month



### Product Specification

- Production Process: Normal Wirewound
- Feature: Corrosion Resistant
- Material: Plastic
- IP Rating: IP65
- Customized: Customized
- Cable Material: PVC, Rubber
- Voltage: 220V-380V AC
- Rated Current: 25A, 16A, 10A, 4A-8A
- Temperature: 0-70
- Use Power: 500W/1000W
- Rank Of Water Pressrue: 0.3MP
- Working Life: >=50000 Times
- Surface Material: PP
- Transport Package: Standard Export Package
- Specification: Normal



### More Images



for more products please visit us on [chinagoldene.com](http://chinagoldene.com)

## Product Description

### Product Description

#### Float Switch product description

Float switch is the use of micro-switches or reed contact switch to do , when to hammer origin cable float upward at an angle ( usually micro switch upward angle of  $28^{\circ} \pm 2^{\circ}$  ), the switch will that the ON or OFF signal.

One type is the use of plastic injection molding , it is rugged , reliable performance, while non-toxic , corrosion resistance, easy installation , low cost, multi-point control of long-distance , heavy pumps, there are fluctuations in the liquid or liquid impurities control good effect. General liquid can also be used . Cable lengths and special material requirements can be customized.

## Control Water Is a big problem



When I used it,  
I found the water tank was empty



The tank is full and the  
water is still pumping



Because there was no water,  
the pump drained and burned down

#### Float Switch Features:

1. Leading design and strict manufacturing process for the product quality to provide a reliable guarantee.
2. Shell is made of plastic or ABS, high mechanical strength , good sealing .
- 3.Simple structure, reliable performance. Output stable and reliable "on" , "off" switch control signal , without any malfunction , and high reliability.
4. Installation is simple, easy to debug , move up and down positioning weights, you can freely adjust the control range.
- 5.Cable float level switch Technical parameters  
Suitable medium : water, sewage , oil and moderate concentrations below pH liquids.  
Cable length : Standard delivery length of 2 m , special lengths can be customized.

### Product Parameters



<b>Production Name :</b>	water tank level switch
<b>Rated Voltage:</b>	110VAC & 220V AC
<b>Rated Current:</b>	25A,16A,10A
<b>Temperature:</b>	0°C~60°C
<b>Material of cable</b>	pvc or rubber
<b>Measure of wire</b>	0.5mm <sup>2</sup> , 0.75mm <sup>2</sup> , 1.0mm <sup>2</sup>
<b>Shell of body</b>	pp
<b>Rank of water pressrue</b>	0.2MP

#### Production detail:

level regulator is a float switch to control the water pump, valve or alarm.  
Applied to various kinds of liquid (non-corrosive , sewage water, tank, )  
Non-toxic polypropylene(PP) float body and pvc or rubber cable, particular design for sealing,

Silver point micro switch. Heavy sinker. max 0.2mp water pressure ,no any leakage.

## 01 GOOD MATERIAL

Excellent material,good insulation effect



## 02 PAY ATTENTION TO OPERATE

Not suitable for oil,Acid and chemical liquid. if use for acid enviroment,Pls tell us in advanced.



## 03 FLOAT LEVEL CONTROLLER

Automatic adjustment,easy to install,long working life



## 04 SINKER WORKING PRINCIPLE DIAGRAM

Sinker with working principle diagram to install



## 05 STRONG THERMAL CONDUCTIVITY NOT EASY TO HEAT

Heat and cold resistance effectively protect the wire core from bad Environmental damage



## 06 STRONG WATER RESISTANCE

Bear 2bar water Pressure,same with 20 meter deep water remain working very well.no way leakager from switch.



Packaging & Shipping

### Packaging Details:

Standard Export Package

### Shipping:

1. By Air or by Sea for batch goods,Airport/ Port receiving;
2. Customers specifying freight forwarders or negotiable shipping methods!

### Delivery Detail:

Shipped in 7 days after payment





## Company Profile



- Golden Electric Co.,Ltd ,was foundad in 2017, we are professional for make AC and DC electric items such as **isolator switch , fuse , breaker , distribution box , PV combiner box ,surge protector, Industrial plug and socket,Solar product** and so on.

- Golden has been granted ISO9001 management system certifications. The comprehensive product line has more than 1000 models which have been approved by TUV,CE,CQC,SGS,ROHS,SASO. The productsells well to UK, Spain, Portugal, Singapore, Turkey, Russia, Korea, South Africa... more than 60 countries and regions.

- Golden is always striving hard to provide the best services and competitive price to all customers.

## Related Product



## FAQ

### **Q:How and how long can I get a sample to check your quality?**

A: After price confirmation, you can require for samples to check our quality. Then after you send us confirmed files, the samples will be ready for delivery in 7 days. The samples will be sent to you via express and arrive in 5-7 workdays.

### **Q:How to order our product ?**

A: 1).Please tell us the model and quantity and other request you need.  
2).We make the PI for you.  
3).After you confirm the PI, we arrange the order for you after receiving your payment.  
4).After the goods finished, we send the goods out to you and tell you the tracking number.  
5).We will track your goods until you receive the goods.

### **Q: Can I have a visit to your factory before the order?**

A: Welcome! Our factory address: Dongan Industrial Zone,Yueqing City, Wenzhou, Zhejiang, China (Mainland)

### **Q: What's your shipment method?**

A: We ship by Express, by air, by sea, by train. Normally we checked and compare, then provide customer the

most proper shipment method.

**Q: What's about MOQ?**

A: First order MOQ=1pcs

**Q: If i want to release order, what's the payment method you accept ?**

A: We accept T/T, Paypal, Western union, etc.

**Q: If i want to release order, what's the process?**

A: Thanks. You can send inquiry to us by alibaba, or send us by email, we will reply within 24hrs.

## **Our commitent**

**BETTER PRICE** than other sellers for you because of Factory Direct Sale.

**BETTER QUALITY** than before caused by our 10+ years trading experience.

**STOCK IN TRADE** always own to our Fast & Professional production line.

**FAST DELIVERY** always made by our GROUP's Enthusiam.

**TIMING REPLY** in 24 hours all about our TEAM's Passion & Patience.

Send your Inquiry Details in the Below, **Click "Send" Now~**

**YOUR BENEFITS IS OUR BUSINESS!!!**



**Guangzhou Golden Electric Co., Ltd.**



008618998498109



eva@china-golden.com.cn



chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District,  
Guangzhou city,Guangdong province,China