



32A/20A Rated Current Fast Connector 2/3/4/5 Poles Terminal Block for Wire Connection

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Golden Electric /OEM
- Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000, ISO 20000, OHSAS/ OHSMS 18001, IATF16949
- Minimum Order Quantity: 1
- Packaging Details: Carton/Pallet
- Delivery Time: Peak Season Lead Time: more than 12 months
Off Season Lead Time: within 15 workdays
- Payment Terms: LC, T/T, PayPal, Western Union
- Supply Ability: 5000/Month




Product Specification

- Interface Type: AC/DC
- Brand: Golden Electric /OEM
- Product Name: Wire Connector
- Connection Method: Cage Clamp Connection
- Rated Voltage: 400V /600V
- Wire Range (AWG): 28 - 14 (12)AWG
- Wire Range(mm2): 0.8 - 2.5 (4.0)mm2
- Rated Current: 32A /20A
- Model Type: Cable Connector
- Transport Package: Standard Export Carton
- Specification: 2P/3P/4P/5P/8P
- Trademark: Golden Or Natural, Or Customer Brand
- Origin: China
- HS Code: 8536901900
- Supply Ability: 20000PCS/Month



More Images



for more products please visit us on chinagoldene.com

Product Description

Product Description

Each Connector is internally conductive!
Therefore live wire,neutral wire and ground wire can not insert into the same connector.
Otherwire it will cause short circuit.So in any case,one must be used for the live wire,one for the neutral wire.
These series are cage spring structure,operate handles to connecto.

We have a variety of wire connectors for your choice. They are widely used to lighting,mechanical and electrical ,home appliance,power supply, home decoration, household wiring and other wiring equipment etc.It replaces tape,bring convenience and speed.Now,let's know about wire connectors and say goodbye to old traditional connect way.

Product Parameters

Model	2P	3P	4P	5P	8P
Rated Voltage	400V	400V	400V	400V/600V	400V/600V
Rated Current	32A	32A	32A	32A/20A	32A/20A
Range or Cable	0.08-2.5(4.0)mm ² / 28-14(12) AWG	0.08-2.5(4.0)mm ² / 28-14(12) AWG	0.08-2.5(4.0)mm ² / 28-14(12) AWG	0.08-2.5(4.0)mm ² / 28-14(12) AWG	0.08-2.5(4.0)mm ² / 28-14(12) AWG
Stripping Length	0.37in	0.37in	0.37in	0.37in	0.37in
Withstands instantaneous peak voltage	4kV	4kV	4kV	4kV	4kV
Connection Method	Cage Clamp Connection	Cage Clamp Connection	Cage Clamp Connection	Cage Clamp Connection	Cage Clamp Connection
Pollution level	2	2	2	2	2
Weight	3.072g	4.153g	5.234g	6.6g	8.8g
Color	Gray	Gray	Gray	Gray	Gray
Number of connectable wires	2	3	4	5	8
Number of potentials	1	1	1	1	1
Height	14.5mm	14.5mm	14.5mm	14.5mm	14.5mm
Thickness	12.4mm	17mm	22mm	26.6mm	21mm
Width	20.5mm	20.5mm	21mm	20.5mm	40.3mm
Minimum stripping length	9mm	9mm	9mm	9mm	9mm
Maximum stripping length	10mm	10mm	10mm	10mm	10mm

Product Details

PRODUCT DETAILS

HANDLE OF CONNECTOR
Close tightly to the wire

TEST HOLE
he electric pen test can be charged.

QUICKLY PUSH WIRE HOLE.
Can insert soft,hard wire,
easy installation.

PA FLAME RETARDANT MATERIAL
long life corrosion resistance and
aging resistance ,high temperature
resistance

HOW TO USE

1 According to the standard
peeling length



2 Open 90 °up



3 Insert the wire




4 Push Down




Applicable Wires

Change The Traditional Wiring Mode

Solid Line (BV)




Stranded Wire (BVR)



Flexible Cord (RV)



Recommand Product





Company Profile

- Golden Electric Co.,Ltd ,was foundad in 2007, we are professional for make AC and DC electric items such as cable gland,MC4 Connector, isolator switch , fuse , breaker , distribution box , PV combiner box ,surge protector, Indicator lamp,Solar Charge Controller,Industrial plug and socket,Meter Socket,Wind Turbine, Terminal Block,Solar product and so on.

- Golden has been granted ISO9001 management system certifications. The comprehensive product line has more than 1000 models which have been approved by TUV,CE,CQC,SGS,ROHS,SASO. The productsells well to UK, Spain, Portugal, Singapore, Turkey, Russia, Korea, South Africa... more than 60 countries and regions.

- Golden is always striving hard to provide the best services and competitive price to all customers.

FAQ

1)Q:How can i trust your company?

A:Golden electric is The top 10 manufacture in China- more than 350 Agents in local market and more than 100 foreign clients make OEM,ODM order from us,Golden electric is a big company, we have cooperation with LS, EKF the world-class companies. Our company over 100 employees, products pass CE,IEC,TUV,SAA, RCM, ROHS certificates.

2) Q:Your products?

A: Golden electric is factory for Automatic transfer swithc,Surge protector device,distribution box Enclosure, inverter, DC fuse etc. Providing customers very competitive sources, and can be your sourcing agent in China. Goods are following international standards, IE, CE, ISO9001 ,SGS etc.

3) Q: Do you have forwarder?

A: Yes, we have good forwarder cooperated over 10 years, they help us import and export . For small package orders, suggest to use by Express.

4) Q: Your address ?

A: Locates in Guangzhou province, China,welcome to visit us

5) Q:What's the Wire Connector guarantee?

A: 2 years warranty. If customer's problem, then customer burden. If our problem, then we send new goods to customer to replace asap.

6) Q:What's about MOQ? Delivery time ?

A: 1pcs for Wire Connector.

7) Q: What's the payment term?

A: Normally 100% T/T in advanced payment. If big order then about 50% advanced payment, balance before shipment.PAYPAL,WESTERN UNION,CASH for small order .

8) Q:What's your contact information ?

Send us your inquiry !we will reply you in 24 hours !



Guangzhou Golden Electric Co., Ltd.



008618998498109



eva@china-golden.com.cn



chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District,
Guangzhou city,Guangdong province,China