



Solar Charge Controller 12V 24V Auto Dual USB 10A 20A 30A 40A 50A 60A PWM Lithium Lead Acid Battery

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Golden Electric /OEM
- Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000, ISO 20000, OHSAS/ OHSMS 18001, IATF16949
- Minimum Order Quantity: 1
- Packaging Details: Carton/Pallet
- Delivery Time: Peak Season Lead Time: more than 12 months Off Season Lead Time: within 15 workdays
- Payment Terms: LC, T/T, PayPal, Western Union
- Supply Ability: 5000/Month



Product Specification

- Model NO.: CT Series
- Current: 10A/20A/30A/40A/50A/60A
- USB Output: 5V/2A Max
- USB: 2 USB
- Package: 50PCS/CTN
- Package Carton Size: 500mm*370mm*230mm
- Package Carton Weight: 13.8kg
- Product Name: Solar Charge Controller
- Charging Mode: PWM
- Transport Package: Standard Export Carton
- Trademark: Golden Or Natural, Or Customer Brand
- Origin: China
- HS Code: 8504403090
- Supply Ability: 20000PCS/Month
- After-sales Service: Best After-Sales Service



More Images



for more products please visit us on chinagoldene.com

Product Description

Product Description


New Solar Charge Controller 12V 24V 36V 48V 20A 30A 40A 50A 60A

The Esozur 30A solar charge controller integrates efficient PWM charging to increase battery life and improve system performance. Designed with a simple interface for ease of use the controller uses an LCD to notify users of battery information. This advanced charge controller is designed for off-grid solar applications and can be used with a 12V/24V battery or battery bank. The compact size of the controller makes installation a breeze.

Product Parameters

Model	CT2024,CT4024,CT6024,CT6048
Product name:	PWM Solar Controller
Display	High-definition LCD
System Voltage	12V/24V/48V DC AUTO
Battery Input Voltage Range	9V~32V
Max PV voltage	100V
Batley Type	Usr(default)/sealed/gel/flooded
Boost Charging Voltage	Usr(default)/sealed: 14.4V/Gel:14.2V/Flooded: 14.6V
Float Charging Voltage	Usr(Default)/Sealed/Gel/Flooded: 13.8V
Low Voltage Reconnect voltage	Usr (default)/Sealed/Gel/Flooded:12.6V
Low Voltage disconnect voltage	Usr (Default)/Sealed/Gel/Fooded: 10.8V
Self-Consumption	<=11.5mA/12V; <=13.5mA/24V
Temperture Compensation efficient	-4mV/°C/2V (25°C)
Charge Circuit Voltage Drop	<=0.25V
Discharge circuit Voltage Drop	<=0.12V
Working Environment Temperature	-15°C ~+50°C(product can work continously at full load)
Relative Humidity	<=90%,N.C.
Enclosure	IP30
Grounding	Common Positive
USB output	5VDC/2A(total)
Mounting Dimension	125x60mm
Mounting hole size	5mm
Net Weight	0.5
Quantity	40pcs
Weight/carton	16kg/ctn
Measurement	480*430*230mm
Product size	192*101*42mm

Detailed Photos



1. Most parameters displayed explicitly.
2. PWM charging mode with 3 stages (bulk, absorption, float).
3. Adaptable to Lithium, Sealed, GEL, Flooded and other customized battery type.
4. Auto-detect battery voltage or maintain a fixed voltage
5. All working parameters can be reset, saved and transferred to a computer or other terminal equipment.
6. Various control mode for load
7. Besides regular input, output and battery protection, protection of over-current from solar panel is applied.



Packing

Model	Specification	Set/Carton	Weight/Carton	Measurement	Volume/Carton
CT2024	10A 12/24V AUTO Work	50PCS	13.8KG	50*37*23CM	0.043CBM
	20A 12/24V AUTO Work				
CT4024	30A 12/24V AUTO Work	40PCS	15.5KG	55*43*21CM	0.05CBM
	40A 12/24V AUTO Work				
CT6024	30A 12V/24V AUTO Work	30PCS	17.8KG	43*38.5*27.5cm	0.046CBM
	40A 12V/24V AUTO Work				
	50A 12V/24V AUTO Work				
CT6048	50A 12/24/48V AUTO Work	30PCS	17.8KG	43*38.5*27.5CM	0.046CBM
	60A 12/24V/48V AUTO Work				

Recommand Product



Company Profile

- Golden Electric Co.,Ltd ,was founded in 2007, we are professional for make AC and DC electric items such as cable gland, isolator switch, fuse, breaker, distribution box, PV combiner box, surge protector, Indicator lamp, Solar Charge Controller, Industrial plug and socket, Wind Turbine, Solar product and so on.
- Golden has been granted ISO9001 management system certifications. The comprehensive product line has more than 1000 models which have been approved by TUV, CE, CQC, SGS, ROHS, SASO. The products sell well to UK, Spain, Portugal, Singapore, Turkey, Russia, Korea, South Africa... more than 60 countries and regions.
- Golden is always striving hard to provide the best services and competitive price to all customers.

FAQ

1) Q: How can I trust your company?

A: Golden electric is The top 10 manufacture in China - more than 350 Agents in local market and more than 100 foreign clients make OEM, ODM order from us. Golden electric is a big company, we have cooperation with LS, EKF the world-class companies. Our company over 100 employees, products pass CE, IEC, TUV, SAA, RCM, ROHS certificates.

2) Q: Your products?

A: Golden electric is factory for Automatic transfer switch, Surge protector device, distribution box Enclosure, inverter, DC fuse etc. Providing customers very competitive sources, and can be your sourcing agent in China. Goods are following international standards, IE, CE, ISO9001, SGS etc.

3) Q: Do you have forwarder?

A: Yes, we have good forwarder cooperated over 10 years, they help us import and export. For small package orders, suggest to use by Express.

4) Q: Your address ?

A: Locates in Guangzhou province, China,welcome to visit us

5) Q:What's the Solar Charge Controller guarantee?

A: 1 years warranty. If customer's problem, then customer burden. If our problem, then we send new goods to customer to replace asap.

6) Q:What's about MOQ? Delivery time ?

A: 1pcs for Solar charge controller. Normally less than 100PCS with stock, quick support.

7) Q: What's the payment term?

A: Normally 100% T/T in advanced payment. If big order then about 50% advanced payment, balance before shipment.PAYPAL,WESTERN UNION,CASH for small order .

8) Q:What's your contact information ?

Send us your inquiry !we will reply you in 24 hours !



Guangzhou Golden Electric Co., Ltd.



008618998498109



eva@china-golden.com.cn



chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District,
Guangzhou city,Guangdong province,China