



## Central Air Conditioning Temperature Controller with Environment Humidity 5%-85%Rh

Our Product Introduction

### Basic Information

- Place of Origin: China
- Brand Name: Golden Electric /OEM
- Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000, ISO 20000, OHSAS/ OHSMS 18001, IATF16949
- Minimum Order Quantity: 1
- Packaging Details: Carton/Pallet
- Delivery Time: Peak Season Lead Time: more than 12 months  
Off Season Lead Time: within 15 workdays
- Payment Terms: LC, T/T, PayPal, Western Union
- Supply Ability: 5000/Month



### Product Specification

- Environment Humidity: 5%-85%Rh
- Installation Method: 86 Cassettes
- Operating Voltage: AC DC 24-250V
- Output Signal: 10mA
- Dimensions: 60\*59\*59mm
- Control Type: Temperature
- Weight: 0.15kg
- Transport Package: Standard Export Carton
- Specification: GD-SG7000A
- Trademark: Golden Or Netural Or Customer Brand
- Origin: China
- HS Code: 90321000
- Supply Ability: 50000PCS /Week
- Customized: Non-Customized
- Certification: RoHS, CB, CCC, ISO9001, CE



### More Images



for more products please visit us on [chinagoldene.com](http://chinagoldene.com)

## Product Description

### Product Description

### Introduction

The RTC70 Used for 2-position control with on/off output for the control the temperature by means of an NTC sensor placed externally or internally in the thermostat.the thermostat acquires the room temperature with its built-in senso or floor sensor. and the heating contact will close when the room temperature falls below the selected setpoint.

### Application

For the control of warm-water(floor)heating systems and direct electric heating systems used in Commercial buildings,Residential buildings,Light in dustrial buildings

### Features

LED in dicator is light when heating is onwith manual switch and knob for easy operation On/off control output for heating device.


### Technical Data

<b>Voitage:</b>	AC230V
<b>Power consumption:</b>	5W
<b>Settingrange:</b>	4°C~45°C
<b>Switching differential:</b>	±0.5K
<b>Ambient temperature:</b>	"-5°C-50°C
<b>Protectivehousing:</b>	IP20

**Housing material:**self-exting uishing PC **Floor sensor:** rubber-thermoplasticNTC sensor

<b>Cable length:</b>	3m
----------------------	----

### Size:




### GD-2000 SERIES



<b>Application:</b>	control of central air conditioner or heating
<b>Temperature control range:</b>	10°C~30°C
<b>voltage:</b>	220V~/50HZ
<b>Max load:</b>	10A

Size



## Hot Product



### Packaging & Shipping

#### Packaging Details:

Standard Export Package

#### Shipping:

1. By Air or by Sea for batch goods, Airport/ Port receiving;
2. Customers specifying freight forwarders or negotiable shipping methods!

#### Delivery Detail:

Shipped in 7 days after payment



### Company Profile

- Golden Electric Co.,Ltd ,was foundad in 2017, we are professional for make AC and DC electric items such as isolator switch , fuse , breaker , distribution box , PV combiner box ,surge protector, Industrial plug and socket,Solar product and so on.

- Golden has been granted ISO9001 management system certifications. The comprehensive product line has more than 1000 models which have been approved by TUV,CE,CQC,SGS,ROHS,SASO. The productsells well to UK, Spain, Portugal, Singapore, Turkey, Russia, Korea, South Africa... more than 60 countries and regions.

- Golden is always striving hard to provide the best services and competitive price to all customers.



## FAQ

### Q:How and how long can I get a sample to check your quality?

A: After price confirmation, you can require for samples to check our quality. Then after you send us confirmed files, the samples will be ready for delivery in 7 days. The samples will be sent to you via express and arrive in 5-7 workdays.

### Q:How to order our product ?

A: 1).Please tell us the model and quantity and other request you need.  
2).We make the PI for you.  
3).After you confirm the PI, we arrange the order for you after receiving your payment.  
4).After the goods finished, we send the goods out to you and tell you the tracking number.  
5).We will track your goods until you receive the goods.

### Q: Can I have a visit to your factory before the order?

A: Welcome! Our factory address: Dongan Industrial Zone,Yueqing City, Wenzhou, Zhejiang, China (Mainland)

### Q: What's your shipment method?

A: We ship by Express, by air, by sea, by train. Normally we checked and compare, then provide customer the most proper shipment method.

### Q: What's about MOQ?

A: First order MOQ=1pcs

### Q: If i want to release order, what's the payment method you accept ?

A: We accept T/T, Paypal, Western union, etc.

### Q: If i want to release order, what's the process?

A: Thanks. You can send inquiry to us by alibaba, or send us by email, we will reply within 24hrs.

## Our committent

**BETTER PRICE** than other sellers for you because of Factory Direct Sale.  
**BETTER QUALITY** than before caused by our 10+ years trading experience.  
**STOCK IN TRADE** always own to our Fast & Professional production line.  
**FAST DELIVERY** always made by our GROUP's Enthusiam.  
**TIMING REPLY** in 24 hours all about our TEAM's Passion & Patience.  
Send your Inquiry Details in the Below, **Click "Send" Now~**  
**YOUR BENEFITS IS OUR BUSINESS!!!**



**Guangzhou Golden Electric Co., Ltd.**



008618998498109



eva@china-golden.com.cn



chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District,  
Guangzhou city,Guangdong province,China