



Fixed Terminal Block Tb Series Tb- 1503 1506 1510 1512 2505 2512 4506 1006 and Durable

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Golden Electric /OEM
- Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000, ISO 20000, OHSAS/ OHSMS 18001, IATF16949
- Minimum Order Quantity: 1
- Packaging Details: Carton/Pallet
- Delivery Time: Peak Season Lead Time: more than 12 months Off Season Lead Time: within 15 workdays
- Payment Terms: LC, T/T, PayPal, Western Union
- Supply Ability: 5000/Month




Product Specification

- Character: Environmental Protection
- Production Process: Injection Molding
- Brand: Golden Electric /OEM
- Product Name: Barrier Terminal Blocks
- Rated Voltage: 600V
- Wire Range: 0.5-10mm²
- Rated Current: 15A, 25A, 45A, 60A, 100A, 600A
- Conductor Material: Copper
- Base Material: Bakelite
- Transparent Cover Material: As Resin
- Insulation Resistance: 100mΩ
- Transport Package: Standara Export Carton
- Specification: 1-12P
- Trademark: Golden Or Natural, Or Customer Brand
- Origin: China



More Images



for more products please visit us on chinagoldene.com

Product Description

Product Description

This TB Series screw fixed barrier terminal block provides a simple way to connect wires to a single connection point. These blocks allow wires to be screwed together and self-isolated without needing to twist, solder or any other splicing, by this method wiring can adjusted at anytime just as easy as it was the first time.

Each position block offers a screw pitch of 10mm with a max current 15A /25A/45A/60A/100A and a max voltage tolerance of 600V before risking meltdown or implosion. Small pitch to save space, low structural height, Large wiring capacity, can be connected to the section area of 4mm² flexible wire. The plug socket is protected against wrong insertion and dislocation.

Product Features



Black Bakelite Shell

High Quality Conductive Sheet



White Plated Screws

Dust Cover



Product Parameters

Mode.No	Wire Section	Rated Current/Voltage	Size(mm)			Screws	Poles
			Length	Wide	High		
TB-1503	0.5-1.5mm ²	15A/600V	45.5	22	17.5	M3	3
TB-1504	0.5-1.5mm ²	15A/600V	54.2	22	17.5		4
TB-1505	0.5-1.5mm ²	15A/600V	63	22	17.5		5
TB-1506	0.5-1.5mm ²	15A/600V	73	22	17.5		6
TB-1510	0.5-1.5mm ²	15A/600V	107.5	22	17.5		10
TB-1512	0.5-1.5mm ²	15A/600V	125.5	22	17.5	M4	12
TB-2503	0.5-2.5mm ²	25A/600V	55	30	19		3
TB-2504	0.5-2.5mm ²	25A/600V	67	30	19		4
TB-2505	0.5-2.5mm ²	25A/600V	79	30	19		5
TB-2506	0.5-2.5mm ²	25A/600V	91	30	19		6
TB-2510	0.5-2.5mm ²	25A/600V	165	30	19		10
TB-2512	0.5-2.5mm ²	25A/600V	163	30	19	M4	12
TB-3503	0.5-2.5mm ²	35A/600V	55	30	19		3
TB-3504	0.5-2.5mm ²	35A/600V	67	30	19		4
TB-3506	0.5-2.5mm ²	35A/600V	91	30	19		5
TB-3512	0.5-2.5mm ²	35A/600V	165	30	19		12
TB-4503	1.5-4mm ²	45A/600V	70	38	23.5	M4	3
TB-4504	1.5-4mm ²	45A/600V	86	38	23.5		4
TB-4505	1.5-4mm ²	45A/600V	103	38	23.5		5
TB-4506	1.5-4mm ²	45A/600V	120.5	38	23.5		6
TB-4512	1.5-4mm ²	45A/600V	221	38	23.5	M6	12
TB-60A/3P	2.5-6mm ²	60A/600V	75	38	30.3		3
TB-60A/4P 6P 12P	2.5-6mm ²	60A/600V	92.7	38	30		4/6/12
TB-100A/3P 6P 12P	2.5-10mm ²	100A/600V	86.3	43.5	34.5	M6	3/6/12

Product Details


PRODUCT PARAMETERS

Product parameters



TB-1503L





Item	TB SERIES	Model Number	TB-1503L
Rated Current	15A	Rated Voltage	600V
Material	Nylon	Number of Contacts	3 Pole

TB-1504L



Item	TB SERIES	Model Number	TB-1504L
Rated Current	15A	Rated Voltage	600V
Material	Nylon	Number of Contacts	4 Pole

TB-1505L



Item	TB SERIES	Model Number	TB-1505L
Rated Current	15A	Rated Voltage	600V
Material	Nylon	Number of Contacts	5 Pole

TB-1506L



Item	TB SERIES	Model Number	TB-1506L
Rated Current	15A	Rated Voltage	600V
Material	Nylon	Number of Contacts	6 Pole

TB-1510L




Item	TB SERIES	Model Number	TB-1510L
Rated Current	15A	Rated Voltage	600V
Material	Nylon	Number of Contacts	10 Pole

TB-1512L




Item	TB SERIES	Model Number	TB-1512L
Rated Current	15A	Rated Voltage	600V
Material	Nylon	Number of Contacts	12 Pole

TB-2503L



Item	TB SERIES	Model Number	TB-2503L
Rated Current	25A	Rated Voltage	600V
Material	Nylon	Number of Contacts	3 Pole

TB-2504L



Item	TB SERIES	Model Number	TB-2504L
Rated Current	25A	Rated Voltage	600V
Material	Nylon	Number of Contacts	4 Pole

TB-2506L



Item	TB SERIES	Model Number	TB-2506L
Rated Current	25A	Rated Voltage	600V
Material	Nylon	Number of Contacts	6 Pole

TB-2510L




Item	TB SERIES	Model Number	TB-2510L
Rated Current	25A	Rated Voltage	600V
Material	Nylon	Number of Contacts	10 Pole

TB-2512L



Item	TB SERIES	Model Number	TB-2512L
Rated Current	25A	Rated Voltage	600V
Material	Nylon	Number of Contacts	12 Pole

Wiring method



Recommand Product



Company Profile

- Golden Electric Co.,Ltd ,was founded in 2007, we are professional for make AC and DC electric items such as cable gland,MC4 Connector, isolator switch , fuse , breaker , distribution box , PV combiner box ,surge protector, Indicator lamp,Solar Charge Controller,Industrial plug and socket,Meter Socket,Wind Turbine, Terminal Block,Solar product and so on.

- Golden has been granted ISO9001 management system certifications. The comprehensive product line has more than 1000 models which have been approved by TUV,CE,CQC,SGS,ROHS,SASO. The productsells well to UK, Spain, Portugal, Singapore, Turkey, Russia, Korea, South Africa... more than 60 countries and regions.

- Golden is always striving hard to provide the best services and competitive price to all customers.

FAQ

1)Q:How can i trust your company?

A:Golden electric is The top 10 manufacture in China- more than 350 Agents in local market and more than 100 foreign clients make OEM,ODM order from us,Golden electric is a big company, we have cooperation with LS, EKF the world-class companies. Our company over 100 employees, products pass CE,IEC,TUV,SAA, RCM, ROHS certificates.

2) Q:Your products?

A: Golden electric is factory for Automatic transfer swithc,Surge protector device,distribution box Enclosure, inverter, DC fuse etc. Providing customers very competitive sources, and can be your sourcing agent in China. Goods are following international standards, IE, CE, ISO9001 ,SGS etc.

3) Q: Do you have forwarder?

A: Yes, we have good forwarder cooperated over 10 years, they help us import and export . For small package orders,

suggest to use by Express.

4) Q: Your address ?

A: Locates in Guangzhou province, China,welcome to visit us

5) Q:What's the Barrier Terminal Block guarantee?

A: 2 years warranty. If customer's problem, then customer burden. If our problem, then we send new goods to customer to replace asap.

6) Q:What's about MOQ? Delivery time ?

A: 1pcs for Barrier Terminal Block.

7) Q: What's the payment term?

A: Normally 100% T/T in advanced payment. If big order then about 50% advanced payment, balance before shipment.PAYPAL,WESTERN UNION,CASH for small order .

8) Q:What's your contact information ?

Send us your *inquiry* !we will reply you in 24 hours !

If you need information about this product. Please *Click here* to contact me and we will provide you with more information about the products.



Guangzhou Golden Electric Co., Ltd.



008618998498109



eva@china-golden.com.cn



chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District,
Guangzhou city,Guangdong province,China