



## Top Selling Electronic Cabinet Enclosure Panel Thermostat Hygrostat for Customization

Our Product Introduction

### Basic Information

- Place of Origin: China
- Brand Name: Golden Electric /OEM
- Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000, ISO 20000, OHSAS/ OHSMS 18001, IATF16949
- Minimum Order Quantity: 1
- Packaging Details: Carton/Pallet
- Delivery Time: Peak Season Lead Time: more than 12 months Off Season Lead Time: within 15 workdays
- Payment Terms: LC, T/T, PayPal, Western Union
- Supply Ability: 5000/Month



### Product Specification

- Environment Humidity: 5%-85%Rh
- Installation Method: Rail Installation
- Operating Voltage: 120-250V
- Output Signal: 10mA
- Dimensions: 67\*50\*38mm
- Control Type: Temperature
- Weight: 0.3kg
- Hole Size: 35mm
- Transport Package: Standard Export Carton
- Specification: GD-TC601/GD-TC602
- Trademark: Golden Or Natural Or Customer Brand
- Origin: China
- HS Code: 90321000
- Supply Ability: 50000PCS /Week
- Customized: Non-Customized



### More Images



for more products please visit us on [chinagoldene.com](http://chinagoldene.com)

## Product Description

### Product Description

## Industry Enclosure Switch Temperature Controller Industrial Electronic Sensor Thermostat


Electronic relay for switching DC appliances with high switching capacity, A separate conventional switch contact is used as controller (e.g. temperature regulator, humidity regulator). The electronic relay is available in 24VDC and 48VDC versions.

### Advantage



1. High DC switching capacity
2. Variety of applications
3. Compact design
4. Simple connection
5. Clip fixing

### Application



### Hot Product



Product Parameters

Technical Data 技术参数	
Contact type触点类型	接触开关,常开Contact maker,normally open(Relay/MOSFET)
Contact resistance触点电阻	<10mΩ
Service life使用寿命	>100, 000 cycles
EMC电磁兼容性	acc. to EN 55014-1-2. EN 61000-3-2. EN 61000-3-3
Connection接线方式	6极端子, 2.5mm <sup>2</sup> 导线 6-pole terminal, clamping torque 0.5Nm max.: rigid wire 2.5mm <sup>2</sup>
Mounting安装方式	35mm DIN轨道 clip for 35mm DIN rail. EN60715 or for exit filter EF 118 Series
Casing外壳材料	塑料UL94标准V-0防火等级, plastic according to uL94 V-0, light grey
Dimensions外观尺寸	67 × 50 × 46mm
Weight重量	Approx. 85g 约85g
Fitting position安装方式	variable 任意
Operating Strage temperature操作/储存温度	-20 to+80℃(-4 to+176°F)
Protection type防护等级	IP20

Size





- Golden Electric Co.,Ltd ,was foundad in 2017, we are professional for make AC and DC electric items such as isolator switch , fuse , breaker , distribution box , PV combiner box ,surge protector, Industrial plug and socket,Solar product and so on.

- Golden has been granted ISO9001 management system certifications. The comprehensive product line has more than 1000 models which have been approved by TUV,CE,CQC,SGS,ROHS,SASO. The productsells well to UK, Spain, Portugal, Singapore, Turkey, Russia, Korea, South Africa... more than 60 countries and regions.

- Golden is always striving hard to provide the best services and competitive price to all customers.



## FAQ

### Q:How and how long can I get a sample to check your quality?

A: After price confirmation, you can require for samples to check our quality. Then after you send us confirmed files, the samples will be ready for delivery in 7 days. The samples will be sent to you via express and arrive in 5-7 workdays.

### Q:How to order our product ?

A: 1).Please tell us the model and quantity and other request you need.  
2).We make the PI for you.  
3).After you confirm the PI, we arrange the order for you after receiving your payment.  
4).After the goods finished, we send the goods out to you and tell you the tracking number.  
5).We will track your goods until you receive the goods.

### Q: Can I have a visit to your factory before the order?

A: Welcome! Our factory address: Dongan Industrial Zone,Yueqing City, Wenzhou, Zhejiang, China (Mainland)

### Q: What's your shipment method?

A: We ship by Express, by air, by sea, by train. Normally we checked and compare, then provide customer the most proper shipment method.

### Q: What's about MOQ?

A: First order MOQ=1pcs

### Q: If i want to release order, what's the payment method you accept ?

A: We accept T/T, Paypal, Western union, etc.

### Q: If i want to release order, what's the process?

A: Thanks. You can send inquiry to us by alibaba, or send us by email, we will reply within 24hrs.

## Our commitent

**BETTER PRICE** than other sellers for you because of Factory Direct Sale.  
**BETTER QUALITY** than before caused by our 10+ years trading experience.  
**STOCK IN TRADE** always own to our Fast & Professional production line.  
**FAST DELIVERY** always made by our GROUP's Enthusiam.  
**TIMING REPLY** in 24 hours all about our TEAM's Passion & Patience.  
Send your Inquiry Details in the Below, **Click "Send" Now~**  
**YOUR BENEFITS IS OUR BUSINESS!!!**



**Guangzhou Golden Electric Co., Ltd.**



008618998498109



eva@china-golden.com.cn



chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District,  
Guangzhou city,Guangdong province,China