

Industrial Grade 120V 240V LED Light Metal Selector Push Button with CE Certification

ISO 9001, ISO 9000, ISO 14001, ISO 14000,

ISO 20000, OHSAS/ OHSMS 18001,

Peak Season Lead Time: more than 12 months Off Season Lead Time: within 15

LC, T/T, PayPal, Western Union

Basic Information

- Place of Origin:
- Brand Name: Golden Electric /OEM

China

IATF16949

workdays

5000/Month

1

- Certification:
- Minimum Order Quantity:
- Packaging Details: Carton/Pallet
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

 Input Voltage(V): 	6~220V
• Lamp Luminous Flux(Lm):	60
 Light Source: 	LED
 Mounting Hole Size: 	22mm
 Sound Type: 	Intermittent
Working Current:	≤20mA
 Insulation Resistance: 	>=2mΩ
 Mounting: 	Panel Mounting
 Beam Angle(°): 	360
 Lamp Luminous Efficiency(Lm/W): 	200
 Lamp Power(W): 	5
• CRI (Ra):	80
 Estimated Weight: 	25g
 Working Voltage: 	6V 12V 24V 36V 48V 110V 127V 220V



More Images









Product Description



Application



Product Parameters

Photo	Description	Circuit	Туре	Color	Contour
1450			LA155-B2-EV61	0	37 sta 14 st
LA155-B2-EV66	Direct bulb included BA9s base fitting Neon (BA9S) LED 灯泡直接插入方式	r⊗1 =	LA155-B2-EV63	۲	-
			LA155-B2-EV64	•	
		x1 x2	LA155-B2-EV65	0	
		_	LA155-B2-EV66	•	- 63
3			LA155-B2-EV71	0	- 42 July 14 Jul
Via integral resistance Ba9s bulb supplied Neon (BA9S) LED	Via integral	r⊗n =	LA155-B2-EV73	٠	- [4]
	Ba9s	¢ ¢ –	LA155-B2-EV74	•	
	Neon (BA9S)	⊥	LA155-B2-EV75	0	- Ľ!
LA155-B2-EV74		(11) (17)	LA155-B2-EV76	•	- 62
-			LA155-B2-EV41	0	
2	Via integral transformer	r⊗n =	LA155-B2-EV43	•	- 63 - 14 -
1.	1.2VA Ba9s, bulb supplied Neon (BA9S) LED 变压器降压方式式	<u></u> -	LA155-B2-EV44		
		[²⁰¹⁰] =	LA155-B2-EV45	0	
LA155-B2-EV45		X1 X2 _	LA155-B2-EV46	0	
				-	37 14
	Direct bulb included BA9s base fitting Neon (BA9S) LED 灯泡直接插入方式	-0-	LA155-B2-BV61	0	
		-	LA155-B2-BV63	-	
			LA155-B2-BV64	-	
LA155-B2-BV64		X1 X2 _	LA155-B2-BV65	0	
	SER. 2013 - 56		LA155-B2-BV66	0	42 14
Stree .	Via integral resistance	-8		0	
	Ba9s bulb supplied		LA155-B2-BV73		
	Neon (BA9S) LED	II –	LA155-B2-BV74	1875	
	阻容降压方式式	X1 X2	LA155-B2-BV75	0	
LA155-B2-BV75			LA155-B2-BV76	0	53 14 1
-	Via integral transformer	-	LA155-B2-BV41	0	
200	1.2VA Ba9s,	<u> </u>	LA155-B2-BV43		
	bulb supplied Neon (BA9S) LED	- [~~]	LA155-B2-BV44	X III	-
	变压器降压方式	x1 x2 _	LA155-B2-BV45	0	
LA155-B2-BV43		1	LA155-B2-BV46		18
Photo	Description	Contact	Туре	Color	Contour
		1NO 13 -0-14	LA155-B2-EW3361	٠	_
	Direct Supply 12-240V Ba9s Bulb (LED/Neon) — 直接插入方式 1提供12-240V灯泡 —	1NO + 1NC 21 22	LA155-B2-EW3565	0	
• •		1NO 13 14	LA155-B2-EW3661	•	
A155-B2-EW3361		1NC 21 22	LA155-B2-EW3462	•	
-		1NO 13 14	LA155-B2-EW3371	٠	1.00
	Direct Supply 12V Ba9s Bulb with resistance	1NO + 1NC 21 22	LA155-B2-EW3575	0	
	(LED/Neon) 阻容降压方式式	1NO 13 14	LA155-B2-EW3671	•	
A155-B2-EW3371	提供12V灯泡 —	1NC _21 _22	LA155-B2-EW3472	•	- 47
		1NO 13 14	LA155-B2-EW3341	•	52 av. 18
-	×	1NO 13 14	LA155-B2-EW3545	0	
	Direct Supply 12V Ba9s Bulb	1NC 21 22		~	-* 2 8 4
	with transformer (LED/Neon) 变压器降压方式式 —	1NO 13 14	LA155-B2-EW3641	•	
A155-B2-EW3341	提供12V灯泡	1NC 21 22	LA155-B2-EW3442	•	
	<i>0</i> -	1NO 13 14	LA155-B2-EPW3361	•	-0
	Direct Supply	1NO 13 14	LA155-B2-EPW3561	0	
	12~240V Ba9s Bulb	1NC2	LA155-B2-EPW3462	۲	
	(LED/Neon) (with water-proof	1NO 13 14	LA155-B2-EPW3571	0	
		NAME AND ADDRESS OF ADDRESS OF		0	
A155-B2-EPW346	cover) IP65 直接插入方式 提供12 - 240V灯泡	1NO 13 14	LA155-B2-EPW3671	•	

RELATED PRODUCT

Photo	Description	Conta	ct	Туре	Color	Contour
-		1NO 13		LA155-B2-BA11	0	1. 40
1 AL	Flush Button	1NO 13	-0	LA155-B2-BA31	•	
	Momentary	1NO 13	14	LA155-B2-BA55	0	
	平钮弹簧返回 一	1NC 21	22			
A155-B2-BA42	自复型	1NO 13	14	LA155-B2-BA61 LA155-B2-BA42	2	
13 12 12		- 100000	22		0	ام الام الم الم
1	Extended button	1NO 13	14	LA155-B2-BL11 LA155-B2-BL31	0	-
	Momentary 一 凸钮弹簧返回 _	1NO 13	14		-	
		1NC 21	22	LA155-B2-BL55	0	
A155-B2-BL31	自复型	1NO 13	14	LA155-B2-BL61	0	
		1NC 21	22	LA155-B2-BL42	0	р на на Мал
and a	Flush Button	1NO 13	14	LA155-B2-BP11	0	
	Momentary (with water-	1NO 13	14	LA155-B2-BP21		
	proof cover) Unmarked	1NO 13 1NO 13	14	LA155-B2-BP33	•	
	IP 65 一 平钮(防水罩) _	1NO 13	-0-14	LA155-B2-BP61	0	
A155-B2-BP55	弹簧返回自复型	1NC 21	22	LA155-B2-BP42	•	
-	Flush Button -	1NO 13		LA155-B2-BA3341	\odot	
	Momentary	1NO 13	14	LA155-B2-BA3351	0	43
(41)	Marked	1NO 13	- 14	LA155-B2-BA5331	0	
		1NC 21		LA155-B2-BA4322	0	N 11 08
A155-B2-BA3341	弹簧返回自复型 —	1NC 21	22	LA155-B2-BA4342	•	
		1NO 13	-0-14	LA155-B2-BL3341	0	- 24.3
	Extended button		100	LA155-B2-BL3351	0	
	Momentary Marked	2019103 (Marca	14			
		1NO 13	14	LA155-B2-BL5331	•	
A155-B2-BL3311	凸钮(带符号) 弹簧返回自复型 -	1NC 21	22	LA155-B2-BL4322	0	
A100-02-020011		1NC 21	22	LA155-B2-BL4342	0	AL PLAN
1		1NO 13	14	LA155-B2-BC21	•	
	Φ40	1NO 13	14	LA155-B2-BC31	•	
55-B2-BC42 Φ4	0 Mushroom push button	1NC	22	LA155-B2-BC42	•	
	Momentary					- r
2	蘑菇头按钮	1NO 13	14	LA155-B2-BR21	٠	45 +(+ 36.0 -)
r (1NO 13		LA155-B2-BR21 LA155-B2-BR31	•	
55-B2-BR42 Φ6	蘑菇头按钮 弹簧返回自复型 Φ60				•	
-	蘑菇头按钮 弹簧返回自复型 Φ60	1NO 13	-0	LA155-B2-BR31	• • • Color	Contour
-	蘑菇头按钮 弹簧返回自复型 Φ60 0		~ ~ ct	LA155-B2-BR31 LA155-B2-BR42	• • Color	
-		1NO 13	-0	LA155-B2-BR31 LA155-B2-BR42 Type LA155-B2-BW3361	•	Contour
-	藤建头按钮 弾簧返回自复型 Φ60 0	1NO 13 1NC 21 Contac 1NO 13 1NO 10 1NO 10	22 22 ct	LA155-B2-BR31 LA155-B2-BR42 Type	Color	Contour
Photo	藤珪头按钮 弾簧返回自复型	1NO 13 1NC 21 Contac 1NO 13 1NO 13 1NO 13 1NC 21		LA155-B2-BR31 LA155-B2-BR42 Type LA155-B2-BW3361 LA155-B2-BW3565	•	
Photo	藤建头按钮 弾簧返回自复型 Φ60 Description Direct Supply 12~240V Ba9s Bulb (LED/Neon) 直接插入方式	1NO 13 1NC 21 Contact 1NO 13 1NO 13 1NO 13 1NO 21 1NO 21 1NO 21	14 22 14 14 14 14 14 14 14 14 14 14 14 14	LA155-B2-BR31 LA155-B2-BR42 Type LA155-B2-BW33661 LA155-B2-BW3565 LA155-B2-BW3661	•	
Photo	藤建头按钮 弾簧返回自复型 Φ60 0 Description 12~240V Ba9s Bulb (LED/Neon) 直接插入方式 提供12~240V灯泡 Direct Supply 12V	1NO 13 1NC 21 Contac 1NO 13 1NO 13 1NO 13 1NC 21 1NO 13 1NO 13 1NO 13 1NO 13	22 22 22 24 14 14 14 14 14 14 14	LA155-B2-BR31 LA155-B2-BR42 Type LA155-B2-BW3361 LA155-B2-BW3565 LA155-B2-BW3661 LA155-B2-BW3462	•	
Photo	藤建头按钮 弾簧返回自复型	1NO 13 1NC 21 Contact 1NO 13 1NO 13 1NO 13 1NC 21 1NO 13 1NC 13 1NO 13 1 1 1 1 1 1 1 1 1 1 1 1 1	14 22 14 14 14 14 14 14 14 14 14 14 14 14 14 14 14 14	LA155-B2-BR31 LA155-B2-BR42 Type LA155-B2-BW3361 LA155-B2-BW3565 LA155-B2-BW3462 LA155-B2-BW3462 LA155-B2-BW3371 LA155-B2-BW3371	•	
Photo	藤建头按钮 弾簧返回自复型	1NO 13 1NC 21 Contac 1NO 13 1NO 13 1NO 13 1NC 21 1NO 13 1NO 13 1NO 13 1NO 13	14 22 22 14 14 14 14 22 14 14 14 14 14 14 14 14 14 14	LA155-B2-BR31 LA155-B2-BR42 Type LA155-B2-BW3361 LA155-B2-BW3565 LA155-B2-BW3661 LA155-B2-BW3462 LA155-B2-BW3371	•	
Photo		1NO 13 1NC 21 1NO 13	14 14 14 14 14 14 12 14 14 14 14 12 14 14 14 14 14 12 14 14 14 14 14 14 14 14 14 14	LA155-B2-BR31 LA155-B2-BR42 Type LA155-B2-BW3361 LA155-B2-BW3565 LA155-B2-BW3462 LA155-B2-BW3462 LA155-B2-BW3371 LA155-B2-BW3375 LA155-B2-BW3671	• • • • • • • • • • • • • • • • • • • •	
Photo		1NO 13 1NC 21 Contact 1NO 13	14 14 14 14 14 14 14 14 14 14	LA155-B2-BR31 LA155-B2-BR42 Type LA155-B2-BW3361 LA155-B2-BW3365 LA155-B2-BW3462 LA155-B2-BW3462 LA155-B2-BW3371 LA155-B2-BW3575 LA155-B2-BW3671 LA155-B2-BW3472	• • • • • • • • • • • • • • • • • • • •	
155-B2-BW3361 155-B2-BW3372		1NO 13 1NC 21 1NO 13	14 22 22 14 14 14 14 22 14 14 14 14 22 14 14 14 22 14 14 14 14 22 14 14 14 22 14 14 14 22 14 14 14 22 14 14 14 14 22 14 14 14 14 22 14 14 14 14 22 14 14 14 14 14 14 14 14 14 14	LA155-B2-BR31 LA155-B2-BR42 Type LA155-B2-BW3361 LA155-B2-BW3365 LA155-B2-BW3462 LA155-B2-BW3462 LA155-B2-BW3471 LA155-B2-BW3471 LA155-B2-BW3472 LA155-B2-BW341		
Photo		1NO 13 1NC 21 Contact 1NO 13	14 14 14 14 14 14 14 12 14 14 14 14 14 14 14 14 14 14	LA155-B2-BR31 LA155-B2-BR42 Type LA155-B2-BW3361 LA155-B2-BW3665 LA155-B2-BW3661 LA155-B2-BW3661 LA155-B2-BW3371 LA155-B2-BW3371 LA155-B2-BW3371 LA155-B2-BW3341 LA155-B2-BW3341		
Photo		1NO 13 1NC 21 1NO 13	14 14 14 14 14 14 14 14 14 14	LA155-B2-BR31 LA155-B2-BR42 Type LA155-B2-BW3361 LA155-B2-BW3365 LA155-B2-BW3665 LA155-B2-BW3661 LA155-B2-BW3361 LA155-B2-BW3371 LA155-B2-BW3371 LA155-B2-BW3472 LA155-B2-BW3441 LA155-B2-BW3442		
Photo		1NO 13 1NC 21 1NO 13	14 14 14 14 14 14 14 12 14 14 14 14 14 14 14 14 14 14	LA155-B2-BR31 LA155-B2-BR42 Type LA155-B2-BW3361 LA155-B2-BW3565 LA155-B2-BW3661 LA155-B2-BW3661 LA155-B2-BW3462 LA155-B2-BW3371 LA155-B2-BW3371 LA155-B2-BW3341 LA155-B2-BW3441 LA155-B2-BW3641 LA155-B2-BW3641		
Photo		1NO 13 1NC 21 1NO 13	14 14 14 14 14 14 14 14 14 14	LA155-B2-BR31 LA155-B2-BR42 Type LA155-B2-BW3361 LA155-B2-BW3365 LA155-B2-BW3665 LA155-B2-BW3661 LA155-B2-BW3361 LA155-B2-BW3371 LA155-B2-BW3371 LA155-B2-BW3472 LA155-B2-BW3441 LA155-B2-BW3442		
Photo		1NO 13 1NC 21 1NO 13	14 14	LA155-B2-BR31 LA155-B2-BR42 Type LA155-B2-BW3361 LA155-B2-BW3565 LA155-B2-BW3661 LA155-B2-BW3661 LA155-B2-BW3462 LA155-B2-BW3371 LA155-B2-BW3371 LA155-B2-BW3341 LA155-B2-BW3441 LA155-B2-BW3641 LA155-B2-BW3641		
Photo		1NO 13 1NC 21 1NO 13	14 14 14 14 14 14 14 14 14 14	LA155-B2-BR31 LA155-B2-BR42 Type LA155-B2-BW3361 LA155-B2-BW3365 LA155-B2-BW3462 LA155-B2-BW3462 LA155-B2-BW3472 LA155-B2-BW3471 LA155-B2-BW3471 LA155-B2-BW3411 LA155-B2-BW3441 LA155-B2-BW3442 LA155-B2-BW3461 LA155-B2-BW3361 LA155-B2-BW3361		
Photo		1NO 13 1NC 21 Contact 1NO 13	14 14 14 14 14 14 12 14 14 14 12 14 14 14 12 14 14 14 12 14 14 14 12 14 14 14 12 14 14 14 12 14 14 14 14 12 14 14 14 14 14 14 14 14 14 14	LA155-B2-BR31 LA155-B2-BR42 Type LA155-B2-BW3361 LA155-B2-BW3365 LA155-B2-BW3462 LA155-B2-BW3462 LA155-B2-BW3371 LA155-B2-BW3371 LA155-B2-BW3472 LA155-B2-BW34472 LA155-B2-BW3441 LA155-B2-BW3442 LA155-B2-BW3442 LA155-B2-BW3442 LA155-B2-BW3442		



If you are interested in our products, please feel free to contact with us, we will try our best to meet your demand.

Packaging & Shipping

Packing:Standard export carton.

Shipping: 1.By Air or by Sea for batch goods, Airport/ Port receiving;

2. Customers specifying freight forwarders or negotiable shipping methods!



Company Profile

- Golden Electric Co.,Ltd ,was foundad in 2017, we are professional for make AC and DC electric items such as isolator switch , fuse , breaker , distribution box , PV combiner box ,surge protector, Industrial plug and socket,Solar product and so on.

- Golden has been granted ISO9001 management system certifications. The comprehensive product line has more than 1000 models which have been approved by TUV,CE,CQC,SGS,ROHS,SASO. The productsells well to UK, Spain, Portugal, Singapore, Turkey, Russia, Korea, South Africa... more than 60 countries and regions.

- Golden is always striving hard to provide the best services and competitive price to all customers.



MAIN PRODUCT



Q:How and how long can I get a sample to check your quality?

A: After price confirmation, you can require for samples to check our quality. Then after you send us confirmed files, the samples will be ready for delivery in 7 days. The samples will be sent to you via express and arrive in 5-7 workdays.

Q:How to order our product ?

A: 1).Please tell us the model and quantity and other request you need.

2).We make the PI for you.

- 3). After you confirm the PI, we arrange the order for you after receiving your payment.
- 4). After the goods finished, we send the goods out to you and tell you the tracking number.

5).We will track your goods until you receive the goods.

Q: Can I have a visit to your factory before the order?

A: Welcome! Our factory address: Dongan Industrial Zone, Yueqing City, Wenzhou, Zhejiang, China (Mainland)

Q: What's your shipment method?

A: We ship by Express, by air, by sea, by train. Normally we checked and compare, then provide customer the most proper shipment method.

Q: What's about MOQ?

A: First order MOQ=1pcs

Q: If i want to release order, what's the payment method you accept ?

A: We accept T/T, Paypal, Western union, etc.

Q: If i want to release order, what's the process?

A: Thanks. You can send inquiry to us by alibaba, or send us by email, we will reply within 24hrs.

Our commitent

BETTER PRICE than other sellers for you because of Factory Direct Sale. BETTER QUALITY than before caused by our 10+ years trading experience. STOCK IN TRADE always own to our Fast & Professional production line. FAST DELIVERY always made by our GROUP's Enthusiam. TIMING REPLY in 24 hours all about our TEAM's Passion & Patience. Send your Inquiry Details in the Below, Click "Send" Now~ YOUR BENEFITS IS OUR BUSINESS!!!



🔇 008618998498109 🔄 eva@china-golden.com.cn 📀 chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District,

Guangzhou city, Guangdong province, China