



Plastic Emergency Stop 22mm Mushroom Push Button with LED Bulb Type Screw Terminal

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Golden Electric /OEM
- Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000, ISO 20000, OHSAS/ OHSMS 18001, IATF16949
- Minimum Order Quantity: 1
- Packaging Details: Carton/Pallet
- Delivery Time: Peak Season Lead Time: more than 12 months Off Season Lead Time: within 15 workdays
- Payment Terms: LC, T/T, PayPal, Western Union
- Supply Ability: 5000/Month



Product Specification

- Color Temperature: Pure White
- Lamp Body Material: Plastic
- Input Voltage(V): 6~220V
- Lamp Luminous Flux(Lm): 60
- Light Source: LED
- Mounting Hole Size: 22mm
- Sound Type: Intermittent
- Working Current: $\leq 20\text{mA}$
- Insulation Resistance: $\geq 2\text{M}\Omega$
- Mounting: Panel Mounting
- Beam Angle($^{\circ}$): 360
- Lamp Luminous Efficiency(Lm/W): 200
- Lamp Power(W): 5
- CRI (Ra): 80



More Images




for more products please visit us on chinagoldene.com

Product Description

Mode and Meaning

型号及其含义 Mode and Meaning



Application



Product Parameters

Photo	Description	Circuit	Type	Color	Contour
 LA155-B2-EV66	Direct bulb included BA9s base fitting Neon (BA9S) LED 灯泡直接插入方式	 X1 X2	LA155-B2-EV61	○	
			LA155-B2-EV63	●	
			LA155-B2-EV64	●	
			LA155-B2-EV65	●	
			LA155-B2-EV66	●	
 LA155-B2-EV74	Via integral resistance Ba9s bulb supplied Neon (BA9S) LED 阻容降压方式	 X1 X2	LA155-B2-EV71	○	
			LA155-B2-EV73	●	
			LA155-B2-EV74	●	
			LA155-B2-EV75	●	
			LA155-B2-EV76	●	
 LA155-B2-EV45	Via integral transformer 1.2VA Ba9s, bulb supplied Neon (BA9S) LED 变压器降压方式	 X1 X2	LA155-B2-EV41	○	
			LA155-B2-EV43	●	
			LA155-B2-EV44	●	
			LA155-B2-EV45	●	
			LA155-B2-EV46	●	










 LA155-B2-BV64	Direct bulb included BA9s base fitting Neon (BA9S) LED 灯泡直接插入方式	 X1 X2	LA155-B2-BV61	○	
			LA155-B2-BV63	●	
			LA155-B2-BV64	●	
			LA155-B2-BV65	●	
			LA155-B2-BV66	●	
 LA155-B2-BV75	Via integral resistance Ba9s bulb supplied Neon (BA9S) LED 阻容降压方式	 X1 X2	LA155-B2-BV71	○	
			LA155-B2-BV73	●	
			LA155-B2-BV74	●	
			LA155-B2-BV75	●	
			LA155-B2-BV76	●	
 LA155-B2-BV43	Via integral transformer 1.2VA Ba9s, bulb supplied Neon (BA9S) LED 变压器降压方式	 X1 X2	LA155-B2-BV41	○	
			LA155-B2-BV43	●	
			LA155-B2-BV44	●	
			LA155-B2-BV45	●	
			LA155-B2-BV46	●	



Photo	Description	Contact	Type	Color	Contour
 LA155-B2-EW3361	Direct Supply 12~240V Ba9s Bulb (LED/Neon) 直接插入方式 提供12~240V灯泡	1NO 13 14	LA155-B2-EW3361	●	
		1NO 13 14 1NC 21 22	LA155-B2-EW3565	●	
		1NO 13 14	LA155-B2-EW3661	●	
		1NC 21 22	LA155-B2-EW3462	●	
		1NO 13 14	LA155-B2-EW3371	●	
 LA155-B2-EW3371	Direct Supply 12V Ba9s Bulb with resistance (LED/Neon) 阻容降压方式 提供12V灯泡	1NO 13 14 1NC 21 22	LA155-B2-EW3575	●	
		1NO 13 14	LA155-B2-EW3671	●	
		1NC 21 22	LA155-B2-EW3472	●	
		1NO 13 14	LA155-B2-EW3341	●	
		1NO 13 14 1NC 21 22	LA155-B2-EW3545	●	
 LA155-B2-EW3341	Direct Supply 12V Ba9s Bulb with transformer (LED/Neon) 变压器降压方式 提供12V灯泡	1NO 13 14	LA155-B2-EW3641	●	
		1NC 21 22	LA155-B2-EW3442	●	
		1NO 13 14	LA155-B2-EPW3361	●	
		1NO 13 14	LA155-B2-EPW3561	●	
		1NC 21 22	LA155-B2-EPW3462	●	
 LA155-B2-EPW346	Direct Supply 12~240V Ba9s Bulb (LED/Neon) (with water-proof cover) IP65 直接插入方式 提供12~240V灯泡	1NO 13 14	LA155-B2-EPW3571	●	
		1NO 13 14	LA155-B2-EPW3671	●	
		1NC 21 22	LA155-B2-EPW3472	●	
		1NO 13 14	LA155-B2-EPW3371	●	
		1NC 21 22	LA155-B2-EPW3472	●	

















Photo	Description	Contact	Type	Color	Contour
 LA155-B2-BA42	Flush Button Momentary 平钮弹簧返回 自复型	1NO 13 14	LA155-B2-BA11	○	
		1NO 13 14	LA155-B2-BA31	●	
		1NO + 1NC 13 14 21 22	LA155-B2-BA55	●	
		1NO 13 14	LA155-B2-BA61	●	
		1NC 21 22	LA155-B2-BA42	●	
 LA155-B2-BL31	Extended button Momentary 凸钮弹簧返回 自复型	1NO 13 14	LA155-B2-BL11	○	
		1NO 13 14	LA155-B2-BL31	●	
		1NO + 1NC 13 14 21 22	LA155-B2-BL55	●	
		1NO 13 14	LA155-B2-BL61	●	
		1NC 21 22	LA155-B2-BL42	●	
 LA155-B2-BP55	Flush Button Momentary (with water-proof cover) Unmarked IP 65 平钮(防水罩) 弹簧返回自复型	1NO 13 14	LA155-B2-BP11	○	
		1NO 13 14	LA155-B2-BP21	●	
		1NO 13 14	LA155-B2-BP33	●	
		1NO 13 14	LA155-B2-BP61	●	
		1NC 21 22	LA155-B2-BP42	●	
 LA155-B2-BA3341	Flush Button Momentary Marked 平钮(带符号) 弹簧返回自复型	1NO 13 14	LA155-B2-BA3341	○	
		1NO 13 14	LA155-B2-BA3351	●	
		1NO 13 14	LA155-B2-BA5331	●	
		1NC 21 22	LA155-B2-BA4322	●	
		1NC 21 22	LA155-B2-BA4342	●	
 LA155-B2-BL3311	Extended button Momentary Marked 凸钮(带符号) 弹簧返回自复型	1NO 13 14	LA155-B2-BL3341	○	
		1NO 13 14	LA155-B2-BL3351	●	
		1NO 13 14	LA155-B2-BL5331	●	
		1NC 21 22	LA155-B2-BL4322	●	
		1NC 21 22	LA155-B2-BL4342	●	
 LA155-B2-BC42	Φ40 Mushroom push button Momentary 蘑菇头按钮 弹簧返回自复型	1NO 13 14	LA155-B2-BC21	●	
		1NO 13 14	LA155-B2-BC31	●	
		1NC 21 22	LA155-B2-BC42	●	
		1NO 13 14	LA155-B2-BR21	●	
		1NO 13 14	LA155-B2-BR31	●	
 LA155-B2-BR42	Φ60	1NC 21 22	LA155-B2-BR42	●	

Photo	Description	Contact	Type	Color	Contour
 LA155-B2-BW3361	Direct Supply 12~240V Ba9s Bulb (LED/Neon) 直接插入方式 提供12~240V灯泡	1NO 13 14	LA155-B2-BW3361	●	
		1NO 13 14	LA155-B2-BW3565	●	
		1NC 21 22	LA155-B2-BW3661	●	
		1NO 13 14	LA155-B2-BW3462	●	
		1NC 21 22	LA155-B2-BW3371	●	
 LA155-B2-BW3472	Direct Supply 12V Ba9s Bulb with resistance (LED/Neon) 阻容降压方式 提供12V灯泡	1NO 13 14	LA155-B2-BW3371	●	
		1NO 13 14	LA155-B2-BW3575	●	
		1NO 13 14	LA155-B2-BW3671	●	
		1NC 21 22	LA155-B2-BW3472	●	
		1NO 13 14	LA155-B2-BW3341	●	
 LA155-B2-BW3341	Direct Supply 12V Ba9s Bulb with transformer (LED/Neon) 变压器降压方式 提供12V灯泡	1NO 13 14	LA155-B2-BW3341	●	
		1NO 13 14	LA155-B2-BW3545	●	
		1NC 21 22	LA155-B2-BW3641	●	
		1NO 13 14	LA155-B2-BW3442	●	
		1NC 21 22	LA155-B2-BPW3361	●	
 LA155-B2-BPW3462	Direct Supply 12~240V Ba9s Bulb (LED/Neon) (with water-proof cover) IP65 直接插入方式 提供12~240V灯泡	1NO 13 14	LA155-B2-BPW3561	●	
		1NC 21 22	LA155-B2-BPW3462	●	
		1NO 13 14	LA155-B2-BPW3371	●	
		1NO 13 14	LA155-B2-BPW3571	●	
		1NC 21 22	LA155-B2-BPW3472	●	

RELATED PRODUCT



If you are interested in our products , please feel free to contact with us ,we will try our best to meet your demand.

Packaging & Shipping

Packing: Standard export carton.

Shipping: 1.By Air or by Sea for batch goods,Airport/ Port receiving;
2. Customers specifying freight forwarders or negotiable shipping methods!



Company Profile

- Golden Electric Co.,Ltd ,was foundad in 2017, we are professional for make AC and DC electric items such as **isolator switch , fuse , breaker , distribution box , PV combiner box ,surge protector, Industrial plug and socket,Solar product** and so on.

- Golden has been granted ISO9001 management system certifications. The comprehensive product line has more than 1000 models which have been approved by TUV,CE,CQC,SGS,ROHS,SASO. The productsells well to UK, Spain, Portugal, Singapore, Turkey, Russia, Korea, South Africa... more than 60 countries and regions.

- Golden is always striving hard to provide the best services and competitive price to all customers.



MAIN PRODUCT



FAQ

Q:How and how long can I get a sample to check your quality?

A: After price confirmation, you can require for samples to check our quality. Then after you send us confirmed files, the samples will be ready for delivery in 7 days. The samples will be sent to you via express and arrive in 5-7 workdays.

Q:How to order our product ?

A: 1).Please tell us the model and quantity and other request you need.
2).We make the PI for you.
3).After you confirm the PI, we arrange the order for you after receiving your payment.
4).After the goods finished, we send the goods out to you and tell you the tracking number.
5).We will track your goods until you receive the goods.

Q: Can I have a visit to your factory before the order?

A: Welcome! Our factory address: Dongan Industrial Zone,Yueqing City, Wenzhou, Zhejiang, China (Mainland)

Q: What's your shipment method?

A: We ship by Express, by air, by sea, by train. Normally we checked and compare, then provide customer the most proper shipment method.

Q: What's about MOQ?

A: First order MOQ=1pcs

Q: If i want to release order, what's the payment method you accept ?

A: We accept T/T, Paypal, Western union, etc.

Q: If i want to release order, what's the process?

A: Thanks. You can send inquiry to us by alibaba, or send us by email, we will reply within 24hrs.

Our commitent

BETTER PRICE than other sellers for you because of Factory Direct Sale.
BETTER QUALITY than before caused by our 10+ years trading experience.
STOCK IN TRADE always own to our Fast & Professional production line.
FAST DELIVERY always made by our GROUP's Enthusiam.
TIMING REPLY in 24 hours all about our TEAM's Passion & Patience.
Send your Inquiry Details in the Below, **Click "Send" Now~**
YOUR BENEFITS IS OUR BUSINESS!!!



Guangzhou Golden Electric Co., Ltd.



008618998498109



eva@china-golden.com.cn



chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District,
Guangzhou city,Guangdong province,China

