# Common 500*500*500 Heat Shrink Connector Crimping Tool Ratchet Wire Terminal Crimper

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Golden Electric /OEM
- Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000, ISO 20000, OHSAS/ OHSMS 18001, IATF16949
- Minimum Order Quantity: 1
- Packaging Details: Carton/Pallet
- Delivery Time: Peak Season Lead Time: more than 12 months Off Season Lead Time: within 15 workdays
- Payment Terms: LC, T/T, PayPal, Western Union
- Supply Ability: 5000/Month

Product Specification

- Structure: Box Joint
- Handle Color: Colorful
- Application Age: Adult
- Use Place: Industrial
- Size: Common
- Transport Package: Export Standard Packing
- Specification: 500*500*500
- Trademark: Golden Or Netural Or Customer Brand
- Origin: China
- HS Code: 847981100
- Supply Ability: 50000PCS /Week
- Types: Crimping Pliers
- Material: Nodular Cast Iron
- Function: Cutting, Crimping, Wire Stripping, Punching
- Brand: Golden/OEM

More Images

9"RATCHET CRIMPING PLIER (EUROPEANSTYLE)

The components of the ratchef crimping tools are made of special steel.

Designed according to human factors engineering,it can save 50% energy when crimping.

Precise crimping die sets and integral lock with self releasing mechanism.

ensure high-quality crimping effect after crimping repeatedly.

Due to best handle grasping position,light and compact structure and handle design ensure perfect crimping effect.

Accurate adjustment before exworks delivery.

可替换口模
Replace able die

强迫释放装置，
确保操作安全
Forced release device,
to ensure safe operation

压力调整装置
The pressure
Adjusting device

两种手柄可选择，
颜色可定制。
Two kinds of handle，
color can be customized

应用范围 Range of application
用于压接预绝缘端子专用钳 For insulated termnals

型号 Type	压接能力 Capacity	美国标准 AWG	长度 Length	重量 Weight
WX-03C	0.5-6mm²	20-10 AWG	230mm	0.55kg

应用范围 Range of application
用于压接预绝缘端子专用钳 For insulated termnals

型号 Type	压接能力 Capacity	美国标准 AWG	长度 Length	重量 Weight
WX-30J	0.5-6mm²	20-10 AWG	230mm	0.55kg

型号 Item No.	应用范围 Range of Application	端子 Connectors	压线范围Capacity mm²	AWG	钳口 Die set	压模类型 Profile
WX-03B	非预绝缘开放式插塞端子 Non-insulated tabs and receptacles		0.5-1.0 1.5-2.5 4.0-6.0	20-10	WX-03B-1	
WX-03A	预绝缘端子 (台湾式非对称压接) Insulated terminals		0.5~2.0	20~16	WX-30A	
WX-03D	预绝缘端子 (台湾式非对称压接) Insulated terminals		1.0-1.5 1.5-2.5 4.0-6.0	20-10		
WX-6G8	裸端子(欧式W型坑压) Non-insulated terminals		1.5-6.0	16-10		
WX-04WFL	绝缘和非绝缘套管式端子 Insulated and non-insulated ferrules		0.5 0.75 1,1.5 2.5,4	20-12		
WX-1016	裸端子(欧式W型坑压) Non-insulated terminals		0.5-16	20-5		
WX-04WF	预绝缘端子 (台湾式非对称压接) Insulated terminals		1~10	17~7		
WX-07FL	旗型母绝缘接头 Flag type female receptacles insulated terminals		0.5~2.5	20~13		
WX-05FL	非预绝缘开放式插塞端子 4.8,6.3旗型插簧端子专用 Flag type receptacles		0.5~1.5 1.5~2.5	20~13		
WX-10	裸端子 Non-insulated terminals		1.0~10	17~7		
型号 Item No.	应用范围 Range of Application	端子 Connectors	压线范围Capacity mm²	AWG	钳口 Die set	压模类型 Profile
WX-26TW	绝缘和非绝缘套管式端子 (梯形压接双线专用) Insulated and non-insulated ferrule		0.5-6.0	20-10		
WX-35WF	绝缘和非绝缘套管式端子(梯形压接) Insulated and non-insulated ferrules		10 15 25 35	7-2		
WX-25WF	绝缘和非绝缘套管式端子 (梯形压接双线专用) Insulated and non-insulated ferrule		2×(0.5, 0.75,1, 1.5,2.5, 4,6)	20-10		
WX-02	钢丝索铝套压接专用		6 8 10	11-10		
WX-01	电热膜端子专用 Clamp of galvanothermy film terminal		4.0-6.0	11-9		

WX-05H	同轴电缆 RG55,58,59,62,5,6, 21,140,141,142,143, 210,212,222,223,303, 304,400,BELDEN 8279, 8281,9231,9141		8.1,6.5 5.4,2.6 1.72				
WX-02H	同轴电缆 RG55,58,59,62,140, 141,142,223,303, 400, FIBER OPTIC.BELDEN 8279		6.5 5.4 1.72				
WX-H456	同轴电缆 RG55,58,59,62,5,6, 21,140,141,142,143, 210,212,222,223,303, 304,400,BELDEN 8279, 8281,9231,9141		6.5 5.5 4.1 3.3 3.0 1.7				
WX-02H1	同轴电缆 RG58, 59, 62, 8X, 140, 142, 174, 210,223,303, 400,FIBER OPTIC BELDEN 8279		6.5 5.4 3.25 2.0 1.72 1.0				
WX-1	航空插件端子 For crimping the terminal of aviation plug-in		1.0~2.5	17~13			

Related Product

压接工具 CRMPING TOOLS P/01 A	
电缆剪 CUTTING TOOLS P/24 B	
剥线工具 WIRE STRIPPER TOOLS P/27 C	
液压压接工具 HYDRAULIC CRIMPING TOOLS P/32 D	
网络工具 NETWORK TOOLS P/40 E	
收束工具 FASTENING TOOLS P/44 F	

Packing: Standard export carton packing

Shipping:1. By Air or by Sea for batch goods,Airport/ Port receiving;
2. Customers specifying freight forwarders or negotiable shipping methods!

Company Profile

- Golden Electric Co.,Ltd ,was foundad in 2017, we are professional for make AC and DC electric items such as **isolator switch , fuse , breaker , distribution box , PV combiner box ,surge protector, Industrial plug and socket,Solar product** and so on.

- Golden has been granted ISO9001 management system certifications. The comprehensive product line has more than 1000 models which have been approved by TUV,CE,CQC,SGS,ROHS,SASO. The productsells well to UK, Spain, Portugal, Singapore, Turkey, Russia, Korea, South Africa... more than 60 countries and regions.

- Golden is always striving hard to provide the best services and competitive price to all customers.

Golden®

Low voltage product:
Auto/manual transfer switch
Power meter
Distribution box(plastic/metal)
Surger protector device
Mini /Moulded case circuit breaker
Insulator

FAQ

1.When can I receive your quotation and detail information after send the enquiry?
All your enquiry will be replied within 8 hours.

2.Can I get samples before place an order ?
Of course! We also believe that sample order is the best way to prove the quality.And in our company we offer free sample service! Please send the enquiry to us and get the free sample!

3.Can you print our own logo?
Yes,Our company are available for OEM.

4.How long is the quality guarantee?
2-5 years warranty,our products are 100% inspection.

5.How long is the delivery time?
It usually takes about 3-5 working days for sample order,and 10-20 days for official order.

How to contact us
Send your Inquiry Details in the Below, please Click **"send"** Now!
Good price and sample are waiting for you.

Guangzhou Golden Electric Co., Ltd.

008618998498109   eva@china-golden.com.cn   chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District, Guangzhou city,Guangdong province,China