




Digital Output Current Transformer for Distribution Power Transformer Monitoring

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Golden Electric /OEM
- Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000, ISO 20000, OHSAS/ OHSMS 18001, IATF16949
- Minimum Order Quantity: 1
- Packaging Details: Carton/Pallet
- Delivery Time: Peak Season Lead Time: more than 12 months Off Season Lead Time: within 15 workdays
- Payment Terms: LC, T/T, PayPal, Western Union
- Supply Ability: 5000/Month



Product Specification

- Insulating Medium: Common Insulating Materials
- Installation: Busbar Type
- Magnetic Circuit Structure: Cascade Type
- Voltage Transformation Principle: Electromagnetic Type
- Output Signal Type: Digital Output
- Operating Temperature: -30c To 70c
- Measuring Range: 0-50A
- IP Rating: IP30
- Accuracy Grade: 0.5g
- Construction: Screw
- Bobbin: PBT
- Output Connection: Terminal
- S_Customized: Yes
- Accuracy Class: 0.5 / 1.0



More Images



for more products please visit us on chinagoldene.com

Product Description

Product Description

The transformer can be directly installed at the inlet and outlet cables. The slice is imported silicon material. The semicircular ring core and secondary windings are vacuum poured by insulated resin.



Application:

1. Current measurement
2. Monitoring and protection
3. Energy and sub-metering products
4. Network equipment
5. Instruments and sensors
6. Control systems


Product Parameters

Technical parameter&Dimension of case(mm)


RCT SERIES



Type	Picture	Rated current(A)	Rated power(VA)	Class	Rated Voltage(KV)	Rated Frequency(Hz)
RCT-35		20/5A-300/5A	1.5-5	0.5/1.0	660	50/60
RCT-58		300/5A-1000/5A	5-10	0.5/1.0	660	50/60
RCT-90		600/5A-2000/5A	5-20	0.5/1.0	660	50/60
RCT-110		1200/5A-5000/5A	10-30	0.5/1.0	660	50/60

Type	A	B	C	D	E	F
RCT-35	36	78	95	84	90	53
RCT-58	58	102	93	80	113	57
RCT-90	92	93	138	85	153	45
RCT-110	112	110	165	96	180	45




MR SERIES

Type	Picture	Rated current(A)	Rated power(VA)	Class	Rated Voltage(KV)	Rated Frequency(Hz)
MR-28		30/5A-100/5A	1.5-5	0.5/1.0	720	50/60
MR-42		100/5A-250/5A	5	0.5/1.0	720	50/60
MR-45		300/5A-400/5A	5	0.5/1.0	720	50/60

MR-60		400/5A-800/5A	5-10	0.5/1. 0	720	50/60
MR-85	MR-28	600/5A-1000/5A	5-10	0.5/1. 0	720	50/60
MR-125		1200/5A-5000/5A	10-30	0.5/1. 0	720	50/60
	MR-42					

Type	ID	OD	HT
MR-28	28	70	40
MR-42	42	80	30
MR-45	45	80	30
MR-60	60	100	30
MR-85	86	120	20
MR-125	125	165	20



Provide you with many options



FQA

Q1: Are you a factory or trading company

A1: We are a factory, we can guarantee our price is first-hand, very cheap and competitive.

Q2: How does your factory do regarding quality control?

A2: All the products will be 100% checked before the shipment

Q3: When can I get the price?

A3: Usually we quote within 24 hours after we get your inquiry.

Q4: How could I get a sample?

A4: if you can not buy our product in your local area, we will ship a sample to you. You will be

charged a sample price plus all related shipping costs. Express delivery charge depends on the quantity of the samples.

Q5: What is the price of shipping?

A5: Depending upon the port of delivery, prices vary.

Any more query please contact with us, thank you!



Guangzhou Golden Electric Co., Ltd.



008618998498109



eva@china-golden.com.cn



chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District,
Guangzhou city,Guangdong province,China