



Lmzj1-0.5 Series Low Voltage Current Power Transformer with 1 Piece Minimum Order

Our Product Introduction


Basic Information

- Place of Origin: China
- Brand Name: Golden Electric /OEM
- Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000, ISO 20000, OHSAS/ OHSMS 18001, IATF16949
- Minimum Order Quantity: 1
- Packaging Details: Carton/Pallet
- Delivery Time: Peak Season Lead Time: more than 12 months Off Season Lead Time: within 15 workdays
- Payment Terms: LC, T/T, PayPal, Western Union
- Supply Ability: 5000/Month



Product Specification

- Insulating Medium: Common Insulating Materials
- Installation: Busbar Type
- Magnetic Circuit Structure: Cascade Type
- Voltage Transformation Principle: Electromagnetic Type
- Output Signal Type: Digital Output
- Operating Temperature: -30c To 70c
- Measuring Range: 0-50A
- IP Rating: IP30
- Accuracy Grade: 0.5g
- Construction: Screw
- Bobbin: PBT
- Output Connection: Terminal
- S_Customized: Yes
- Accuracy Class: 0.5 / 1.0



More Images



for more products please visit us on chinagoldene.com

Product Description

Product Description



LM-0,5 series indoor current transformer, it's used in the circuit, 50Hz, rated voltage 500V. For measurement of instruments, meter or relay protection, control device to transport signal, and measure, protect & control device to isolate from high voltage.

Application:


- 1.Current measurement
- 2.Monitoring and protection
- 3.Energy and sub-metering products
- 4.Network equipment
- 5.Instruments and sensors
- 6.Control systems

Product Parameters

Technical parameter&Dimension of case(mm):

Type	Picture	Rated current(A)	Rated power(VA)		Rated Voltage(KV)	Rated Frequency(Hz)
			Class:0.5	Class:1		
LMZ1-0.5		5/5-300/5	5	5	0.5	50/60
		5/5-300/5	5	5	0.5	50/60
		400/5-600/5	5	5-10	0.5	50/60
LMZJ1-0.5		800/5-5000/5	10-30	10-30	0.5	50/60

Type	Rated current(A)	A1	B1	C1	D1	E1	F1
LMZ1-0.5	5/5-300/5	31	110	86	113	86	47
	5/5-300/5	36	110	88	114	86	47
LMZJ1-0.5	300/5	42	110	90	115	86	47
	400/5-600/5	56	110	95	127	86	45
Type	Rated current(A)	A2	B2	C2	D2	E2	F2
LMZJ1-0.5	750/5-800/5	83	145	125	100	115	45
	1000/5-1500/5	102	175	143	120	123	45
	2000/5-4000/5	142	210	162	150	150	45
	2000/5	182	260	185	190	162	45



Type	Picture	Rated current(A)	ID	Rated power(VA)	Class	Rated Voltage(KV)	Rated Frequency(Hz)
------	---------	------------------	----	-----------------	-------	-------------------	---------------------


LMZ(J)1-0.66



100/5A-300/5A	35	1.5-5	0.5/0.2	660	50/60
300/5A-400/5A	40	5	0.5/0.2	660	50/60
400/5A-600/5A	50	5	0.5/0.2	660	50/60
750/5A-800/5A	80	5-10	0.5/0.2	660	50/60
1000/5A-1500/5A	100	5-10	0.5/0.2	660	50/60
2000/5A-3000/5A	140	10-30	0.5/0.2	660	50/60

Type A B C D E F

36	94	151	124	565
42	94	151	124	565
52	104	201	154	565
82	133	241	154	463
102	157	251	123	4465
142	205	361	145	4672



Provide you with many options



FQA

Q1: Are you a factory or trading company

A1: We are a factory, we can guarantee our price is first-hand, very cheap and competitive.

Q2: How does your factory do regarding quality control?

A2: All the products will be 100% checked before the shipment

Q3: When can I get the price?

A3: Usually we quote within 24 hours after we get your inquiry.

Q4: How could I get a sample?

A4: if you can not buy our product in your local area, we will ship a sample to you. You will be charged a sample price plus all related shipping costs. Express delivery charge depends on the quantity of the samples.

Q5: What is the price of shipping?

A5: Depending upon the port of delivery, prices vary.

Any more query please contact with us, thank you!



Guangzhou Golden Electric Co., Ltd.



008618998498109



eva@china-golden.com.cn



chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District,
Guangzhou city, Guangdong province, China