




Low Voltage Indoor Current Transformer 500V Lmzj1-0.5 6000A/5A for Indoor Protection

Our Product Introduction


Basic Information

- Place of Origin: China
- Brand Name: Golden Electric /OEM
- Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000, ISO 20000, OHSAS/ OHSMS 18001, IATF16949
- Minimum Order Quantity: 1
- Packaging Details: Carton/Pallet
- Delivery Time: Peak Season Lead Time: more than 12 months Off Season Lead Time: within 15 workdays
- Payment Terms: LC, T/T, PayPal, Western Union
- Supply Ability: 5000/Month



Product Specification

- Insulating Medium: Common Insulating Materials
- Installation: Busbar Type
- Magnetic Circuit Structure: Cascade Type
- Voltage Transformation Principle: Electromagnetic Type
- Output Signal Type: Digital Output
- Operating Temperature: -30c To 70c
- Measuring Range: 0-50A
- IP Rating: IP30
- Accuracy Grade: 0.5g
- Construction: Screw
- Bobbin: PBT
- Output Connection: Terminal
- S_Customized: Yes
- Accuracy Class: 0.5 / 1.0



More Images



for more products please visit us on chinagoldene.com

Product Description

Product Description



LM-0,5 series indoor current transformer, it's used in the circuit, 50Hz, rated voltage 500V. For measurement of instruments, meter or relay protection, control device to transport signal, and measure, protect & control device to isolate from high voltage.

Application:


- 1.Current measurement
- 2.Monitoring and protection
- 3.Energy and sub-metering products
- 4.Network equipment
- 5.Instruments and sensors
- 6.Control systems

Product Parameters

Technical parameter&Dimension of case(mm):

Type	Picture	Rated current(A)	Rated power(VA)		Rated Voltage(KV)	Rated Frequency(Hz)
			Class:0.5	Class:1		
LMZ1-0.5		5/5-300/5	5	5	0.5	50/60
		5/5-300/5	5	5	0.5	50/60
		400/5-600/5	5	5-10	0.5	50/60
LMZJ1-0.5		800/5-5000/5	10-30	10-30	0.5	50/60

Type	Rated current(A)	A1	B1	C1	D1	E1	F1
LMZ1-0.5	5/5-300/5	31	110	86	113	86	47
	5/5-300/5	36	110	88	114	86	47
LMZJ1-0.5	300/5	42	110	90	115	86	47
	400/5-600/5	56	110	95	127	86	45
Type	Rated current(A)	A2	B2	C2	D2	E2	F2
LMZJ1-0.5	750/5-800/5	83	145	125	100	115	45
	1000/5-1500/5	102	175	143	120	123	45
	2000/5-4000/5	142	210	162	150	150	45
	2000/5	182	260	185	190	162	45



Type	Picture	Rated current(A)	ID	Rated power(VA)	Class	Rated Voltage(KV)	Rated Frequency(Hz)
------	---------	------------------	----	-----------------	-------	-------------------	---------------------

LMZ(J)1-0.66



LMZ(J)1-0.66



LMZ(J)1-0.66

100/5A-300/5A	35	1.5-5	0.5/0.2	660	50/60
300/5A-400/5A	40	5	0.5/0.2	660	50/60
400/5A-600/5A	50	5	0.5/0.2	660	50/60
750/5A-800/5A	80	5-10	0.5/0.2	660	50/60
1000/5A-1500/5A	100	5-10	0.5/0.2	660	50/60
2000/5A-3000/5A	140	10-30	0.5/0.2	660	50/60

Type A B C D E F

36 94 151124565


42 94 151124565

LMZ(J)1-0.66 52 104201154565

82 133241154463

102157251234465

142205361454672



Provide you with many options



FQA

Q1: Are you a factory or trading company

A1: We are a factory, we can guarantee our price is first-hand, very cheap and competitive.

Q2: How does your factory do regarding quality control?

A2: All the products will be 100% checked before the shipment

Q3: When can I get the price?

A3: Usually we quote within 24 hours after we get your inquiry.

Q4: How could I get a sample?

A4: if you can not buy our product in your local area, we will ship a sample to you. You will be charged a sample price plus all related shipping costs. Express delivery charge depends on the quantity of the samples.

Q5: What is the price of shipping?

A5: Depending upon the port of delivery, prices vary.

Any more query please contact with us, thank you!



Guangzhou Golden Electric Co., Ltd.



008618998498109



eva@china-golden.com.cn



chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District,
Guangzhou city, Guangdong province, China