

Twisting Cutting Performance Copper Tube Terminal Crimping Tool for Non-Insulated Terminal

ISO 9001, ISO 9000, ISO 14001, ISO 14000,

ISO 20000, OHSAS/ OHSMS 18001,

Peak Season Lead Time: more than 12 months Off Season Lead Time: within 15

LC, T/T, PayPal, Western Union

Basic Information

- Place of Origin:
- Brand Name: Golden Electric /OEM

China

IATF16949

workdays

5000/Month

1

- Certification:
- Minimum Order Quantity:
- Packaging Details: Carton/Pallet
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

Structure:	Box Joint
Handle Color:	Colorful
 Application Age: 	Adult
Use Place:	Industrial
• Size:	Common
 Transport Package: 	Export Standard Packing
• Trademark:	Golden Or Netural Or Customer Brand
Origin:	China
• HS Code:	847981100
 Supply Ability: 	50000PCS /Week
• Types:	Crimping Pliers
 Material: 	Nodular Cast Iron
• Function:	Cutting, Crimping, Wire Stripping, Punching
• Brand:	Golden/OEM
Performance:	Twisting&Cutting



More Images









Product Description

COPPER TUBE TERMINAL CRIMPING TOOL

The crimping tools is used for non-welding and standard electrical connection. The mould of the crimping dies is made of SCM-40 hardest tool steel. It is with the characteristics of long life, accurate bore diameter and good crimping effect.

	9.				9	×.		
						1		
Item No.	HX-50B 应用范围 Range of Application	端子 Connectors	HX-120 压线范围(0B/120D Capacity AWG	HX-1508	3 H. 长度 Length (mm)	X-240B Weight (kg)	
HX-50B	B S标准类型端子 BSStandard type terminals	88	6-50	10-1	2012/02	390	13	
X-120D	B S标准类型端子 BS Standard type terminals	88	6-120	10-4/0	10.01	620	4	
X-120B	B S标准类型端子 BS Standard type terminals	88	10-120	7-4/0	100 BH	620	4	
X-1508	BS标准类型端子	88	25-150	3-300	38:38.	620	4	
	BSStandard type terminals	00						

The crimping tools is used for non-welding and standard electrical connection. The mould of the crimping dies is made of SCM-40 hardest tool steel. It is with the characteristics of long life, accurate bore diameter and good crimping effect.





CT-38/80/150

型号 Type	应用范围 Range of application	压接能力 Capacity	美国标准 AWG	长度Length	重量 Weight	編子类型 Connector type
CT-38/80/150		8-38mm²/8-95mm²/ 16-150mm²	8-2AWG/8-30AWG/ 8-250/300AWG	570mm/635mm/ 765mm	2.2kg/3.2kg/ 5.2kg	84
KH-95/150/230	用于铜、铝端子的压接 Cu, Al terminal crimping	16-95mm²/10-120mm²/ 10-240mm²	6-30AWG/8-250AWG/ 8-500AWG	630mm/610mm/ 980mm	3.6kg/3.1kg/ 4.7kg	
WTM-120		10-120mm ²	8-250AWG	570mm	3.2kg	- Sal

Related Product




Packing:Standard export carton packing

Shipping:1. By Air or by Sea for batch goods,Airport/ Port receiving; 2. Customers specifying freight forwarders or negotiable shipping methods!



Company Profile



- Golden Electric Co.,Ltd ,was foundad in 2017, we are professional for make AC and DC electric items such as isolator switch , fuse , breaker , distribution box , PV combiner box ,surge protector, Industrial plug and socket,Solar product and so on.

- Golden has been granted ISO9001 management system certifications. The comprehensive product line has more than 1000 models which have been approved by TUV,CE,CQC,SGS,ROHS,SASO. The productsells well to UK, Spain, Portugal, Singapore, Turkey, Russia, Korea, South Africa... more than 60 countries and regions.

- Golden is always striving hard to provide the best services and competitive price to all customers.



FAQ

1.When can I receive your quotation and detail information after send the enquiry? All your enquiry will be replied within 8 hours.

2.Can I get samples before place an order ?

Of course! We also believe that sample order is the best way to prove the quality. And in our company we offer free sample service! Please send the enquiry to us and get the free sample!

3.Can you print our own logo?

Yes, Our company are available for OEM.

4. How long is the quality guarantee?

2-5 years warranty, our products are 100% inspection.

5. How long is the delivery time?

It usually takes about 3-5 working days for sample order, and 10-20 days for official order.

