

Cp Series AC Current Transformer 100/60 DIN Rail CT with Terminal Output Connection

ISO 20000, OHSAS/ OHSMS 18001,

Peak Season Lead Time: more than 12

LC, T/T, PayPal, Western Union

Basic Information

- Place of Origin:
- Brand Name: Golden Electric /OEM

China

IATF16949

workdays

5000/Month

1

- Certification:
- Minimum Order Quantity:
- Carton/Pallet Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

. Insulating Medium: **Common Insulating Materials** Installation: Busbar Type Magnetic Circuit Structure: Cascade Type Voltage Transformation Electromagnetic Type Principle: Digital Output • Output Signal Type: -30c To 70c • Operating Temperature: • Measuring Range: 0-50A • IP Rating: IP30 • Accuracy Grade: 0.5g • Construction: Screw • Bobbin: PBT • Output Connection: Terminal S_Customized: Yes Accuracy Class: 0.5 / 1.0



More Images





Product Description

A range of (10 frames) compact design plastic case current transformer. It's volume is much smaller than general model, integral hinged plate terminal cover. DIN rail mounting all makes this series CT match the requirements in space limited panels.

Feature:

Three built in fixing methods: Side base; DIN rail; Busbar mounting Built in hinged terminal cover. Compact design Primary current from 5A to 3000A

Application:

- 1.Current measurement
- 2.Monitoring and protection
- 3. Energy and sub-metering products
- 4.Network equipment
- 5.Instruments and sensors
- 6.Control systems

Product Parameters

Technical parameter MES/CP SERIES

Туре	Picture	Rated current(A)	Rated power(VA) Class:0. Class: 5 1		Rated Voltage(KV)	Rated Frequency(Hz)
		30/5	1	2.5	720	50/60
MES- 62/30 MES- 62/40	Bar:30×10mr Conductor:0900mr Conductor:0900mr	50/5	1	2.5	720	50/60
		60/5	2.5	2.5	720	50/60
		75/5	2.5	5	720	50/60
		100/5	2.5	5	720	50/60
		150/5	5	5	720	50/60
		200/5	5	5	720	50/60
		300/5	5	5	720	50/60
		150/5	2.5	5	720	50/60
		200/5	5	5	720	50/60
		250/5	5	5	720	50/60
		300/5	5	5	720	50/60
		400/5	5	5	720	50/60
		600/5	5	5	720	50/60
		30/5	1.5	2.5	720	50/60
		50/5	1.5	2.5	720	50/60
		60/5	2.5	5	720	50/60
		75/5	2.5	5	720	50/60
		100/5	2.5	5	720	50/60

MES-30					
	150/5	5	5	720	50/60
	200/5	5	5	720	50/60
MES-30	250/5	5	5	720	50/60
Bar:30 × 10mm	300/5	5	5	720	50/60
Conductor: Ф30m	100/5	1.5	2.5	720	50/60
	150/5	2.5	2.5	720	50/60
	200/5	5	5	720	50/60
MES-40	250/5	5	5	720	50/60
6	300/5	5	5	720	50/60
	400/5	5	5	720	50/60
MES-4	600/5	5	5	720	50/60
-	400/5	5	5	720	50/60
MSQ-100	600/5 800/5	5 5	5 10	720 720	50/60 50/60
	1000/5	5	10	720	50/60
MSQ-1	800/5	5	10	720	50/60
Bars60×10mm Conductor Φ40m	1000/5	5 10	10 15	720 720	50/60 50/60
Committee 2 mil	1600/5	10	15	720	50/60
	2000/5	15	20	720	50/60
MES-100	2500/5	20	30	720	50/60
-					
	3000/5	20	30	720	50/60
	3000/3	20	50	720	30/00
MES-	00				
Drawings					
			Francis	ALL ALLA DE	
		E S			
		킨			
			(C(N)		

Provide you with many options



Q2: How does your factory do regarding quality control?

A2: All the products will be 100% checked before the shipment

Q3: When can I get the price?

A3:Usually we quote within 24 hours after we get your inquiry.

Q4: How could I get a sample?

A4: if you can not buy our product in your local area, we will ship a sample to you. You will be charged a sample price plus all related shipping costs. Express delivery charge depends on the quantity of the samples.

Q5: What is the price of shipping?

A5: Depending upon the port of delivery, prices vary.

Any more query please contact with us, thank you!

