

Copper Wx-500r Solar Cable Crimping Tool Customizable For Wire Stripping

Basic Information

• Place of Origin: China

Brand Name: Golden Electric /OEM

• Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000,

ISO 20000, OHSAS/ OHSMS 18001,

IATF16949

Minimum Order Quantity:

• Packaging Details: Carton/Pallet

• Delivery Time: Peak Season Lead Time: more than 12

months Off Season Lead Time: within 15

workdays

• Payment Terms: LC, T/T, PayPal, Western Union

Supply Ability: 5000/Month



Product Specification

Weight: 1.3kg
Color: Blue
Warranty: 3 Years
Insulation Material: PPO
Rated Current: 25-30A
Temperature Range: -40~+125
Length: 270mm

Safety Class:
 II Of Mc4 Solar Cable Connector

Rated Voltage: DC1000V

• Contact Material: Copper, Silver Plated

• Transport Package: Box

• Specification: Half-Box Joint

• Trademark: Golden Electric Or Customize

Origin: ChinaHS Code: 8537209000



More Images










Product Description

Product Description

PV Terminal Crimping Tool Mc4 Connector Plug Crimping Tool Components Tool Kit





Features:

- * Good quality.
- * Interchangeable high-precision crimping die set;
- * 1.2 metric tons pressure at crimping face, with minimal hand effort;
- * Solar Crimping Tool is High-precision ratchet mechanism for complete crimps

Product Parameters

Porduct type MC4 solar crimping tool

Color Blue

Crimping range 2.5mm2, 4.0mm2, 6.0mm2

Length 270mm Weight 0.9kg

Product features:

- 1. For solar connector, MALE and FEMALE pins
- 2. For solar cable size: 14 / 12 / 10AWG (2.5 / 4 / 6 mm2)
- 3. Emergency release switch to release cable
- 4. High precision ratchet mechanism for complete crimps
- 5. 1.2 tons pressure at crimping face with minimal hand effort
- 6. Interchangeable high precision crimping die set
- 7. Interchangeable locator for precision positioning of terminals

Specification:

Name: Solar PV Tools Kits for MC3/MC4 Solar Connectors With Crimping+Stripping+Cutting

Model: 572497

Material: metal + Acrylonitrile Butadiene Styrene(ABS) + Nylon

Product Description: Solar PV Tools Kits for MC3/MC4 Solar Connectors With

Crimping+Stripping+Cutting

Solar Crimping Tools Parameters(MC4 type):

Length:220mm Weight: 0.93Kg AWG:26-10AWG Capacity:2.5-6mm2 Stripper Parameters: Length: 165mm Weight: 0.16Kg

Automatic rebound spring

No damaging of the conductor core

For cutting wire, 30mm max. Stripping wire 0.9-6.0 mm2

Provide you with many options



- MC4-A25468此工具套装配有
- A-2546B压线钳一把配定位器);
 副线钳WX-0626一把剥线范围0.9-6mm³

- 太阳能扳手一对;MC4连接器一套,六角扳手一个;
- MC3和MC4头部各一对。
- MC4-A2546B tool kits including:
- 1 PCS A-25468 terminal crimping pliers (crimping range: 2.5-6mm³) locator 1 PCS WX-0626 cable stripper (stripping range)
- One pair MC4 wrench, one pair MC4 connector
- MC4 and MC3 head each pair



- MC4-WX2546B-3此工員套装配有
- WX-2546B压线钳一把; ● 影线钳WX-0626一把(剥线范围0.9-6.0mm²)
- 太阳能扳手一对;MC4连接器一套, 六角扳手一个;
- MC4-WX2546B-3 tool kits including: 1 PCS WX-25468 terminal crimping pliers (crimping range: 2.5-6mm2 locator
- 1 PCS WX-0626 cable stripper (stripping range) 0.9-6mm²)
- One pair MC4 wrench, one pair MC4 connector
 One pair MC3 head





- MC4-A2546B-4此工具套装配有
- A-2546B压线钳一把配定位器(;
 剥线钳WX-0626一把剥线范围0 9-6.0mm²)
- 太阳能扳手一对;MC4连接器一套, 六角扳手一个;
- Mc3头部一对。
- MC4-A2546B-4 tool kits including:
- 1 PCS A-2546B terminal crimping pliers (crimping range: 2.5-6mm²) locator 1 PCS WX-0626 cable stripper (stripping range)
- 0.9–6mm²)

 One pair MC4 wrench, one pair MC4 connector

重量 Weight

One pair MC3 head

화号 Type



- WXK-30.IN此工具套装配有
- WX-30J端子压接钳一把压接范围0.5-6mm²) ● PH螺丝刀一把(6 × 10mm)
- 压线模块4种56GB, 503B, 525TW, 535WFI压接范围
- 0.5-35mm³)
- WXK-30.IN tool kits including
- 1 PCS WX-30J terminal crimping pliers (crimping range: 0.5-6mm²)

|--|



- MC4-LY2546B此工具套装配有
- LY-2546B压线钳一把;
 副线钳WX-0626一把(副线范围0.9-6.0mm²)
 太阳能扳手一对;

- MC4连接器一套,六角扳手一个;
- MC4-LY2546B tool kits including
- 1 PCS LY-2546B terminal crimping pliers (crimping range: 2.5–6mm³) locator

 1 PCS WX-0626 cable stripper (stripping range)
- 0.9-6mm²) One pair MC4 wrench, one pair MC4 connector
- One pair MC3 head
- 화명 Type

MC4-LY2546B	0.9kg
E I	

- LY10-206此工與套装配有
- LY-10端子压线钳一把压接范围1-10mm³)
- WX-206电缆剪一把(剪切范围35mm²以下) ◆ 压线模块4种56GB, 503B, 525TW, 535WFI压接范围 0.5-35mm³)
- LY10-206 tool kits including:
- 1 PCS LY-10 terminal crimping pliers (crimping range: 1-10mms)
- Four types of crimping module: S6GB, S03B, S25TW,
 S3SWF (crimping range: 0.5–35mm²)
 35mm²)
 35mm²)
 - Four types of crimping module: S6G8, S038, S25TW,
 - S35WF (crimping range: 0.5–35mm³)

重量 Weight LY10-206 1.1kg



Company Profile

GUANGZHOU GOLDEN ELECTRIC CO.,LTD has 10 years of experience in photovoltaic cable production. The company has passed ISO9001 management system certification. The photovoltaic cable series has passed the German TUV and China CQC certification. Certificate covers 1.5sqmm-25sqmm. Our product is produced by special photovoltaic materials, using advanced electron beam irradiation cross-linking technic. Our product can be used for a long time in an environment of minus 40 degrees, and with strong UV resistance. Main Products: Photovoltaic cables, Photovoltaic connectors, PV Junction Box, Solar PV connectors, solar photovoltaic Controllers, PV inverters for solar energy, photovoltaic systems, batteries, etc.

FAQ

- Q1: Are you a factory or trading company
- A1: We are a factory, we can guarantee our price is first-hand, very cheap and competitive.
- Q2: How does your factory do regarding quality control?
- A2: All the products will be 100% checked before the shipment
- Q3: When can I get the price?
- A3:Usually we quote within 24 hours after we get your inquiry.
- Q4: How could I get a sample?
- A4: if you can not buy our product in your local area, we will ship a sample to you. You will be charged a sample price plus all related shipping costs. Express delivery charge depends on the quantity of the samples.
- Q5: What is the price of shipping?
- A5: Depending upon the port of delivery, prices vary.

Any more query please contact with us, thank you!



008618998498109

eva@china-golden.com.cn

chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District, Guangzhou city,Guangdong province,China