

Tc Series 600V Double Raw Screw Electrical Terminal Block Made by Production Process

Basic Information

Place of Origin: China

Brand Name: Golden Electric /OEM

• Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000,

ISO 20000, OHSAS/ OHSMS 18001,

IATF16949

Minimum Order Quantity:

Packaging Details: Carton/Pallet

• Delivery Time: Peak Season Lead Time: more than 12

months Off Season Lead Time: within 15

workdays

• Payment Terms: LC, T/T, PayPal, Western Union

Supply Ability: 5000/Month



Product Specification

Character: Environmental Protection

Production Process: Injection Molding

Brand: Golden Or Netural Or Customer Brand

Product Name: Barrier Terminal Blocks

Wire Range: 22-14AWGUsage: Wire Connecting

Rated Voltage: 600V

• Rated Current: 60,100,150,200,300,400,600A

Conductor Material: Copper
 Model No.: Tc Series
 Transparent Cover Material: As Resin
 Base Material: Bakelite

• Transport Package: Standara Export Carton

Specification: 2P/3P/4P

Trademark: Golden Electric Or Customize



More Images









Product Description

Product Description

TC Series Connectors Terminals Blocks

- 1.Adopting thermosetting plastics, the saftey factor of high current is more reliable, structure parts adopt plate screw clamping technology, rated AC voltage id 600V, rated current of conducting strips is as following:
- 60A,100A,150A,200A,300A,400A,600A, the range of wire section is from 10mm to 300mm.
- 2.It can be divided into 3P 4P flat screw installation according to arrangement, it will be more reliable by using together without terminations, it can be used for connecting high current of kinds of electric devices.



- 1. The outer casing is made of thermosetting plastics.
- 2.Copper conductor, good electrical conductivty, nikel-plated anti-corrosion.
- 3. Dust-proof and transparent plastic protective cover for durability.

Product Parameters

Mode.Wire No Section	Rated Current/Voltag e	Insulation resistance	Base Material	Transparent cover	Conductor Material	Flame level	Screw type/ torque	L/W/H(m m)
TC- 6- 603 14mm ²	60A/600V	>100MΩ	Bakelite	AS resin	Brass	UL94 V0-V2	M6 2.8-4	85.5/43/3 1.5
TC- 6- 604 14mm ²	60A/600V	>100MΩ	Bakelite	AS resin	Brass	UL94 V0-V2	M6 2.8-4	114.5/43/ 31.5
TC- 10- 1003 22mm ²	100A/600V	>100MΩ	Bakelite	AS resin	Brass	UL94 V0-V2	M6 6-8	102.5/55/ 36
TC- 10- 1004 22mm²	100A/600V	>100MΩ	Bakelite	AS resin	Brass	UL94 V0-V2	M6 6-8	137.5/55/ 36.5
TC- 10- 1503 50mm ²	150A/600V	>100MΩ	Bakelite	AS resin	Brass	UL94 V0-V2	M8 6-12	115/66/3 9.5
TC- 10- 1504 50mm ²	150A/600V	>100MΩ	Bakelite	AS resin	Brass	UL94 V0-V2	M8 6-12	153.5/66/ 39.5
TC- 25- 2003 70mm ²	200A/600V	>100MΩ	Bakelite	AS resin	Brass	UL94 V0-V2	M8 6-12	132.5/72/ 44
TC- 25- 2004 70mm ²	200A/600V	>100MΩ	Bakelite	AS resin	Brass	UL94 V0-V2	M8 6-12	176/72/4 4
TC- 35- 3003 150mm ²	300A/600V	>100MΩ	Bakelite	AS resin	Brass	UL94 V0-V2	M10 15-20	165/90/5 1.5

TC- 35- 3004 150mm ² 300A/600V	>100MΩ	Bakelite AS resin	Brass	UL94 V0-V2 M10 15-20 220/90/9 1.5	5
TC- 35- 4003 185mm ² ⁴⁰⁰ A/600V	>100MΩ	Bakelite AS resin	Brass	UL94 V0-V2 M10 15-20 1.5	5
TC- 35- 4004 185mm ² 400A/600V	>100MΩ	Bakelite AS resin	Brass	UL94 V0-V2 M10 15-20 220/90/91	5
TC- 50- 6003 300mm ² 600A/600V				UL94 V0-V2 M12 25-35 206/100	1/
TC- 50- 6004 300mm ² ⁶⁰⁰ A/600V	>100MΩ	Bakelite AS resin	Brass	UL94 V0-V2 M12 25-35 275/100 70	1/

Provide you with many options

Tc series:











导线截面wire section: 150mm 长/宽/高length/wide/high: 177.5/71/44mm 长/宽/高length/wide/high: 224/72.7/46.2mm 长/宽/高length/wide/high: 165/90.5/52.5mm 长/宽/高length/wide/high: 220/90.5/52.5m











TC-4003 额定电流/电压 rated current/voltage: 400A/600V 翻定电流/电压 rated current/voltage: 400A/600V 翻定电流/电压 rated current/voltage: 600A/600V 翻定电流/电压 rated current/voltage: 600A/600V 长/宽/集length/wide/high: 165/90.5/52.5mm 长/宽/集length/wide/high: 220/90.5/52.5mm 长/宽/集length/wide/high: 207/100.5/75.5mm 长/宽/集length/wide/high: 275/100.5/75.5mm

TC-4004 导线截面wire section: 200mm²

TC-6003 导线截面wire section: 300mm²

TC-6004 导线截面wire section: 300mm

Tb series:









导线截面wire section: 0.5-2.5mm³ 蘇定电流/电压 rated current/voltage: 25A/600V

翻定电流/电压 rated current/voltage: 25A/600V

翻定电流/电压 rated current/voltage: 25A/600V

翻定电流/电压 rated current/voltage: 25A/600V 长/宽/高length/wide/high: 79/30/19mm 长/宽/高length/wide/high: 91/30/19mm 长/宽/高length/wide/high: 139/30/19mm 长/宽/高length/wide/high: 139/30/19mm 长/宽/高length/wide/high: 163/30/19mm

导线截面wire section: 0.5-2.5mm²

TB-2510 导线截面wire section: 0.5-2.5mm 导线截面wire section: 0.5-2.5mm²









TB-3503

TB-3504 导线截面wire section: 0.5-2.5mm²

导线截面wire section: 0.5-2.5mm²

TB-3512 导线截面wire section: 0.5-2.5mm³ 關定电流/电压 rated current/voltage: 35A/600V 翻定电流/电压 rated current/voltage: 35A/600V 翻定电流/电压 rated current/voltage: 35A/600V 长/宽/爲length/wide/high: 55/30/19mm 长/宽/爲length/wide/high: 67/30/19mm 长/宽/爲length/wide/high: 91/30/19mm 长/宽/爲length/wide/high: 165/30/19mm





TB-4504 TB-4505 导线载面wire section: 1.5-4mm³



TB-4506 导线载面wire section: 1.5-4mm³ 製定电流/电压 rated current/voltage: 45A/600V 翻定电流/电压 rated current/voltage: 45A/600V 翻定电流/电压 rated current/voltage: 45A/600V 翻定电流/电压 rated current/voltage: 45A/600V 长/宽/高length/wide/high: 70/38/23.5mm 长/宽/高length/wide/high: 86/38/23.5mm 长/宽/高length/wide/high: 103/38/23.5mm 长/宽/高length/wide/high: 120.5/38/23.5mm



Company Profile

- Golden Electric Co.,Ltd ,was founded in 2007, we are professional for make AC and DC electric items such as cable gland, isolator switch , fuse and fuse holder, Circuit breaker , distribution box , PV combiner box ,surge protector, Timer Switch,Industrial plug and socket,Wind Turbine, Solar product,

busbar clamp and so on.

- Golden has been granted ISO9001 management system certifications. The comprehensive product line has more than 1000 models which have been approved by TUV,CE,CQC,SGS,ROHS,SASO. The productsells well to UK, Spain, Portugal, Singapore, Turkey, Russia, Korea, South Africa... more than 60 countries and regions.
- Golden is always striving hard to provide the best services and competitive price to all customers.

FAQ

1)Q:How can i trust your company?

A:Golden electric is The top 10 manufacture in China - more than 350 Agents in local market and more than 100 foreign clients make OEM,ODM order from us,Golden electric is a big company, we have cooperation with LS, EKF the world-class companies. Our company over 100 employees, products pass CE,IEC,TUV,SAA, RCM, ROHS certificates.

2) Q:Your products?

A: Golden electric is factory for Circuit Breaker, Automatic transfer switch, Surge protector device, distribution box Enclosure, inverter, DC fuse, busbar clamp etc. Providing customers very competitive sources, and can be your sourcing agent in China. Goods are following international standards, IE, CE, ISO9001 ,SGS etc.

3) Q: Do you have forwarder?

A: Yes, we have good forwarder cooperated over 10 years, they help us import and export . For small package orders, suggest to use by Express.

4) Q: Your address?

A: Locates in Guangzhou province, China, welcome to visit us

5) Q:What's the Fuse, Fuse holder guarantee?

A: 2 years warranty. If customer's problem, then customer burden. If our problem, then we send new goods to customer to replace asap.

6) Q:What's about MOQ? Delivery time?

A: 1pcs for Fuse holder.

7) Q: What's the payment term?

A: Normally 100% T/T in advanced payment. If big order then about 50% advanced payment, balance before shipment.PAYPAL,WESTERN UNION,CASH for small order .

8) Q:What's your contact information?

Send us your inquiry !we will reply you in 24 hours !





008618998498109



eva@china-golden.com.cn



chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District, Guangzhou city, Guangdong province, China