



Tb Series Double Row Screw Terminal Fixed Type Fence Terminal Blocks 1 Piece Min.Order

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Golden Electric /OEM
- Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000, ISO 20000, OHSAS/ OHSMS 18001, IATF16949
- Minimum Order Quantity: 1
- Packaging Details: Carton/Pallet
- Delivery Time: Peak Season Lead Time: more than 12 months Off Season Lead Time: within 15 workdays
- Payment Terms: LC, T/T, PayPal, Western Union
- Supply Ability: 5000/Month



Product Specification

- Character: Environmental Protection
- Production Process: Injection Molding
- Brand: Golden Or Natural Or Customer Brand
- Product Name: Barrier Terminal Blocks
- Wire Range: 0.5-10mm²
- Usage: Wire Connecting
- Rated Voltage: 600V
- Rated Current: 15A 25A 45A 60A 100A
- Conductor Material: Copper
- Model No.: Tb Series
- Transparent Cover Material: As Resin
- Base Material: Bakelite
- Application: Tpcb, Cable, Computer, Comm
- Transport Package: Standara Export Carton



More Images



for more products please visit us on chinagoldene.com

Product Description

Product Description

TB Series screw fixed barrier terminal block provides a simple way to connect wires to a single connection point. These blocks allow wires to be screwed together and self-isolated without needing to twist, solder or any other splicing, by this method wiring can adjusted at anytime just as easy as it was the first time.



Each position block offers a screw pitch of 10mm with a max current 15A /25A/45A/60A/100A and a max voltage tolerance of 600V before risking meltdown or implosion. Small pitch to save space, low structural height, Large wiring capacity, can be connected to the section area of 4mm² flexible wire. The plug socket is protected against wrong insertion and dislocation.

Product Parameters

Mode.No	Wire Section	Rated Current/Voltage	Size(mm)			Screws	Poles
			Length	Wide	High		
TB-1503	0.5-1.5mm ²	15A/600V	45.5	22	17.5	M3	3
TB-1504	0.5-1.5mm ²	15A/600V	54.2	22	17.5		4
TB-1505	0.5-1.5mm ²	15A/600V	63	22	17.5		5
TB-1506	0.5-1.5mm ²	15A/600V	73	22	17.5		6
TB-1510	0.5-1.5mm ²	15A/600V	107.5	22	17.5		10
TB-1512	0.5-1.5mm ²	15A/600V	125.5	22	17.5		12
TB-2503	0.5-2.5mm ²	25A/600V	55	30	19	M4	3
TB-2504	0.5-2.5mm ²	25A/600V	67	30	19		4
TB-2505	0.5-2.5mm ²	25A/600V	79	30	19		5
TB-2506	0.5-2.5mm ²	25A/600V	91	30	19		6
TB-2510	0.5-2.5mm ²	25A/600V	165	30	19		10
TB-2512	0.5-2.5mm ²	25A/600V	163	30	19		12
TB-3503	0.5-2.5mm ²	35A/600V	55	30	19	M4	3
TB-3504	0.5-2.5mm ²	35A/600V	67	30	19		4
TB-3506	0.5-2.5mm ²	35A/600V	91	30	19		5
TB-3512	0.5-2.5mm ²	35A/600V	165	30	19		12

TB-4503	1.5-4mm ²	45A/600V	70	38	23.5	M4	3
TB-4504	1.5-4mm ²	45A/600V	86	38	23.5		4
TB-4505	1.5-4mm ²	45A/600V	103	38	23.5		5
TB-4506	1.5-4mm ²	45A/600V	120.5	38	23.5		6
TB-4512	1.5-4mm ²	45A/600V	221	38	23.5	M6	12
TB-60A/3P	2.5-6mm ²	60A/600V	75	38	30.3		3
TB-60A/4P 6P 12P	2.5-6mm ²	60A/600V	92.7	38	30		4/6/12
TB-100A/3P 6P 12P	2.5-10mm ²	100A/600V	86.3	43.5	34.5	M6	3/6/12

Provide you with many options

Tc series:

			
TC-2004 导线截面 wire section: 100mm ² 额定电流/电压 rated current/voltage: 200A/600V 长/宽/高 length/width/height: 177.5/71/44mm	TC-2005 导线截面 wire section: 100mm ² 额定电流/电压 rated current/voltage: 200A/600V 长/宽/高 length/width/height: 224/72.7/46.2mm	TC-3003 导线截面 wire section: 150mm ² 额定电流/电压 rated current/voltage: 300A/600V 长/宽/高 length/width/height: 165/90.5/52.5mm	TC-3004 导线截面 wire section: 150mm ² 额定电流/电压 rated current/voltage: 300A/600V 长/宽/高 length/width/height: 220/90.5/52.5mm
			
TC-4003 导线截面 wire section: 200mm ² 额定电流/电压 rated current/voltage: 400A/600V 长/宽/高 length/width/height: 165/90.5/52.5mm	TC-4004 导线截面 wire section: 200mm ² 额定电流/电压 rated current/voltage: 400A/600V 长/宽/高 length/width/height: 220/90.5/52.5mm	TC-6003 导线截面 wire section: 300mm ² 额定电流/电压 rated current/voltage: 600A/600V 长/宽/高 length/width/height: 207/100.5/75.5mm	TC-6004 导线截面 wire section: 300mm ² 额定电流/电压 rated current/voltage: 600A/600V 长/宽/高 length/width/height: 275/100.5/75.5mm

Tb series:

			
TB-2505 导线截面 wire section: 0.5-2.5mm ² 额定电流/电压 rated current/voltage: 25A/600V 长/宽/高 length/width/height: 79/30/19mm	TB-2506 导线截面 wire section: 0.5-2.5mm ² 额定电流/电压 rated current/voltage: 25A/600V 长/宽/高 length/width/height: 91/30/19mm	TB-2510 导线截面 wire section: 0.5-2.5mm ² 额定电流/电压 rated current/voltage: 25A/600V 长/宽/高 length/width/height: 139/30/19mm	TB-2512 导线截面 wire section: 0.5-2.5mm ² 额定电流/电压 rated current/voltage: 25A/600V 长/宽/高 length/width/height: 163/30/19mm
			
TB-3503 导线截面 wire section: 0.5-2.5mm ² 额定电流/电压 rated current/voltage: 35A/600V 长/宽/高 length/width/height: 55/30/19mm	TB-3504 导线截面 wire section: 0.5-2.5mm ² 额定电流/电压 rated current/voltage: 35A/600V 长/宽/高 length/width/height: 67/30/19mm	TB-3506 导线截面 wire section: 0.5-2.5mm ² 额定电流/电压 rated current/voltage: 35A/600V 长/宽/高 length/width/height: 91/30/19mm	TB-3512 导线截面 wire section: 0.5-2.5mm ² 额定电流/电压 rated current/voltage: 35A/600V 长/宽/高 length/width/height: 165/30/19mm
			
TB-4503 导线截面 wire section: 1.5-4mm ² 额定电流/电压 rated current/voltage: 45A/600V 长/宽/高 length/width/height: 70/38/23.5mm	TB-4504 导线截面 wire section: 1.5-4mm ² 额定电流/电压 rated current/voltage: 45A/600V 长/宽/高 length/width/height: 86/38/23.5mm	TB-4505 导线截面 wire section: 1.5-4mm ² 额定电流/电压 rated current/voltage: 45A/600V 长/宽/高 length/width/height: 103/38/23.5mm	TB-4506 导线截面 wire section: 1.5-4mm ² 额定电流/电压 rated current/voltage: 45A/600V 长/宽/高 length/width/height: 120.5/38/23.5mm

Company Profile

- Golden Electric Co.,Ltd ,was foundad in 2007, we are professional for make AC and DC electric items such as cable gland, isolator switch , fuse and fuse holder, Circuit breaker , distribution box , PV

combiner box ,surge protector, Timer Switch,Industrial plug and socket,Wind Turbine, Solar product, busbar clamp and so on.

- Golden has been granted ISO9001 management system certifications. The comprehensive product line has more than 1000 models which have been approved by TUV,CE,CQC,SGS,ROHS,SASO. The products sell well to UK, Spain, Portugal, Singapore, Turkey, Russia, Korea, South Africa... more than 60 countries and regions.

- Golden is always striving hard to provide the best services and competitive price to all customers.

FAQ

1)Q:How can i trust your company?

A:Golden electric is The top 10 manufacture in China - more than 350 Agents in local market and more than 100 foreign clients make OEM,ODM order from us,Golden electric is a big company, we have cooperation with LS, EKF the world-class companies. Our company over 100 employees, products pass CE,IEC,TUV,SAA, RCM, ROHS certificates.

2) Q:Your products?

A: Golden electric is factory for Circuit Breaker, Automatic transfer switch, Surge protector device, distribution box Enclosure, inverter, DC fuse, busbar clamp etc. Providing customers very competitive sources, and can be your sourcing agent in China. Goods are following international standards, IE, CE, ISO9001 ,SGS etc.

3) Q: Do you have forwarder?

A: Yes, we have good forwarder cooperated over 10 years, they help us import and export . For small package orders, suggest to use by Express.

4) Q: Your address ?

A: Locates in Guangzhou province, China,welcome to visit us

5) Q:What's the Fuse, Fuse holder guarantee?

A: 2 years warranty. If customer's problem, then customer burden. If our problem, then we send new goods to customer to replace asap.

6) Q:What's about MOQ? Delivery time ?

A: 1pcs for Fuse holder.

7) Q: What's the payment term?

A: Normally 100% T/T in advanced payment. If big order then about 50% advanced payment, balance before shipment.PAYPAL,WESTERN UNION,CASH for small order .

8) Q:What's your contact information ?

Send us your inquiry !we will reply you in 24 hours !



Guangzhou Golden Electric Co., Ltd.



008618998498109



eva@china-golden.com.cn



chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District,
Guangzhou city,Guangdong province,China