




## Fork Type Copper Busbar 1p/2p/3p/4p Circuit Breaker Connector for AC/DC Interface Type

Our Product Introduction


### Basic Information

- Place of Origin: China
- Brand Name: Golden Electric /OEM
- Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000, ISO 20000, OHSAS/ OHSMS 18001, IATF16949
- Minimum Order Quantity: 1
- Packaging Details: Carton/Pallet
- Delivery Time: Peak Season Lead Time: more than 12 months  
Off Season Lead Time: within 15 workdays
- Payment Terms: LC, T/T, PayPal, Western Union
- Supply Ability: 5000/Month







### Product Specification

- Applicable Ambient Temperature: -30-110
- Rated Voltage: 415V
- Length: 100cm
- Rated Current: 32A, 40A, 50A, 63A, 80A, 100A, 125A
- Interface Type: AC/DC
- Brand: OEM
- Shape: U
- Type: Fork Type
- Production Process: Press
- Transport Package: Standard Export Carton
- Specification: 1p 2p 3p 4p
- Trademark: Golden Or Natural Or Customer Brand
- Origin: China
- HS Code: 8536909000




### More Images



for more products please visit us on [chinagoldene.com](http://chinagoldene.com)

## Product Description

### Product Description



### Busbar Series

**Material:** Brass

**Features:** Good conductivity, low contact resistance, safe and reliable.


**Busbar Description:** The Earth bus bar ease wiring of electrical item, enlarge connection area, decrease temperature rise and thus increase the electrical reliability of electrical items.

**Busbar Technical Feature:**

1. Brass, screw is Iron plated zinc;
2. 94V-2 grade.
3. Rated voltage is 250V/380V
4. Applicable ambient temperature -30-110
5. Color: red


### Product Parameters

### Pin Type, 4-Phase Busbars




Description	Article No.	A	B	C	D	E	F	G
		Cross Section	Distance (mm)	Width of Fork (mm)	Length of Pin (mm)	Modules	Length(mm) ( )	Reference Current
P-4L-210/8	GDP41208	8mm <sup>2</sup>	17.8	4	11.5	12	210	50 A


P-4L-210/10	GDP41210	10mm <sup>2</sup>	17.8	4	11.5	12	210	63 A
P-4L-210/13	GDP41213	13mm <sup>2</sup>	17.8	4	11.5	12	210	70 A
P-4L-210/16	GDP41216	16mm <sup>2</sup>	17.8	4	11.5	12	210	80 A
P-4L-1016/8	GDP45608	8mm <sup>2</sup>	17.8	4	11.5	56	1016	50 A
P-4L-1016/10	GDP45610	10mm <sup>2</sup>	17.8	4	11.5	56	1016	63 A
P-4L-1016/13	GDP45613	13mm <sup>2</sup>	17.8	4	11.5	56	1016	70 A
P-4L-1016/16	GDP45616	16mm <sup>2</sup>	17.8	4	11.5	56	1016	80 A




## Pin Type,1P+N Busbars




Description	Article No.	A	B	C	D	E	F	G
		Cross Section	Distance (mm)	Width of Fork (mm)	Length of Pin (mm)	Modules	Length(mm)	Reference Current
P-1+N-210/8	GDP61208	8mm <sup>2</sup>	9	4	11.5	24	210	50 A
P-1+N-210/10	GDP61210	10mm <sup>2</sup>	9	4	11.5	24	210	63 A
P-1+N-210/13	GDP61213	13mm <sup>2</sup>	9	4	11.5	24	210	70 A
P-1+N-210/16	GDP61216	16mm <sup>2</sup>	9	4	11.5	24	210	80 A
P-1+N-1000/8	GDP65408	8mm <sup>2</sup>	9	4	11.5	108	1000	50 A
P-1+N-1000/10	GDP65410	10mm <sup>2</sup>	9	4	11.5	108	1000	63 A
P-1+N-1000/13	GDP65413	13mm <sup>2</sup>	9	4	11.5	108	1000	70 A
P-1+N-1000/16	GDP65416	16mm <sup>2</sup>	9	4	11.5	108	1000	80 A




**Pin Type,1P+N-LE Busbars**




Description	Article No.	A	B1	B2	C	D	E	F	G
		Cross Section	Distance (mm)	Distance (mm)	Width of Fork (mm)	Length of Pin (mm)	Modules	Length(m)	Reference Current
P-1+N-LE-210/8	GDP71208	8mm <sup>2</sup>	9	27	4	14.5	12	210	50 A
P-1+N-LE-210/10	GDP71210	10mm <sup>2</sup>	9	27	4	14.5	12	210	63 A
P-1+N-LE-210/13	GDP71213	13mm <sup>2</sup>	9	27	4	14.5	12	210	70 A
P-1+N-LE-210/16	GDP71216	16mm <sup>2</sup>	9	27	4	14.5	12	210	80 A
P-1+N-LE-1000/8	GDP75408	8mm <sup>2</sup>	9	27	4	14.5	54	1000	50 A
P-1+N-LE-1000/10	GDP75410	10mm <sup>2</sup>	9	27	4	14.5	54	1000	63 A
P-1+N-LE-1000/13	GDP75413	13mm <sup>2</sup>	9	27	4	14.5	54	1000	70 A
P-1+N-LE-1000/16	GDP75416	16mm <sup>2</sup>	9	27	4	14.5	54	1000	80 A



**Customized Busbars**



### End caps



Description	Pole	Article No.
EK1-10	1P	EK110
EK1-16	1P	EK116
EK2-10/16	2P	EK21016
EK3-10/16	3P	EK31016
EK4-10/16	4P	EK41016
Description	Pole	Article No.
EK1-10/16E	1P	EK11016E
EK2-10E	2P	EK210E
EK2-16E	2P	EK216E
EK3-10E	3P	EK310E
EK3-16E	3P	EK316E
EK4-10E	4P	EK410E
EK4-16E	4P	EK416E
Description	Pole	Article No.
EK3-10D	3P	EK310D

### Company Profile


- Golden Electric Co.,Ltd ,was foundad in 2017, we are professional for make AC and DC electric items such as cable gland,cable tie ,isolator switch , fuse , breaker , distribution box , PV combiner box ,surge protector, Industrial plug and socket,Solar product and so on.

- Golden has been granted ISO9001 management system certifications. The comprehensive product line has more than 1000 models which have been approved by TUV,CE,CQC,SGS,ROHS,SASO. The productsells well to UK, Spain, Portugal, Singapore, Turkey, Russia, Korea, South Africa... more than 60 countries and regions.

- Golden is always striving hard to provide the best services and competitive price to all customers.



## Main Product



## Packaging & Shipping

### Packaging Details:

Customized Packing: Header card packing, Blister with card packing, Double blister packing, Canister packing, other packing can be supplied according customers request.

### Shipping:

1. By Air or by Sea for batch goods,Airport/ Port receiving;
2. Customers specifying freight forwarders or negotiable shipping methods!

### Delivery Detail:

Shipped in 7 days after payment



### FAQ

**1. Could i put my own logo on it?**

> Sure, of course, we have over 18 years OEM experience, customers' logo can be made by laser, engraved, embossed, transfer printing etc.

**2. Should i pay extra for logo printing ?**

> If you order amount over out MOQ for OEM package, all OEM fees would be free, if you want to make a trial order, we need to charge a very little fees for the printing and cartons.

**3. How about the quality?**

We import DU POND brand PA66 nylon raw material from USA, we make sure good quality from the most important factor.

> Acquire the CE & FDA Certification.

> 100% QC in produce process and before package.

**4. Could i buy 1pc sample first and small order ?**

> Of course, support sample order and small order, especially for new customers under certain condition.

**5. How much for 1pc sample ?**

> we will send 1 bag for free

**6. If i have my thoughts, do you have person to design according to my concept?**

> Certainly, our design team is willing to do for you.

**7. How long to make a sample?**

> 3days which depends on the samples' complexity.

**Send your Inquiry Details in the Below, Click "[Send](#)" Now!!!**



**Guangzhou Golden Electric Co., Ltd.**



008618998498109



eva@china-golden.com.cn



chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District,  
Guangzhou city, Guangdong province, China