




DIN Rail Universal Compact Wire Connector Terminal Block with Rated Voltage 250V/380V

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Golden Electric /OEM
- Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000, ISO 20000, OHSAS/ OHSMS 18001, IATF16949
- Minimum Order Quantity: 1
- Packaging Details: Carton/Pallet
- Delivery Time: Peak Season Lead Time: more than 12 months
Off Season Lead Time: within 15 workdays
- Payment Terms: LC, T/T, PayPal, Western Union
- Supply Ability: 5000/Month






Product Specification

- Applicable Ambient Temperature: -30-110
- Rated Voltage: 250V/380V
- Length: 100cm
- Transport Package: Standard Export Carton
- Specification: 63A 125A
- Trademark: Golden Or Natural Or Customer Brand
- Origin: China
- HS Code: 8536909000
- Supply Ability: 5000000PCS/Month
- Surface Treatment: Silver Plated
- Certification: RoHS, CE, TUV, ISO9001
- Material: Brass+PP
- Character: Insulation, Environmental Protection
- Species: Terminal




More Images



for more products please visit us on chinagoldene.com

Product Description

Product Description



Brass Connector Series

Material: PA,Polyarnide 66,Copper.

Features: Good conductivity,low contact resistance,safe and reliable.

Busbar Description:The Earth bus bar ease wiring of electrical item, enlarge connection area, decrease temperature rise and thus increase the electrical reliability of electrical items.

Busbar Technical Feature:

1. Brass,screw is Iron plated zinc;
2. 94V-2 grade.
3. Rated voltage is 250V/380V
4. Appliable ambient temperature -30-110
5. Standard length 1m, other length to be made upon request


Item No.	Way	Installation dimensions(mm)	Outline Dimensions(mm)	Cross Sectional(mm2)
GDF-6904	4	49	58*10.5*35	6*9
GDF-6906	6	49	58*10.5*35	6*9
GDF-6908	8	70	79*10.5*35	6*9
GDF-6910	10	78	90*10.5*35	6*9
GDF-6912	12	92	102*10.5*35	6*9
GDF81206	6	66	78*12.5*38	8*12
GDF81208	8	83	94*12.5*38	8*12
GDF81210	10	100	111*12.5*38	8*12
GDF81212	12	118	128*12.5*38	8*12
GDF81214	14	134	146*12.5*38	8*12
GDF81216	16	148	160*12.5*38	8*12

Product Parameters

GDM SERIES



Dimensional Drawing




Item No.(G)	Item No(B)	Way	Installation dimensions mm(L)	Outline Dimensions mm(L1)	Cross Sectional(mm2)	Rated Current(A)
GDM-6907G	GDM-6907B	7	35*7.5	50*21*28	6*9	63A
GDM-6908G	GDM-6908B	8	35*7.5	57*21*28	6*9	63A
GDM-6910G	GDM-6910B	10	35*7.5	71.5*21*28	6*9	63A
GDM-6912G	GDM-6912B	12	35*7.5	84.5*21*28	6*9	63A
GDM-6913G	GDM-6913B	13	35*7.5	91*21*28	6*9	63A
GDM-6915G	GDM-6915B	15	35*7.5	104*21*28	6*9	63A

GDK SERIES



Dimensional Drawing




Item No.(E)	Item No(N)	Way	Installation dimensions mm(L)	Outline Dimensions mm(L1)	Cross Sectional(mm2)	Rated Current(A)
GDK-6904E	GDK-6904N	4	55	68*15.8*21	6*9	63A
GDK-6906E	GDK-6906N	6	68	81*15.8*21	6*9	63A
GDK-6908E	GDK-6908N	8	81	94*15.8*21	6*9	63A
GDK-6910E	GDK-6910N	10	94	107*15.8*21	6*9	63A
GDK-6912E	GDK-6912N	12	107	120*15.8*21	6*9	63A
GDK-6914E	GDK-6914N	14	120	133*15.8*21	6*9	63A
GDK-6916E	GDK-6916N	16	133	146*15.8*21	6*9	63A

Item No.(E)	Item No(N)	Way	Installation dimensions(mm)L	Outline Dimensions(mm)L1	Cross Sectional(mm2)	Rated Current(A)
GDK81204E	GDK81204N	4	62	75*15.8*34	8*12	125A
GDK81206E	GDK81206N	6	77	90*15.8*34	8*12	125A
GDK81208E	GDK81208N	8	92	105*15.8*34	8*12	125A
GDK81210E	GDK81210N	10	107	120*15.8*34	8*12	125A
GDK81212E	GDK81212N	12	122	135*15.8*34	8*12	125A
GDK81214E	GDK81214N	14	137	150*15.8*34	8*12	125A
GDK81216E	GDK81216N	16	152	165*15.8*34	8*12	125A

GDL SERIES



Dimensional Drawing



Item No.(Y)	Item No(B)	Way	Installation dimensions mm(L)	Outline Dimensions mm(L1)	Cross Sectional(mm2)	Rated Current(A)
GDL-6904Y	GDL-6904B	4	60	74*14*28	6*9	63A
GDL-6906Y	GDL-6906B	6	72	86*14*28	6*9	63A
GDL-6908Y	GDL-6908B	8	84	98*14*28	6*9	63A
GDL-6910Y	GDL-6910B	10	96	110*14*28	6*9	63A
GDL-6912Y	GDL-6912B	12	108	122*14*28	6*9	63A
GDL-6914Y	GDL-6914B	14	120	134*14*28	6*9	63A
GDL-6916Y	GDL-6916B	16	132	146*14*28	6*9	63A

Item No.(Y)	Item No(B)	Way	Installation dimensions(mm)	L	Outline Dimensions(mm)	L1	Cross Sectional(mm2)	Rated Current(A)
GDL81204Y	GDL81204B	4	67		81*14*32		8*12	125A
GDL81206Y	GDL81206B	6	81		95*14*32		8*12	125A
GDL81208Y	GDL81208B	8	95		109*14*32		8*12	125A
GDL81210Y	GDL81210B	10	109		123*14*32		8*12	125A
GDL81212Y	GDL81212B	12	123		137*14*32		8*12	125A
GDL81214Y	GDL81214B	14	137		151*14*32		8*12	125A
GDL81216Y	GDL81216B	16	151		165*14*32		8*12	125A

Company Profile


- Golden Electric Co.,Ltd ,was foundad in 2017, we are professional for make AC and DC electric items such as cable gland,cable tie ,isolator switch , fuse , breaker , distribution box , PV combiner box ,surge protector, Industrial plug and socket,Solar product and so on.

- Golden has been granted ISO9001 management system certifications. The comprehensive product line has more than 1000 models which have been approved by TUV,CE,CQC,SGS,ROHS,SASO. The productsells well to UK, Spain, Portugal, Singapore, Turkey, Russia, Korea, South Africa... more than 60 countries and regions.

- Golden is always striving hard to provide the best services and competitive price to all customers.



Main Product



Packaging & Shipping

Packaging Details:

Customized Packing: Header card packing, Blister with card packing, Double blister packing, Canister packing, other packing can be supplied according customers request.



Shipping:

1. By Air or by Sea for batch goods,Airport/ Port receiving;
2. Customers specifying freight forwarders or negotiable shipping methods!

Delivery Detail:

Shipped in 7 days after payment



FAQ

1. Could i put my own logo on it?

> Sure, of course,we have over 18 years OEM experience,customers' logo can be made by laser, engraved,

embossed, transfer printing etc.

2. Should i pay extra for logo printing ?

> If you order amount over out MOQ for OEM package,all OEM fees would be free,if you want to make a trial order,we need to charge a very little fees for the printing and cartons.

3. How about the quality?

We import DU POND brand PA66 nylon raw material from USA,we make sure good quality from the most important factor.

> Acquire the CE & FDA Certification.

> 100% QC in produce process and before package.

4. Could i buy 1pc sample first and small order ?

> Of course, support sample order and small order, especially for new customers under certain condition.

5. How much for 1pc sample ?

> we will send 1 bag for free

6. If i have my thoughts, do you have person to design according to my concept?

> Certainly,our design team is willing to do for you.

7. How long to make a sample?

> 3days which depends on the samples' complexity.

Send your Inquiry Details in the Below, Click "[Send](#)" Now!!!



Guangzhou Golden Electric Co., Ltd.



008618998498109



eva@china-golden.com.cn



chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District,
Guangzhou city,Guangdong province,China