

Customized Copper Neutral Links Bus Bar DIN Rail Connecting Terminal Block for Cable

ISO 9001, ISO 9000, ISO 14001, ISO 14000, ISO 20000, OHSAS/ OHSMS 18001,

Peak Season Lead Time: more than 12 months Off Season Lead Time: within 15

LC, T/T, PayPal, Western Union

Basic Information

- Place of Origin:
- Brand Name: Golden Electric /OEM

China

IATF16949

workdays

5000/Month

1

- Certification:
- Minimum Order Quantity:
- Packaging Details: Carton/Pallet
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

- Contact Termination Form: Welding Connection
- Type: Filter Electric Connector Color: Green/ Blue/Customized • Metal Material: Copper • Usage: Screw 6 • Way: 6*9mm2 Sectioncross Of Brass: Th35*7.5 Installation Dimension: • Holder Material: PA • Transport Package: Standard Export Carton Specification: 63A 125A Trademark: Golden Or Netural Or Customer Brand • Origin: China • HS Code: 8536909000



More Images

• Supply Ability:






5000000PCS/Month





Product Description



Brass Connector Series

Material: PA, Polyarnide 66, Copper.

Features: Good conductivity, low contact resistance, safe and reliable.

Busbar Description:The Earth bus bar ease wiring of electrical item, enlarge connection area, decrease temperature rise and thus increase the electrical reliability of electrical items.

Busbar Technical Feature:

1. Brass,screw is Iron plated zinc;						
2. 94V-2 grade.						
3. Rated voltage is 250	V/380V					
4. Appliable ambient ter	nperature	9-30-110				
5. Standard length 1m,	other leng	oth to be made upon				
request						
Item No. Way Installation dimensions(mm)						
GDF-6904 4 49						
GDF-6904	4	49				
GDF-6904 GDF-6906	4 6	49 49				

Item No.WayInstallation dimensions(mm)Outline Dimensions(mm)Cross Sectional(mm2)GDF-690444958*10.5*356*9GDF-690664958*10.5*356*9GDF-690887079*10.5*356*9GDF-6910107890*10.5*356*9GDF-69121292102*10.5*356*9GDF8120666678*12.5*388*12GDF8120888394*12.5*388*12GDF8121010100111*12.5*388*12GDF8121212118128*12.5*388*12GDF8121414134146*12.5*388*12GDF8121616148160*12.5*388*12	•				
GDF-6906 6 49 58*10.5*35 6*9 GDF-6908 8 70 79*10.5*35 6*9 GDF-6910 10 78 90*10.5*35 6*9 GDF-6912 12 92 102*10.5*35 6*9 GDF81206 6 66 78*12.5*38 8*12 GDF81208 8 83 94*12.5*38 8*12 GDF81210 10 100 111*12.5*38 8*12 GDF81212 12 118 128*12.5*38 8*12 GDF81214 14 134 146*12.5*38 8*12	Item No.	Way	Installation dimensions(mm)	Outline Dimensions(mm)	Cross Sectional(mm2)
GDF-690887079*10.5*356*9GDF-6910107890*10.5*356*9GDF-69121292102*10.5*356*9GDF8120666678*12.5*388*12GDF8120888394*12.5*388*12GDF8121010100111*12.5*388*12GDF8121212118128*12.5*388*12GDF8121414134146*12.5*388*12	GDF-6904	4	49	58*10.5*35	6*9
GDF-6910107890*10.5*356*9GDF-69121292102*10.5*356*9GDF8120666678*12.5*388*12GDF8120888394*12.5*388*12GDF8121010100111*12.5*388*12GDF8121212118128*12.5*388*12GDF8121414134146*12.5*388*12	GDF-6906	6	49	58*10.5*35	6*9
GDF-69121292102*10.5*356*9GDF8120666678*12.5*388*12GDF8120888394*12.5*388*12GDF8121010100111*12.5*388*12GDF8121212118128*12.5*388*12GDF8121414134146*12.5*388*12	GDF-6908	8	70	79*10.5*35	6*9
GDF8120666678*12.5*388*12GDF8120888394*12.5*388*12GDF8121010100111*12.5*388*12GDF8121212118128*12.5*388*12GDF8121414134146*12.5*388*12	GDF-6910	10	78	90*10.5*35	6*9
GDF81208 8 83 94*12.5*38 8*12 GDF81210 10 100 111*12.5*38 8*12 GDF81212 12 118 128*12.5*38 8*12 GDF81214 14 134 146*12.5*38 8*12	GDF-6912	12	92	102*10.5*35	6*9
GDF81210 10 100 111*12.5*38 8*12 GDF81212 12 118 128*12.5*38 8*12 GDF81214 14 134 146*12.5*38 8*12	GDF81206	6	66	78*12.5*38	8*12
GDF8121212118128*12.5*388*12GDF8121414134146*12.5*388*12	GDF81208	8	83	94*12.5*38	8*12
GDF81214 14 134 146*12.5*38 8*12	GDF81210	10	100	111*12.5*38	8*12
	GDF81212	12	118	128*12.5*38	8*12
GDF81216 16 148 160*12.5*38 8*12	GDF81214	14	134	146*12.5*38	8*12
	GDF81216	16	148	160*12.5*38	8*12

Product Parameters





for more products please visit us on chinagoldene.com

GDS03-0609 Series


Product Structure	Wa y	Installation Dimension (L) (mm)	Dimension(L1) (mm)	Sectioncross of Brass(mm2)
L2	4	50.5	57.5x10.5	6x9
	6	50.5	57.5x10.5	6x9
	8	65.6	75x10.5	6x9
	10	77.8	90.2x10.5	6x9
	12	90.5	103.5x10.5	6x9

GDS03-0812 Series								
Product Structure	Wa y	Installation Dimension (L) (mm)	Dimension(L1) (mm)	Sectioncross of Brass(mm)				
	4	48.2	59.2x12.2	8x12				
	6	65.4	76.4x12.2	8x12				
	8	82.6	93.6x12.2	8x12				
	10	99.8	110.8x12.2	8x12				
	12	117	128x12.2	8x12				

GDM SERIES




Dimensional Drawing




Hama Na (O) Hama Na (D) M		Outline Dimensions mans(11)	Owners On attain allowing ()	
	ay Installation dimensions mm(L)	Outline Dimensions mm(1-1)	Cross Sectional(mm2)	Rated Current(A)
	ay motanation annohono mit(E)			natoa oanonu/ny

GDM-6907GGDM-6907B	7	35*7.5	50*21*28	6*9	63A
GDM-6908G GDM-6908B	8	35*7.5	57*21*28	6*9	63A
GDM-6910GGDM-6910B	10	35*7.5	71.5*21*28	6*9	63A
GDM-6912G GDM-6912B	12	35*7.5	84.5*21*28	6*9	63A
GDM-6913GGDM-6913B	13	35*7.5	91*21*28	6*9	63A
GDM-6915G GDM-6915B	15	35*7.5	104*21*28	6*9	63A

GDK SERIES



Dimensional Drawing



Outline Dimensions mm(L1)

GDK-6904E	GDK-6904N	4	55	68*15.8*21	6*9	63A
GDK-6906E	GDK-6906N	6	68	81*15.8*21	6*9	63A
GDK-6908E	GDK-6908N	8	81	94*15.8*21	6*9	63A
GDK-6910E	GDK-6910N	10	94	107*15.8*21	6*9	63A
GDK-6912E	GDK-6912N	12	107	120*15.8*21	6*9	63A
GDK-6914E	GDK-6914N	14	120	133*15.8*21	6*9	63A
GDK-6916E	GDK-6916N	16	133	146*15.8*21	6*9	63A

Item No.(E) Item No(N)	Way	Installation dimensions(mm)L	Outline Dimensions(mm)L1	Cross Sectional(mm2)	Rated Current(A)
GDK81204E GDK81204N	4	62	75*15.8*34	8*12	125A
GDK81206E GDK81206N	6	77	90*15.8*34	8*12	125A
GDK81208E GDK81208N	8	92	105*15.8*34	8*12	125A
GDK81210E GDK81210N	10	107	120*15.8*34	8*12	125A
GDK81212E GDK81212N	12	122	135*15.8*34	8*12	125A
GDK81214E GDK81214N	14	137	150*15.8*34	8*12	125A
GDK81216E GDK81216N	16	152	165*15.8*34	8*12	125A

Company Profile

- Golden Electric Co.,Ltd ,was foundad in 2017, we are professional for make AC and DC electric items such as cable gland,cable tie ,isolator switch , fuse , breaker , distribution box , PV combiner box ,surge protector, Industrial plug and socket,Solar product and so on.

- Golden has been granted ISO9001 management system certifications. The comprehensive product line has more than 1000 models which have been approved by TUV,CE,CQC,SGS,ROHS,SASO. The productsells well to UK, Spain, Portugal, Singapore, Turkey, Russia, Korea, South Africa... more than 60 countries and regions.

- Golden is always striving hard to provide the best services and competitive price to all customers.



Main Product



Packaging & Shipping

Packaging Details:

Customized Packing: Header card packing, Blister with card packing, Double blister packing, Canister packing, other

packing can be supplied according customers request.

Shipping:

- 1. By Air or by Sea for batch goods, Airport/ Port receiving;
- 2. Customers specifying freight forwarders or negotiable shipping methods!

Delivery Detail:

Shipped in 7 days after payment



FAQ

1. Could i put my own logo on it?

> Sure, of course, we have over 18 years OEM experience, customers' logo can be made by laser, engraved, embossed, transfer printing etc.

2. Should i pay extra for logo printing ?

> If you order amount over out MOQ for OEM package,all OEM fees would be free, if you want to make a trial order, we need to charge a very little fees for the printing and cartons.

3. How about the quality?

We import DU POND brand PA66 nylon raw material from USA, we make sure good quality from the most important factor.

- > Acquire the CE & FDA Certification.
- > 100% QC in produce process and before package.

4. Could i buy 1pc sample first and small order ?

> Of course, support sample order and small order, especially for new customers under certain condition.

5. How much for 1pc sample ?

> we will send 1 bag for free

6. If i have my thoughts, do you have person to design according to my concept?

> Certainly, our design team is willing to do for you.

7. How long to make a sample?

> 3days which depends on the samples' complexity.

Send your Inquiry Details in the Below, Click "Send" Now!!!

