

Shipping Cost and Estimated Delivery Time Screw Terminal Block with PA66 Material

Basic Information

Place of Origin: China

Brand Name: Golden Electric /OEM

• Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000,

ISO 20000, OHSAS/ OHSMS 18001,

IATF16949

Minimum Order Quantity:

• Packaging Details: Carton/Pallet

• Delivery Time: Peak Season Lead Time: more than 12

months Off Season Lead Time: within 15

workdays

• Payment Terms: LC, T/T, PayPal, Western Union

Supply Ability: 5000/Month



Product Specification

Connection Mode: Push-Pull Connection
 Contact Termination Form: Welding Connection
 Type: Filter Electric Connector
 Color: White/Black/Customized

Metal Material: Copper
 Usage: Screw
 Installation Dimension: Th35*7.5
 Holder Material: PA

Shape: RectangleDimension: 255*44*35mm

Current: 150AVoltage: 380VShell Material: PE/PP/PA

Transport Package: Standard Export Carton

• Specification: 63A 125A



More Images










Product Description

Product Description



Brass Connector Series

Material: PA, Polyarnide 66, Copper.

Features: Good conductivity, low contact resistance, safe and reliable.

Busbar Description:The Earth bus bar ease wiring of electrical item, enlarge connection area, decrease temperature rise and thus increase the electrical reliability of electrical items.

Busbar Technical Feature:

- 1. Brass, screw is Iron plated zinc;
- 2. 94V-2 grade.
- 3. Rated voltage is 250V/380V
- 4. Appliable ambient temperature -30-110
- 5. Standard length 1m, other length to be made upon request

| Item No. | Way | Installation dimensions(mm) | Outline Dimensions(mm) | Cross Sectional(mm2) |
|----------|-----|-----------------------------|------------------------|-------------------------|
| GDF-6904 | 4 | 49 | 58*10.5*35 | 6*9 |
| GDF-6906 | 6 | 49 | 58*10.5*35 | 6*9 |
| GDF-6908 | 8 | 70 | 79*10.5*35 | 6*9 |
| GDF-6910 | 10 | 78 | 90*10.5*35 | 6*9 |
| GDF-6912 | 12 | 92 | 102*10.5*35 | 6*9 |
| GDF81206 | 6 | 66 | 78*12.5*38 | 8*12 |
| GDF81208 | 8 | 83 | 94*12.5*38 | 8*12 |
| GDF81210 | 10 | 100 | 111*12.5*38 | 8*12 |
| GDF81212 | 12 | 118 | 128*12.5*38 | 8*12 |
| GDF81214 | 14 | 134 | 146*12.5*38 | 8*12 |
| GDF81216 | 16 | 148 | 160*12.5*38 | 8*12 |

Product Parameters






| Item N | lo. | mm2 | AMP (A) | VOLT(V) | L | W | Н | Туре |
|--------|-----|-----|------------|---------|-----|------|------|------|
| GD01 | 0 | 4 | 3 | 380 | 91 | 15 | 12 | U/H |
| GD01 | 1 | 6 | 6 | 380 | 106 | 15 | 13 | U/H |
| GD02 | 1 | 10 | 10 | 380 | 125 | 20 | 15 | U/H |
| GD02 | 2 | 12 | 16 | 380 | 132 | 21.3 | 17 | U/H |
| GD01 | 4 | 14 | 20 | 380 | 143 | 22 | 17.8 | U/H |
| GD02 | 3 | 16 | 30 | 380 | 155 | 24 | 19 | U/H |
| GD01 | 8 | 25 | 60 | 380 | 187 | 30 | 25.5 | U/H |
| GD02 | 6 | 35 | 80 | 380 | 206 | 32.5 | 27 | U/H |
| GD02 | 7 | 40 | 100 | 380 | 230 | 37 | 30 | U/H |
| GD02 | 8 | 60 | 150 | 380 | 255 | 44 | 35 | U/H |

GDM SERIES




Dimensional Drawing




| Item No.(G) | Item No(B) | Way | Installation dimensions mm(L) | Outline Dimensions mm(L1) | Cross Sectional(mm2) | Rated Current(A) |
|-------------|------------|-----|-------------------------------|---------------------------|----------------------|------------------|
| GDM-6907G | GDM-6907B | 7 | 35*7.5 | 50*21*28 | 6*9 | 63A |
| GDM-6908G | GDM-6908B | 8 | 35*7.5 | 57*21*28 | 6*9 | 63A |
| GDM-6910G | GDM-6910B | 10 | 35*7.5 | 71.5*21*28 | 6*9 | 63A |
| GDM-6912G | GDM-6912B | 12 | 35*7.5 | 84.5*21*28 | 6*9 | 63A |
| GDM-6913G | GDM-6913B | 13 | 35*7.5 | 91*21*28 | 6*9 | 63A |
| GDM-6915G | GDM-6915B | 15 | 35*7.5 | 104*21*28 | 6*9 | 63A |

GDK SERIES



Dimensional Drawing



| Item No.(E) | Item No(N) | Way | Installation dimensions mm(L) | Outline Dimensions mm(L1) | Cross Sectional(mm2) | Rated Current(A) |
|-------------|------------|-----|-------------------------------|------------------------------|-------------------------|---------------------|
| GDK-6904E | GDK-6904N | 4 | 55 | 68*15.8*21 | 6*9 | 63A |
| GDK-6906E | GDK-6906N | 6 | 68 | 81*15.8*21 | 6*9 | 63A |
| GDK-6908E | GDK-6908N | 8 | 81 | 94*15.8*21 | 6*9 | 63A |
| GDK-6910E | GDK-6910N | 10 | 94 | 107*15.8*21 | 6*9 | 63A |
| GDK-6912E | GDK-6912N | 12 | 107 | 120*15.8*21 | 6*9 | 63A |
| GDK-6914E | GDK-6914N | 14 | 120 | 133*15.8*21 | 6*9 | 63A |
| GDK-6916E | GDK-6916N | 16 | 133 | 146*15.8*21 | 6*9 | 63A |

| Item No.(E) Item No(N) | Way | Installation dimensions(mm)L | Outline Dimensions(mm)L1 | Cross Sectional(mm2) | Rated Current(A) |
|------------------------|-----|------------------------------|--------------------------|----------------------|------------------|
| GDK81204E GDK81204N | 4 | 62 | 75*15.8*34 | 8*12 | 125A |
| GDK81206E GDK81206N | 6 | 77 | 90*15.8*34 | 8*12 | 125A |
| GDK81208E GDK81208N | 8 | 92 | 105*15.8*34 | 8*12 | 125A |

| GDK81210E GDK81210N | 10 | 107 | 120*15.8*34 | 8*12 | 125A |
|---------------------|----|-----|-------------|------|------|
| GDK81212E GDK81212N | 12 | 122 | 135*15.8*34 | 8*12 | 125A |
| GDK81214E GDK81214N | 14 | 137 | 150*15.8*34 | 8*12 | 125A |
| GDK81216E GDK81216N | 16 | 152 | 165*15.8*34 | 8*12 | 125A |

Company Profile


- Golden Electric Co.,Ltd ,was foundad in 2017, we are professional for make AC and DC electric items such as cable gland,cable tie ,isolator switch , fuse , breaker , distribution box , PV combiner box ,surge protector, Industrial plug and socket,Solar product and so on.
- Golden has been granted ISO9001 management system certifications. The comprehensive product line has more than 1000 models which have been approved by TUV,CE,CQC,SGS,ROHS,SASO. The productsells well to UK, Spain, Portugal, Singapore, Turkey, Russia, Korea, South Africa... more than 60 countries and regions.
- Golden is always striving hard to provide the best services and competitive price to all customers.







Main Product



Packaging & Shipping

Packaging Details:

Customized Packing: Header card packing, Blister with card packing, Double blister packing, Canister packing, other packing can be supplied according customers request.

Shipping:

- 1. By Air or by Sea for batch goods, Airport/ Port receiving;
- 2. Customers specifying freight forwarders or negotiable shipping methods!

Delivery Detail:

Shipped in 7 days after payment



FAQ

1. Could i put my own logo on it?

> Sure, of course,we have over 18 years OEM experience,customers' logo can be made by laser, engraved, embossed, transfer printing etc.

2. Should i pay extra for logo printing?

> If you order amount over out MOQ for OEM package, all OEM fees would be free, if you want to make a trial order, we need to charge a very little fees for the printing and cartons.

3. How about the quality?

We import DU POND brand PA66 nylon raw material from USA, we make sure good quality from the most important factor.

- > Acquire the CE & FDA Certification.
- > 100% QC in produce process and before package.

4. Could i buy 1pc sample first and small order?

> Of course, support sample order and small order, especially for new customers under certain condition.

5. How much for 1pc sample?

> we will send 1 bag for free

6. If i have my thoughts, do you have person to design according to my concept?

> Certainly, our design team is willing to do for you.

7. How long to make a sample?

> 3days which depends on the samples' complexity.

Send your Inquiry Details in the Below, Click "Send" Now!!!



Guangzhou Golden Electric Co., Ltd.



eva@china-golden.com.cn



chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District, Guangzhou city, Guangdong province, China