




200mm Black White Color Customization Self-Locking Nylon Double Head Loop Cable Ties

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Golden Electric /OEM
- Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000, ISO 20000, OHSAS/ OHSMS 18001, IATF16949
- Model Number: HS-200c-Dlt
- Minimum Order Quantity: 1
- Packaging Details: Carton/Pallet
- Delivery Time: Peak Season Lead Time: more than 12 months Off Season Lead Time: within 15 workdays
- Payment Terms: LC, T/T, PayPal, Western Union
- Supply Ability: 5000/Month



Product Specification

- Product Name: Double Head Cable Tie
- Length: 200mm
- Width: 4.8mm
- Operating Temperature: -40-85
- Feature: Anti-Acid
- Usage: Bundling Wires
- Packaging: 100PC/Pack
- Transport Package: Ocean Freight Land Freight Air Freight Bag
- Specification: Different Sizes And Specifications
- Trademark: Golden Electric Or Customize
- Origin: China
- HS Code: 5906101000
- Supply Ability: 5000/Month
- Certification: CE, CE RoHS
- Color: Black White. Black White



More Images



for more products please visit us on chinagoldene.com

Product Description

Company

Profile

GoldenElectricCo., Ltd.


is professional make of Electrical products .Such as distribution box, waterproof plug, socket, wall switch, waterproof plastic ,Aluminum box ,Changeover Switch and disconnecting switch,MC4 Connector.isolator switch.fusebreaker.distribution box,PV combiner box .surge protector, Indicatorlamp,Solar Charge Controller,Industrialplugandsocket,BusbarInsulator,Meter Socket,Wind Turbine, Terminal Block,Solar product and so on. all products comply with IEC, A S/NZS standard. passed CE, IP66, ROHS certificates.at present we have exported to many countries and have serve these customers with professional electrical solution.

Product Description

200 MM Nylon Double Head Loop Cable Ties

Material	Nylon 66, 94v-2 certificated byUL, Heat-resisting ,erosin control, insulate well and not apt to age
Operation Temperature	-40 degrees to 85 degrees
Color	Black,white
Certification	UL, ROHS, SGS

Item No.	L		W	MAX BUNDLE DIA(MM)	TENSILE STRENGTH		Packing
	INCH	MM(MM)			LBS	KGS	
HS-200C-DLT8	8	200	4.8	50	50	220	100PCS&1000PCS
HS-300C-DLT11.8	11.8	300	4.8	82			





Golden Electric



Golden Electric





Golden Electric



Golden Electric





Golden Electric



Golden Electric



Products Category



Solar Lighting Small Systm



Tag Low Voltage Fuse Link



Plastic Electrical Distribution Box Waterproof Box
Device



Receptacle and Switch With Interlock

Packing & Delivery

Packaging Details :polybag +label, others are available.100pcs/bag

Lead time:

Quantity(bags) 1 - 1000 >1000

Lead time (days) 7 To be negotiated

FAQ

Q1: Are you a factory or trading company

A1: We are a factory, we can guarantee our price is first-hand, very cheap and competitive.

Q2: How does your factory do regarding quality control?

A2: All the products will be 100% checked before the shipment

Q3: When can I get the price?

A3: Usually we quote within 24 hours after we get your inquiry.

Q4: How could I get a sample?

A4: if you can not buy our product in your local area, we will ship a sample to you. You will be charged a sample price plus all related shipping costs. Express delivery charge depends on the quantity of the samples.

Q5: What is the price of shipping?

A5: Depending upon the port of delivery, prices vary.

Any more query please contact with us, thank you!



Guangzhou Golden Electric Co., Ltd.



008618998498109



eva@china-golden.com.cn



chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District,
Guangzhou city,Guangdong province,China