



Type Eco Friendly Stainless Steel Cable Tie with Self-Locking and CE Certification

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Golden Electric /OEM
- Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000, ISO 20000, OHSAS/ OHSMS 18001, IATF16949
- Model Number: Dw-1078
- Minimum Order Quantity: 1
- Packaging Details: Carton/Pallet
- Delivery Time: Peak Season Lead Time: more than 12 months Off Season Lead Time: within 15 workdays
- Payment Terms: LC, T/T, PayPal, Western Union
- Supply Ability: 5000/Month



Product Specification

- Product Name: Stainless Steel Cable Tie With Wing Lock
- Working Temp: -80° To +538° C
- Warranty: 1 Year
- Transport Package: Ocean Freight Land Freight Air Freight
- Specification: Different Sizes And Specifications
- Trademark: Golden Electric Or Customize
- Origin: China
- HS Code: 5906101000
- Supply Ability: 5000/Month
- Certification: CE
- Color: Metallic
- Fire Rating: Flameproof, 94V2
- Size: 3.6*150
- Material: Steel, Stainless Steel
- Type: Self-Locking, Splice



More Images



for more products please visit us on chinagoldene.com

Product Description

Company

Profile

GoldenElectricCo., Ltd.

is professional make of Electrical products .Such as distribution box, waterproof plug, socket, wall switch, waterproof plastic ,Aluminum box ,Changeover Switch and disconnecting switch,MC4 Connector.isolator switch.fusebreaker.distribution box,PV combiner box .surge protector, Indicatorlamp,Solar Charge Controller,Industrialplugandsocket,BusbarInsulator,Meter Socket,Wind Turbine, Terminal Block,Solar product and so on. all products comply with IEC, A S/NZS standard. passed CE, IP66, ROHS certificates.at present we have exported to many countries and have serve these customers with professional electrical solution.

Product Description

Type	Approx.length mm(inch)	Approx.width mm(inch)	Max.bundle dia. mm(inch)	Min.loop tensile strengty N(lbs)
HTGZ-12×150	150(5.9)		37(1.46)	
HTGZ-12×200	200(7.87)		50(1.97)	
HTGZ-12×250	250(9.84)		63(2.48)	
HTGZ-12×300	300(11.8)		76(2.99)	
HTGZ-12×350	350(13.78)		89(3.5)	
HTGZ-12×400	400(15.75)		102(4.02)	
HTGZ-12×450	450(17.72)	12(0.472)	115(4.53)	1200(270)
HTGZ-12×500	500(19.69)		128(5.04)	
HTGZ-12×550	550(21.65)		141(5.55)	
HTGZ-12×600	600(23.62)		154(6.06)	
HTGZ-12×650	650(25.59)		167(6.57)	
HTGZ-12×700	700(27.56)		180(7.09)	
HTGZ-12×800	800(31.5)		193(7.59)	
HTGZ-15×200	200(7.87)		50(1.97)	
HTGZ-15×250	250(9.84)		63(2.48)	
HTGZ-15×300	300(11.8)		76(2.99)	
HTGZ-15×350	350(13.78)		89(3.5)	
HTGZ-15×400	400(15.75)		102(4.02)	
HTGZ-15×450	450(17.72)		115(4.53)	
HTGZ-15×500	500(19.69)	15(0.59)	128(5.04)	1500(337)
HTGZ-15×550	550(21.65)		141(5.55)	
HTGZ-15×600	600(23.62)		154(6.06)	
HTGZ-15×650	650(25.59)		167(6.57)	
HTGZ-15×700	700(27.56)		180(7.09)	
HTGZ-15×750	750(29.53)		191(7.52)	
HTGZ-15×800	800(31.5)		193(7.59)	
HTGZ-15×1000	1000(39.37)		206(8.11)	



Golden Electric



Golden Electric





Golden Electric



Golden Electric





Golden Electric



Golden Electric





1. Insert the tail into the lock during your binding and leave at least 10cm for tensioning.



2. Clamp the cable tie with a tensioning tool and tension it slowly, making sure it's not too tight, or the tool and the object will be broken.



3. Bend the remaining part reversely and cut it with the tool.



4. Strike the lock's wings with a hammer and make sure it locks the cable tie tightly.



The stainless steel cable ties are commonly used where they would be subjected to heat, as they can easily withstand higher temperatures than standard cable ties. They also have a higher breaking strain and they do not deteriorate in harsh environments.

Wing lock version has advantage of easy-quick operation.

UV-resistant

High tensile strength

Acid-resisting

Anti-corrosion

Material: Stainless Steel

Fire Rating: Flameproof

Color: Metallic

Working Temp.: -80°C to 538°C

Products Category



Small Portable Solar Power System



MCCB Circuit Breaker



AC Isolator Switch



ATS Circuit Breaker Transfer Switch

Packing & Delivery

Packaging Details: Normal Package

Lead time:

Quantity(pieces) 1 - 500 > 500

Lead time (days) 10 To be negotiated

FAQ

Q1: Are you a factory or trading company

A1: We are a factory, we can guarantee our price is first-hand, very cheap and competitive.

Q2: How does your factory do regarding quality control?

A2: All the products will be 100% checked before the shipment

Q3: When can I get the price?

A3: Usually we quote within 24 hours after we get your inquiry.

Q4: How could I get a sample?

A4: If you can not buy our product in your local area, we will ship a sample to you. You will be charged a sample price plus all related shipping costs. Express delivery charge depends on the quantity of the samples.

Q5: What is the price of shipping?

A5: Depending upon the port of delivery, prices vary.

Any more query please contact with us, thank you!



Guangzhou Golden Electric Co., Ltd.



008618998498109



eva@china-golden.com.cn



chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District,
Guangzhou city, Guangdong province, China