



## Bare Insulation Material Copper Clad Steel Conductor 16mm<sup>2</sup> 300mm<sup>2</sup> Electrical Wire

Our Product Introduction


### Basic Information

- Place of Origin: China
- Brand Name: Golden Electric /OEM
- Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000, ISO 20000, OHSAS/ OHSMS 18001, IATF16949
- Minimum Order Quantity: 1
- Packaging Details: Carton/Pallet
- Delivery Time: Peak Season Lead Time: more than 12 months  
Off Season Lead Time: within 15 workdays
- Payment Terms: LC, T/T, PayPal, Western Union
- Supply Ability: 5000/Month



### Product Specification

- Material Shape: Round Wire
- Range Of Application: For Earth Rod And Wire, Heavy Duty
- Diameter: 16-300 Mm<sup>2</sup>
- Model: Copper Clad Steel Conductor
- Product Name: Copper Clad Steel Wire
- Transport Package: Standard Export Carton
- Trademark: Golden Or Natural, Or Customer Brand
- Origin: China
- HS Code: 7217309000
- Supply Ability: 50000PCS/Month
- Type: Bare
- Conductor Type: Stranded
- Application: Underground
- Conductor Material: Copper Clad Steel
- Sheath Material: No



### More Images



for more products please visit us on [chinagoldene.com](http://chinagoldene.com)

## Product Description

### Product Description



The Copper Clad Steel Conductor is used as flexible connector in electric transmission and distribution appliance (such as volt transformer, electric stove), electronic equipment and thyristor. Underground Electrical Wire also could be used for grounding wire in electric working. Also, it can be manufactured according to customer's drawings and demands.

### Application

Copper Clad Steel Conductor is used for earthing system of power plant ,transformer station ,tower ,communication station ,airport, railway, subway station , high building ,computer room ,petro plant ,oil reservoir in the environmental of moist ,saline and alkaline ,acid and chemical corrosion medium environmental.

### Product Parameters

Material	copper clad steel
Diameter	16~300 mm <sup>2</sup>
Conductivity	20%, 25%, 30%, 40%
Life	≥30 years
Tensile Strength	240-360 mpa
Characters	Easy installation ,Good conductivity
Available service mode	OEM,ODM
Certificate	ISO9001:2008

Product specifications	Area (mm <sup>2</sup> )	Wire Dia×Nos (mm)	Outer Dia (mm)	Conduc tivity (%)	Copper thickness (mm)	Conduc tivity (%)	Copper thickness (mm)	Conduc tivity (%)	Copper thickness (mm)	Conduc tivity (%)	Copper thickness (mm)
CCSEP-S16/7	16	1.7×7	5.1	20	0.020	25	0.045	30	0.074	40	0.130


CCSEP-S25/7	25	2.14×7	6.5	20	0.025	25	0.058	30	0.093	40	0.165
CCSEP-S35/7	35	2.52×7	7.6	20	0.030	25	0.069	30	0.109	40	0.195
CCSEP-S50/19	50	1.8×19	9.0	20	0.021	25	0.049	30	0.078	40	0.139
CCSEP-S50/7		3.0×7			0.036		0.082		0.130		0.232
CCSEP-S70/19	70	2.14×19	11.0	20	0.025	25	0.058	30	0.093	40	0.165
CCSEP-S70/7		3.5×7			0.042		0.096		0.152		0.270
CCSEP-S95/19	95	2.52×19	12.6	20	0.030	25	0.069	30	0.109	40	0.195
CCSEP-S120/19	120	2.84×19	14.0	20	0.034	25	0.078	30	0.125	40	0.219
CCSEP-S150/37	150	2.28×37	16.0	20	0.027	25	0.062	30	0.099	40	0.176
CCSEP-S150/19		3.15×19			0.038		0.087		0.137		0.243
CCSEP-S185/37	185	2.52×37	17.6	20	0.030	25	0.069	30	0.109	40	0.195
CCSEP-S185/19		3.52×19			0.042		0.096		0.152		0.270
CCSEP-S240/37	240	2.88×37	20.0	20	0.034	25	0.079	30	0.127	40	0.220
CCSEP-S240/19		4.0×19			0.048		0.110		0.174		0.309
CCSEP-S300/37	300	3.2×37	22.4	20	0.038	25	0.088	30	0.139	40	0.247

Product Details






## Application Scenarios



## Earthing System



### Recommend Product







## Company Profile

- Golden Electric Co.,Ltd ,was foundad in 2007, we are professional for make **AC and DC electric items such as cable gland,Solar PV Cable, MC4 Connector, isolator switch , fuse , breaker , distribution box , PV combiner box ,surge protector, Indicator lamp,Solar Charge Controller,Industrial plug and socket,Wind Turbine, Solar product ,Copper Earthing Rods, Copper Busbar and so on.**

- Golden has been granted ISO9001 management system certifications. The comprehensive product line has more than 1000 models which have been approved by TUV,CE,CQC,SGS,ROHS,SASO. The productsells well to UK, Spain, Portugal, Singapore, Turkey, Russia, Korea, South Africa... more than 60 countries and regions.

- Golden is always striving hard to provide the best services and competitive price to all customers.

## FAQ

### 1) Q:How can i trust your company?

A:Golden electric is The top 10 manufacture in China - more than 350 Agents in local market and more than 100 foreign clients make OEM,ODM order from us,Golden electric is a big company, we have cooperation with LS, EKF the world-class companies. Our company over 100 employees, products pass CE,IEC,TUV,SAA, RCM, ROHS certificates.

### 2) Q:Your products?

A: Golden electric is factory for Automatic transfer swithc,Surge protector device,distribution box Enclosure, inverter, DC fuse Copper Earthing Rod etc. Providing customers very competitive sources, and can be your sourcing agent in China. Goods are following international standards, IE, CE, ISO9001 ,SGS etc.

### 3) Q: Do you have forwarder?

A: Yes, we have good forwarder cooperated over 10 years, they help us import and export . For small package orders, suggest to use by Express.

### 4) Q: Your address ?

A: Locates in Guangzhou province, China,welcome to visit us

### 5) Q:What's the Copper Grounding Wire guarantee?

A: 2 years warranty. If customer's problem, then customer burden. If our problem, then we send new goods to customer to replace asap.

**6) Q:What's about MOQ? Delivery time ?**

A: 1pcs for Copper Grounding wire.

**7) Q: What's the payment term?**

A: Normally 100% T/T in advanced payment. If big order then about 50% advanced payment, balance before shipment.PAYPAL,WESTERN UNION,CASH for small order .

**8) Q:What's your contact information ?**

**Send us your *inquiry* !we will reply you in 24 hours !**

**If you need information about this product. Please [Click here](#) to contact me and we will provide you with more information about the products.**



**Guangzhou Golden Electric Co., Ltd.**



008618998498109



eva@china-golden.com.cn



chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District,  
Guangzhou city,Guangdong province,China