

Customized Applications Electrical Power Copper Wire with Insulation Material PVC

Basic Information

- Place of Origin:
- Brand Name: Golden Electric /OEM Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000, ISO 20000, OHSAS/ OHSMS 18001, IATF16949 ΒV Model Number: • Minimum Order Quantity: 1 Packaging Details: Carton/Pallet • Delivery Time: Peak Season Lead Time: more than 12 months Off Season Lead Time: within 15 workdays Payment Terms: LC, T/T, PayPal, Western Union


5000/Month

Bare, Low Voltage

Blj

China

Supply Ability:



Product Specification

• Brand:

- Type:
- Conductor Material:
- Conductor Type:
- Categories:
- Nos Of Conductors:
- Manufacturer:
- Suppliers By Country:
- Transport Package:
- Trademark:
- Origin:
- HS Code:
- Supply Ability:

["Copper","Pure Copper Or Copper Clad Steel"] Stranded Power Cables 7,19,37nos Yes China Ocean Freight Woven Belt+ Wooden Case+ Pallets+ C Golden Electric Or Customize China 7413000000 5000/Month




More Images









Product Description

Company

Profile

GoldenElectricCo., Ltd.


is professional make of Electrical products .Such as distribution box, waterproof plug, socket, wall switch, waterproof plastic ,Aluminum box ,Changeover Switch and disconnecting switch,MC4 Connector.isolator switch.fusebreaker.distribution box,PV combiner box .surge protector, Indicatorlamp,Solar Charge Controller,Industrialplugandsocket,BusbarInsulator,Meter Socket,Wind Turbine, Terminal Block,Solar product and so on. all products comply with IEC, A S/NZS standard. passed CE, IP66, ROHS certificates.at present we have exported to many countries and have serve these customers with professional electrical solution.


Product Description


Low Cost Electrical Power Insulated Winding Copper Wire			
Material	99.9%pure copper		
Diameter	10-400 mm ²		
Life	≥50 years		
Voltage grade	450/750V		
Characters	Easy installation ,Good conductivity		
Available service mode	OEM,ODM		
Certificate	ISO9001:2015		

Regular Products size(We Accept Customization) Negotiable Price According to different material/size and and Purchase quantity


Product specifications	Nos/Dia (pcs/mm)	Outer Dia (mm)	Weight (kg/km)
BV 16	7/1.70	8.0	179
BV 25	7/2.14	10.0	281
BV 35	7/2.52	11.5	381
BV 50	19/1.78	13.0	521
BV 70	19/2.14	15.0	734
BV 95	19/2.52	17.5	962
BV 120	37/2.03	19.0	1180
BV 150	37/2.25	21.0	1470
BV 185	37/2.52	23.5	1810











The Insulated Copper Conductor is used as flexible connector in electric transmission and distribution appliance (such as volt transformer, electric stove), electronic equipment and thyristor. Green Yellow Grounding Wire also could be used for grounding wire in electric working. Also, it can be manufactured according to customer's drawings and demands.

Insulated Copper Conductor is used for earthing system of power plant ,transformer station ,tower ,communication station ,airport, railway, subway station , high building ,computer room ,petro plant ,oil reservoir in the environmental of moist ,saline and alkaline ,acid and chemical corrosion medium environmental.



Industrial Plug Socket Connector



Metal Electrical Distribution Box





ATS Automatic Transfer Switch Panel Box of Generator

Changeover Cam Rotary Switch

Packing & Delivery

Packaging Details: woven belt+ wooden case+ pallets+ container

Lead time: Quantity(meters) 1 - 1000 1001 - 10000 > 10000 Lead time (days) 15 30 To be negotiated



FAQ

Q1: Are you a factory or trading company

- A1: We are a factory, we can guarantee our price is first-hand, very cheap and competitive.
- Q2: How does your factory do regarding quality control?
- A2: All the products will be 100% checked before the shipment

