

Electrical Nickel Plated Brass Cable Gland Electroplating For Wire Protection

Basic Information

Place of Origin: China

Brand Name: Golden Electric /OEM

• Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000,

ISO 20000, OHSAS/ OHSMS 18001,

IATF16949

• Model Number: M10-M100

Minimum Order Quantity:

Packaging Details: Carton/Pallet

• Delivery Time: Peak Season Lead Time: more than 12

months Off Season Lead Time: within 15

workdays

Payment Terms:
 LC, T/T, PayPal, Western Union

• Supply Ability: 5000/Month



Product Specification

Clamping Insert: Nylon PA
 Working Temperature: -40~100
 Advantages: Fast Delivery
 Size: M10-M100

Key Words: Brass Cable Gland
 Function: Cable Protection
 Hot Searching: Atex Cable Gland

• Samples: US\$ 5/Piece 1 Piece(Min.Order) | Request

Samp

• Feature: Seal Part Hold Cable Firmly

MOQ: 100PCS
Work Temperature: 40~+100
Cable Gland: Waterproof

• Thread Length: Standard & Customization

Other Size: Customization



More Images









Product Description



Material: Adopting Nylon PA66 certificated by UL

Product Certification: CE certification, ROHS certification and ISO9001.

Protection Degree: IP68- 10 BAR

Working temperature: -40°Cto 100°Cin static state, or instantaneous heat resistance up to 120°C; -20°C to 80°C in dynamic state, or instantaneous heat resistance up to 100°C.

Characteristics: IP68 (Rotate the part and use O ring)

Colors: Black (RAL9005), Gray(RAL7035), other colors are available upon requests.





Function:

1. Can be used in liquid tight conduit in Power Plant, Power transmission system, communication system, building factory, railway, train, transportation system project, air conditioner, various machines, automates controlling plant. And protecting the electrical wire or cable outside the construction and plant.


2.Use to positively bond the conduit to a box or enclosure.

Product parameters:

Product Code	Thread AG	Cable range(mm)	Thread O.D AG (mm)	Thread length GL(mm)	Spanner Size (mm)
JX-NLPG7A	PG7	3-6.5	12.5	9	18/16
JX-NLPG7B	PG7	2-5	12.5	9	18/16
JX-NLPG9A	PG9	4-8	15.2	9	22/19
JX-NLPG9B	PG9	2-6	15.2	9	22/19
JX-NLPG11A	PG11	5-10	18.6	9	24/22
JX-NLPG11B	PG11	3-7	18.6	9	24/22
JX-NLPG13.5A	PG13.5	6-12	20.4	9	27/24
JX-NLPG13.5B	PG13.5	5-9	20.4	9	27/24
JX-NLPG16A	PG16	10-14	22.5	10	30/27
JX-NLPG16B	PG16	7-12	22.5	10	30/27
JX-NLPG19A	PG19	12-16	24	10	30/28
JX-NLPG19B	PG19	10-13	24	10	30/28
JX-NLPG21A	PG21	13-18	28.3	12	36/33
JX-NLPG21B	PG21	9-16	28.3	12	36/33
JX-NLPG25A	PG25	16-21	30	12	37/35
JX-NLPG25B	PG25	13-18	30	12	37/35
JX-NLPG29A	PG29	18-25	37	12	45/42
JX-NLPG29B	PG29	13-20	37	12	45/42
JX-NLPG36A	PG36	22-32	47	17	58/52
JX-NLPG36B	PG36	20-26	47	17	58/52
JX-NLPG42A	PG42	32-38	54	19	65/60
JX-NLPG42B	PG42	25-31	54	19	65/60
JX-NLPG48A	PG48	37-44	59.3	19	70/69
JX-NLPG48B	PG48	25-36	59.3	19	70/69
JX-NLPG63A	PG63	42-50	71	27	83/75
JX-NLPG63B	PG63	32-40	71	27	83/75

Customization is acceptable. Welcome to inquire.

The Drawing of Nylon Cable Gland:



Field of Application

Cable glands are mechanical cable entry devices. They are used throughout a number of industries in conjunction with cable and wiring used in elelctrical instrumentation and automation systems.

Cable gland may be used on all types of electrical power, control, instrumentation, data and telecommunications cables. They are used as a sealing and termination device to ensure that the charachteristics of the enclosure which the cable enters can be maintained adequately.

About US

- Golden Electric Co.,Ltd ,was founded in 2017, we are professional for make AC and DC electric items such as cable gland, isolator switch , fuse , breaker , distribution box , PV combiner box ,surge protector, Industrial plug and socket,Solar product and so on.
- Golden has been granted ISO9001 management system certifications. The comprehensive product line has more than 1000 models which have been approved by TUV,CE,CQC,SGS,ROHS,SASO. The productsells well to UK, Spain, Portugal, Singapore, Turkey, Russia, Korea, South Africa... more than 60 countries and regions.
 - Golden is always striving hard to provide the best services and competitive price to all customers.

Packing&Delivery

Packaging Details:

Customized Packing: Header card packing, Blister with card packing, Double blister packing, Canister packing, other

packing can be supplied according customers request.

Delivery Detail:

Shipped in 7 days after payment



Related Products



RFQ

Q1. What are your terms of packing?

A: Generally, we pack our goods in neutral white boxes and brown cartons. If you have legally registered a patent, we can pack the goods in your branded boxes after getting your authorization letters.

Q2. What are your terms of payment?

A: T/T 30% as deposit, and 70% before delivery. We'll show you the photos of the products and packages before you pay the balance.

Q3. What are your terms of delivery?

A: EXW, FOB.

Q4. How about your delivery time?

A: Generally, it will take 30 to 60 days after receiving your advance payment. The specific delivery time depends on the items and the quantity of your order.

Q5. Can you produce according to the samples?

A: Yes, we can produce your samples or technical drawings. We can build the molds and fixtures.

Q6. What is your sample policy?

A: We can supply the sample if we have ready parts in stock, but the customers have to pay the sample cost andhe courier

cost.

Our committent

BETTER PRICE than other sellers for you because of Factory Direct Sale. BETTER QUALITY than before caused by our 10+ years trading experience. STOCK IN TRADE always own to our Fast & Professional production line. FAST DELIVERY always made by our GROUP's Enthusiam. TIMING REPLY in 24 hours all about our TEAM's Passion & Patience. Send your Inquiry Details in the Below, Click "Send" Now~ YOUR BENEFITS IS OUR BUSINESS!!!

Guangzhou Golden Electric Co., Ltd.

008618998498109



eva@china-golden.com.cn



chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District, Guangzhou city, Guangdong province, China