

Ball Type Self Locking Cable Ties Flame Retardant for Wire Management

ISO 9001, ISO 9000, ISO 14001, ISO 14000,

ISO 20000, OHSAS/ OHSMS 18001,

Peak Season Lead Time: more than 12 months Off Season Lead Time: within 15

LC, T/T, PayPal, Western Union

Basic Information

- Place of Origin:
- Brand Name: Golden Electric /OEM

China

IATF16949

workdays

5000/Month

1

- Certification:
 - -----
- Minimum Order Quantity:
- Packaging Details: Carton/Pallet
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

• OEM:	Accept
• Feature:	Flame-Retardant, Heat-Resistant
 Working Temperature: 	-40c-85c
• Packing:	100PCS/Bag 250PCS/Bag
• Sample:	Provide
 Tensile Strength: 	8-175kgs
Opearating Temperature:	-30c To 85c
• Bundle Diameter(mm):	3-65
 Product Name: 	Self Locking Stainless Steel Cable Ties
 Factory: 	Yes
Quality:	High Quality With Cheap Price
Length:	All Length Are Available
Customized:	Customized
Transport Package:	Blank Poly Bag + Neutral Label + Export Carton



More Images









Product Description



Self Locking Stainless Steel Cable Ties with Roll Ball

Features:

1. Material: Stainless steel 201, 304, 316, uncoated / PVC coated; All length are avaibalbe.

2. They have an unique ball locking mechanism that allow easily and quickly installed and not undone.

3. High tensile strength; Non-flammability High resistance to acetic acid, alkali acid, sulphuric, corrode...etc

4. Operating temperature: -40° C~85° C

Application:







#312F5 Telephone pole


How to use stainless cable tie?



First, you need to prepare a stainless steel cable tie gun.



Fix the bound object and tighten it with a stainless steel cable tie gun.



Cut off the extra part with a gun to complete.

Best selling



Ties **Product Parameters** Reusable Cable ties Nylon 66 Cable Ties

Nylon 6 Cable Ties

Our Product Introduction

64.150 150 37 64.200 200 50 64.200 250 63 64.200 300 76 64.300 4.6mm 350 89 600 64.400 400 102 600 64.400 450 115 650 64.50 550 128 63 64.50 550 141 63 64.600 600 154 9 94.200 200 50 50 94.200 200 50 37 94.200 200 50 37 94.200 200 50 37 94.200 350 0.25mm 89 1000 94.300 7.9mm 350 115 37 94.300 2.250 63 115 2.250 63 94.50 115 115 2.250 63 2.250 63 94.50 2.50 2.50 63 89 2.250 63 2.250 63 2.250	Number V	Vidth(mm)	Length(mm)	Thickness (mm)	Max.bundle	dia(mm)	Min.loop tensile	(N)	Pcs/Bag
6.200 6.250 6.250 6.30020050636.300 6.400350636.400 6.44004001026.450 6.4504501156.450 6.4505501416.6006001549.200 9.200509.200 9.200300 0.25mm0.25mm9.300 9.4007.9mm3509.400 9.4501029.400 9.4505501151159.5005501151159.5005501151159.400 9.4505501151159.50055012811159.5001282200 2.4505002230 2.40012001281153501412.400 2.450550141112002.450 5.5014112.450 5.5014112.450 5.5014112.450 5.5014112.450 5.50155015011515055014112002.450 5.5014112.450 5.5015501511545.5014112.450 5.5015501511545.5015501511545.5014115.5014115.5014115.5014115.5014115.501	D-4.6×100		100		23		600		
6.250 6.300 6.300 6.35025063766.300 6.350350896006.400 6.450 6.5001021156.500 6.5505501416.600 9.2006001549.200 9.250200509.250 9.300 9.400300 4000.25mm639.300 9.4000.25mm639.300 9.4000.25mm639.200 9.2505501419.200 9.2505001289.250 9.3005001289.250 9.30055014112.200 2.255055014112.200 2.250633002.200 2.2505501282.200 2.250632.200 2.250550115150350 2.25063350 2.25063350 2.25063350 2.25063350 2.25063350 2.250115350 2.250115350 2.250115350 2.250115350 5.501412.250 2.550350400 5.5001545.5001505.5001505.5001505.500550550141550141550141550141550550550141550550550141	aD-4.6×150				37				
64300 6×35030030076896006×4004001021156×5005501151156×50055014111546×6006001549×10020050639×20020050639×3007.9mm350639×3007.9mm3501159×5005501419×5005501419×5005501289×5005501412×2005501412×2005501412×2005501412×2005501412×2005501412×2005501412×2005501412×2005501412×2005501412×2005501412×2005501412×2005501412×2005501412×2005501412×2005501412×300350892×3005501412×5005501285×505501545×503000.4mm1025×501505×505501415×505501415×505501415×505501415×505501415×505501505×50550150 </td <td>aD-4.6×200</td> <td></td> <td>200</td> <td>50</td> <td></td> <td></td>	aD-4.6×200		200		50				
6x3504.6mm350896006x4004001026x4504501156x505001286x506001549x200200509x200200509x200200509x200200509x200200509x200200509x200200509x200200509x200200509x200200509x3000.25mm639x4001029x4005001159x50055014122005005009x5005501412x2005001282x300300762x3003501412x4001021205501412x4003501545x3003501545x3003500.4mm5x45015m4505x505505x505505x505505x505505x505505x505505x505505x505505x505505x505505x505505x505505x505505x505x505x505x505x505x505x505x505x505x505x505	D-4.6×250		250		63				
6.400 6.450400 450102 1156.450500 5001286.450600 9001549.400 9.450150 20037 5009.200 9.2000 9.2000 9.2000 9.2000 9.2000 9.2000 9.2000 9.2000 <b< td=""><td>GD-4.6×300</td><td>300</td><td>76</td><td></td><td></td></b<>	GD-4.6×300		300		76				
64450 450 115 6x500 500 128 6x500 600 154 9x150 150 37 9x200 200 500 9x300 250 63 9x300 300 0.25mm 63 9x400 100 102 9x400 450 115 9x50 550 141 9x50 350 0.25mm 9x400 102 1000 9x400 450 115 9x50 550 141 2x200 250 63 2x200 500 550 2x200 250 63 2x200 300 76 2x200 350 63 2x200 350 63 2x400 12mm 450 115 2x50 350 128 1200 2x450 550 141 150 2x50 550 141 56 5x400 450 156	GD-4.6×350	4.6mm	350		89				
64500 500 500 128 141 64500 600 950 154 97 9x150 150 37 9200 500 9370 937 9360 9300 76 99 9300 76 99 9300 1000 102 1000 102 1000 102 1000 102 1000 102 1000 102 1000 102 1000 100	GD-4.6×400		400						
6×5505505501416×6006001549×150200379×200250639×3003000.25mm639×3003000.25mm639×30040010210009×4004501159×5005501412×2005005502×300300762×300300762×300350892×40012mm4004501152×3015502×3025505501412×40055012mm4004501155×3005505501412×4001545×3003505×3003505×3003505×3003505×3003505×3005505505505505505501285×3005505×3005505×3005505×3005505×3005×305×3005×305×3005×305×3005×305×3005×305×3005×305×3005×305×3005×305×3005×305×3005×305×3005×305×3005×305×3005×305×3005×305×3005×30<	aD-4.6×450		450		115				
666006001541509×200150379×200250509×250250639×3003000.25mm9×300350769×3004001029×4504501159×5005509×5005509×5005509×5005502×2002002×2002502×3003002×4001282×4001151281152×505501412×6005501412×6005501412×6005501412×60055015001545×3003505×3003505×3003505×3003505×3003505×3003505×3003505×3003505×3003505×3005×505501411545×3003505×3003505×3003505×3003505×3005×005×3003505×3005×005×505505×005×005×505×005×505×005×505×005×505×005×005×005×505×005×505×005×505×00<	D-4.6×500		500		128				
9×150 9×200 9×200 9×300 9×300 9×400 9×400150 0.25mm37 50 63 89 102 115100 102 102 115100 1012 1009×500550 550141 115100 128 63 1419×500550 550141 63 63 141102 128 1159×500550 550141 63 115120 128 1159×500550 550141 1152×200 2×250 2×350 2×350250 350 35063 89 128 1152×400 2×400 2×500128 5501115 128 1152×500 2×500550 5501411 1152×500 2×500550 550115 1545×500 5×3	D-4.6×550		550		141				
9×200 9×250 9×300 9×300 9×400 9×400200 250 3500.25mm50 63 102100100 9×4509×500 9×550550 550115100102 50 550141 63 63 892×200 2×250 2×350 2×350200 250550 63 89128 89 1001200 128 1501200 128 1542×400 2×450 2×500550 350 550141 1151200 128 154150 550 1412×450 2×500 2×500550 350 550141 1151500 550 141 154500 550 1412×450 2×550 2×500 5×300 5×400 5×400 5×400 5×400 5×400 5×400 5×400 5×5000.4mm 115 1150 128 15001500 500 5×600 128 1150500 5×600 5×600 128 1150	aD-4.6×600		600		154				
9×250 9×300 9×300 9×4002500.25mm631009×350 9×4503500.25mm891009×4004501021009×5005001151412×200 2×250550550632×300 2×350350892×40012mm4002×300 2×350350892×40012mm4002×5005501152×5005501152×5005501412×5005501412×5005501412×5005501412×5005501412×5005501412×5005501545×500350895×4004001025×5005501155×5005501285×5005505505500 <t< td=""><td>GD-7.9×150</td><td></td><td>150</td><td></td><td>37</td><td></td><td rowspan="9">1000</td><td></td></t<>	GD-7.9×150		150		37		1000		
9×300 9×350 9×4003300 3500.25mm76 891009×40040010210009×4504501159×5005501412×200 2×2505501412×300 2×350250632×300 2×450350632×400 2×45012835001282×50055055011412×500550550111555021412×503550550411555051415×305 5×4003505×50455015mm45060041155×50455015mm4505×5055505×5045505×5055505×5055505×505550	GD-7.9×200		200	0.25mm	50				
9×350 9×400 7.9mm 350 0.25mm 89 100 9×450 400 102 100 9×450 450 115 115 9×500 550 141 2×200 550 141 2×200 250 63 2×350 350 89 2×400 12mm 400 450 102 1200 2×350 350 89 2×400 12mm 400 2×450 550 115 2×450 550 141 2×450 550 128 2×450 550 141 2×600 600 154 5×300 350 89 5×350 350 89 5×400 102 150 5×500 550 141 5×500 550 141 5×500 550 155 5×500 550 155 5×500 550 155 5×50 550 128 5×50 550 155 5×50 550 128 5×50 550 128 5×50 550 141	GD-7.9×250		250		63				
9x350 7.9mm 350 89 1000 9x400 400 102 102 9x450 450 115 115 9x500 550 141 2 9x500 550 141 2 2x200 500 550 141 2x200 200 500 500 2x250 633 7.9mm 1200 2x300 300 76 300 128 2x450 550 141 200 128 2x450 550 141 200 154 2x450 550 141 102 154 2x450 600 154 553 1550 2x450 350 89 5400 102 540 5x300 350 89 150 50 550 5x450 15mm 450 0.4mm 115 1500 50 5x500 550 0.4mm 1	GD-7.9×300		300		76			100	
9×400 400 102 9×450 450 115 9×500 500 128 9×550 550 141 2×200 200 500 2×250 250 63 2×300 300 76 2×300 350 89 2×400 12mm 400 102 1200 1200 2×450 550 141 2×450 550 141 2×450 550 141 2×600 600 154 5×300 300 76 5×350 350 89 5×400 400 102 5×400 400 102 5×400 400 102 5×400 400 102 5×450 15mm 450 0.4mm 5×50 550 141 50 5×50 550 141 50 5×60 550	D-7.9×350	7.9mm	350		89				
9×500 500 128 9×550 550 141 2×200 200 50 2×250 250 63 2×300 300 76 2×300 350 89 2×400 12mm 400 2×450 550 115 2×500 550 141 2×450 550 141 2×450 550 115 2×500 550 141 2×600 600 154 5×300 350 89 5×400 400 102 5×350 350 89 5×450 15mm 450 0.4mm 5×600 550 115 5×600 550 128 5×600 550 550	GD-7.9×400		400		102				
9×550 550 141 2×200 200 50 2×250 250 63 2×300 300 76 2×350 350 89 2×450 450 115 2×500 550 141 2×500 550 141 2×600 600 154 5×300 350 89 5×300 350 89 5×300 600 154 5×350 350 89 5×450 15mm 450 0.4mm 5×500 550 115 500 5×500 550 141 50	aD-7.9×450		450		115				
2×200 200 50 2×250 250 63 2×300 300 76 2×350 350 89 2×400 12mm 400 102 1200 2×450 450 115 2550 141 2×500 550 141 154 553 2×600 600 154 553 89 5×300 350 89 553 89 5×450 15mm 450 0.4mm 102 50 5×500 550 141 50 50 50 5×500 550 115 50 50 50 5×500 550 0.4mm 115 1500 50	GD-7.9×500		500		128				
2×250 250 63 2×300 300 76 2×350 350 89 2×400 12mm 400 102 2×450 450 115 2×500 550 141 2×600 600 154 5×300 350 89 5×450 300 76 5×300 300 76 5×300 350 89 5×450 15mm 450 0.4mm 400 102 50 5×50 550 141 50 5×50 550 128 500	D-7.9×550		550		141				
2×300 300 76 2×350 350 89 2×400 12mm 400 102 2×450 450 115 2×500 550 141 2×600 600 154 5×300 350 89 5×450 300 76 5×350 300 76 5×350 300 76 5×350 350 89 5×400 400 102 5×450 15mm 450 0.4mm 5×50 500 128 5×50 550 141 50	D-12×200		200		50		1200		
2×350 350 89 2×400 12mm 400 102 1200 2×450 450 115 1200 2×500 500 128 128 2×500 550 141 102 2×600 600 154 102 5×300 3300 776 899 5×400 400 102 102 5×450 15mm 450 0.4mm 115 1500 50 5×500 550 141 1500 50 50 50 50	aD-12×250		250		63				
2x400 12mm 400 102 1200 2x450 450 115 128 2x500 550 141 128 2x500 600 154 155 5x300 3300 76 899 5x400 400 102 1500 5x450 15mm 450 0.4mm 115 5x500 500 128 50 50	aD-12×300		300		76				
2×450 450 115 2×500 500 128 2×550 550 141 2×600 600 154 5×300 300 76 5×350 350 899 5×4400 102 5×450 1500 500 5×500 500 128 5×500 550 141	aD-12×350		350		89				
2×500 500 128 2×550 550 141 2×600 600 154 5×300 300 76 5×350 350 89 5×400 400 102 5×450 15mm 450 0.4mm 115 1500 50 5×550 550 550 141 50 50	D-12×400	12mm	400		102				
2×550 550 141 2×600 600 154 5×300 300 76 5×350 350 89 5×400 400 102 5×450 15mm 450 0.4mm 5×500 500 128 5×550 550 141	GD-12×450		450		115				
2x600 600 154 5x300 300 76 5x350 350 89 5x400 400 102 5x450 15mm 450 0.4mm 115 1500 50 5x550 550 550 141 50 50	GD-12×500		500		128				
5×300 300 76 5×350 350 89 5×400 400 102 5×450 15mm 450 0.4mm 5×500 500 128 5×550 550 141	GD-12×550		550		141				
5×350 350 89 5×400 400 102 5×450 15mm 450 0.4mm 5×500 500 128 5×550 550 141	GD-12×600		600		154				
5×400 400 102 5×450 15mm 450 0.4mm 115 1500 50 5×500 500 128 141 141 141 150 150	GD-15×300		300	0.4mm	76				50
5×450 15mm 450 0.4mm 115 1500 50 5×500 500 128 5×550 550 141	GD-15×350		350		89		1500		
5×500 500 128 5×550 550 141	GD-15×400		400		102				
5×550 550 141	GD-15×450	15mm	450		115				
	GD-15×500		500		128				
5×600 600 154	GD-15×550		550		141				
	iD-15×600		600		154				

Packaging & Shipping

Packing:

For Free : Design new sticker label with your own LOGO Popular packing : 100 pcs/pkt + PE Polybag + Adhesive sticker + export carton OEM service:Support different customized packing

Shipping:

1. By Air or by Sea for batch goods, Airport/ Port receiving;

2. Customers specifying freight forwarders or negotiable shipping methods!

Delivery Detail:

Shipped in 7 days after payment



Company Profile

- Golden Electric Co.,Ltd ,was foundad in 2017, we are professional for makeAC and DC electric items such as cable gland,cable tie ,isolator switch , fuse , breaker , distribution box , PV combiner box ,surge protector, Industrial plug and socket,Solar product and so on.

- Golden has been granted ISO9001 management system certifications. The comprehensive product line has more

than 1000 models which have been approved by TUV,CE,CQC,SGS,ROHS,SASO. The productsells well to UK, Spain, Portugal, Singapore, Turkey, Russia, Korea, South Africa... more than 60 countries and regions.

- Golden is always striving hard to provide the best services and competitive price to all customers.

Recommend Products



- 6.We adopt good credit quality electrial appliances.
- 7.Best customer care and effcient after-sale services.
- 8.Don't hesitate to inquire us, we will reply you within 12 hours.

Production and transport



FAQ

Q1: Could I Put My Own Logo On It? A1: Sure, of course, we are a professional manufacturer and have over 10 years OEM experience, customer;s logo can be made by laser, engraved, embossed, transfer printing etc. Q2: What's the delivery time? A2: Normally, 3-15days after order and payment confirmation. Actually, it will depend on your orderquality. Q3: What's your terms of payment? A3: T/T 30% as deposit, and 70% before delivery. We'll show you the photos of the products and packages before you pay the balance. Q4: How do you make our business long-term and good relationship? A4: a. We keep good quality and competitice price to ensure our customers benefit; b. We respect every customer as our friend and we sincerely do business and make friends with them, no matter where they come from. Q5: If we bought your products, but found quality problem, how to solve? A5: After confirmed, if the quality problem is caused by us not for outer sector, we will compensate each piece to customer. How to contact us Send your Inquiry Details in the Below, please Click "send" Now! Good price and sample are waiting for you. Guangzhou Golden Electric Co., Ltd. 008618998498109 eva@china-golden.com.cn Chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District, Guangzhou city,Guangdong province,China