

120VAC Electrical 2000w Pure Sine Wave Inverter Energy Efficiency With Low Frequency

Basic Information

Place of Origin: China

Brand Name: Golden Electric /OEM

• Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000,

ISO 20000, OHSAS/ OHSMS 18001,

IATF16949

Minimum Order Quantity:

• Packaging Details: Carton/Pallet

• Delivery Time: Peak Season Lead Time: more than 12

months Off Season Lead Time: within 15

workdays

• Payment Terms: LC, T/T, PayPal, Western Union

Supply Ability: 5000/Month



Product Specification

Model NO.:
RP1K

Nature Of Wave String: Sine Wave Inverter
Type: DC/AC Inverters
Battery Voltage: 12/24/48VDC
Gross Weight: 11.4-15kg

Model: RP Series 1kw /2kw
Product Specification: Off-Grid Solar System

AC Input Voltage: 110VAC/120VAC/220VAC /230VAC

• Inverter Type: Transformer Based ,Low Frequency Inverter

Name: Solar Power Inverter

• Brand: Golden/OEM

Protection: Overload, Over Voltage, Short Curcuit For

Inverter


Frequency: 50/60Hz Auto SensingApplication: Solar Power System



More Images









Product Description

Product Description

RP series is a pure sine wave power frequency inverter that converts direct current into alternating current. All-digital intelligent design, output pure sine wave, suitable for AC loads such as household appliances, power tools, industrial equipment, electronic audio and video.

Product Features



- 1. Pure Sine Wave Inverter
- 2. The output power factor is 1
- 3. Optional high power charging current
- 4. Selectable Input Voltage Range
- 5. Configurable AC/Battery input priority via LCD settings
- 6. Automatic restart when AC restores
- 7. Overload and short circuit protection
- 8.Smart battery charger design to optimize battery performance
- 9.Cold start function
- 10.Fully industrial-grade design, adaptable to a wider working environment
- 11.Smart LCD Display
- 12.Fast dynamic response
- 13.Intelligent fan, efficient heat dissipation, prolong system life
- 14. With multiple protection functions, 360° all-round protection
- 15. Supports the use of lithium batteries

Protections:

Reverse polarity protection, impact protection, over temperature protection, low voltage protection, overload protection, short circuit protection, over current protection, high voltage protection.

Product Parameters MODEL RP 1000 **RP 2000** Rated Power 1000VA/1000W 2000VA/2000W INPUT Voltage 100/110/120VAC;220/230/240VAC Selectable Voltage Wide Range: 75VAC~138VAC;155VAC~275VAC (for home appliances) Narrow Range: 82VAC~138VAC;165VAC~275VAC (for personal computer) Range Frequency 40-70Hz (50Hz/60Hz) OUTPUT AC Voltage Regulation (Batt 100/110/120VAC (±5V);220/230/240VAC (±10V) Mode) Surge Power 4000VA 2000VA Efficiency (Peak) 88% Transfer Time <20ms Wave form Pure sine wave BATTERY 12V 24V Battery Voltage Charge Current 75A 35A Fast Charge Voltage 14.3VDC 28.6VDC Float Charge 13.7VDC 27.4VDC Voltage Battery Low Voltage 16.5VDC 33.0VDC Alarm Over Voltage 10.5VDC 21.0VDC Protect Battery Low Voltage 10.0VDC 20.0VDC Shutdown Protection over charging, over temp, over battery voltage, over load, short-circuit

Operating Environment 55ºC Temperature Cooling Intelligent Fan Display LCD By LCD or position machineCharging current,battery type,input voltage,output frequency,wide and Specification Setting

narrow of AC input voltage, power-saver model, AC priority or battery priority

PHYSICAL

Dimension, 390*222*178 (D*W*H)mm

Net Weight (kg) 11.4 15

ENVIROMENT

5~95% Relative humidity (No-condensing) Humidity


Operating -10ºC~50ºC

Temperature

Storage -10ºC~60ºC Temperature


Product Details

LCD Display



0	673	PV input	9	CHARGING	Battery level
2	AC	AC input	10	7.	Utility charger circuit is working
8	INPUTBATTEMP KW VA	Input voltage, input frequency PV voltage, battery voltage, charger current	0		Unit connects to the PV panel
4	88	Setting programs	1	•	Unit connects to the mains
6	(88 <u>A</u>	88 Flashing with warning code	13	BYPASS	Load is supplied by utility powe
6	OUTPUTBATTLOAD W	Output voltage, output frequency, load percent, load in VA, load in watt and discharging current	10		Unit alarm is disabled
0	₽ 1 250	Load level	15	OVER LOAD	Overload
8		DC/AC inverter circuit is working			

Overview



Connection



Recommand Product



Company Profile

- Golden Electric Co.,Ltd ,was founded in 2007, we are professional for make AC and DC electric items such as cable gland,Solar Inverter, MC4 Connector, isolator switch, fuse, breaker, distribution box, PV combiner box, surge protector, Indicator lamp,Solar Charge Controller,Industrial plug and socket,Wind Turbine, Solar product and so on.
- Golden has been granted ISO9001 management system certifications. The comprehensive product line has more than 1000 models which have been approved by TUV,CE,CQC,SGS,ROHS,SASO. The productsells well to UK, Spain, Portugal, Singapore, Turkey, Russia, Korea, South Africa... more than 60 countries and regions.
- Golden is always striving hard to provide the best services and competitive price to all customers.

FAQ

1)Q:How can i trust your company?

A:Golden electric is The top 10 manufacturer in China - more than 350 Agents in local market and more than 100 foreign clients make OEM,ODM order from us,Golden electric is a big company, we have cooperation with LS, EKF the world-class companies. Our company over 100 employees, products pass CE,IEC,TUV,SAA, RCM, ROHS certificates.

2) Q:Your products?

A: Golden electric is factory for Automatic transfer swithc, Surge protector device, distribution box Enclosure, inverter, DC fuse etc. Providing customers very competitive sources, and can be your sourcing agent in China. Goods are following international standards, IE, CE, ISO9001, SGS etc.

3) Q: Do you have forwarder?

A: Yes, we have good forwarder cooperated over 10 years, they help us import and export . For small package orders, suggest to use by Express.

4) Q: Your address?

A: Locates in Guangzhou province, China, welcome to visit us

5) Q:What's about MOQ? Delivery time?

A: 1pcs for inverter. Normally less than 100PCS with stock, quick support.

6) Q: What's the payment term?

A: Normally 100% T/T in advanced payment. If big order then about 50% advanced payment, balance before shipment.PAYPAL,WESTERN UNION,CASH for small order .

7) Q:What's your contact information?

Send us your inquiry !we will reply you in 24 hours!

Guangznou Golden Electric Co., Ltd.

008618998498109



eva@china-golden.com.cn



chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District, Guangzhou city,Guangdong province,China