

14mm Diameter Copper Bonded Brass Ground Rod for High Voltage **Grounding Equipment**

Basic Information

- Place of Origin:
- China • Brand Name: Golden Electric /OEM ISO 9001, ISO 9000, ISO 14001, ISO 14000, Certification: ISO 20000, OHSAS/ OHSMS 18001, IATF16949 Blj-Br Model Number: • Minimum Order Quantity: 1 Packaging Details: Carton/Pallet • Delivery Time: Peak Season Lead Time: more than 12 months Off Season Lead Time: within 15 workdays LC, T/T, PayPal, Western Union • Payment Terms: • Supply Ability: 5000/Month



Product Specification

 Material: 	Brass
 Tensile Strength: 	>=290n/mm ²
 Straightness Error: 	≤1mm/M
• Diameter:	10mm,12mm,14mm,16mm,18mm,20mm,22m
 Supply Ability: 	5000/Month
Certificate:	ISO9001:2015
• ODM:	Yes
• OEM:	Yes
 Manufacturer: 	Yes
 Delivery Time: 	15days
• Transport Package:	Ocean Freight Woven Belt+Iron Pallet+Container
 Specification: 	Different Sizes And Specifications
• Trademark:	Golden Electric Or Customize

China



More Images

• Origin:



Golden E			
	8		
-	-		





Our Product Introduction

Product Description

Company

Profile GoldenElectricCo., Ltd.

is professional make of Electrical products .Such as distribution box, waterproof plug, socket, wall switch, waterproof plastic ,Aluminum box ,Changeover Switch and disconnecting switch,MC4 Connector.isolator switch.fusebreaker.distribution box,PV combiner box .surge protector, Indicatorlamp,Solar Charge Controller,Industrialplugandsocket,BusbarInsulator,Meter Socket,Wind Turbine, Terminal Block,Solar product and so on. all products comply with IEC, A S/NZS standard. passed CE, IP66, ROHS certificates.at present we have exported to many countries and have serve these customers with professional electrical solution.


Product Description

High Voltage Grounding Equipment Low Price Earthing Rod Electrical Copper Bonded Brass Ground Rod

Material	Brass
Tensile strength	≥290N/mm²
Straightness error	≤1mm/m
Service life	≥30years
Diameter	10mm,12mm,14mm,16mm,18mm,20mm,22mm,24mm,25mm
Diameter	according to customer's requirement
Function	used in grounding and lightning system
Available service mode	OEM,ODM
Certificate	ISO9001:2015,CE,SGS

Negotiable Price According to different material/size and and Purchase quantity













The Brass Copper Ground Rod have characters of anti-corrosion and ductility ,which is superior than common copper clad steel rod and easy to install deeply.

It is widely used for earthing system of power plant, transformer station, tower, communication station, airport, railway, subway station ,high building, computer room, petro plant, oil reservoir in the environmental of moist, saline and alkaline, acid and chemical corrosion medium environmental.

Method of use

The installation of Ground Rod is very flexible ,both hammer and electric pick are ok .In the bad soil condition ,please drill and then install .

1. When installing the rod deeply with hammer , please fit the drilling head to protect copper layer and connect multi grounding rod with coupler ;

2. When installing the rod deeply in rock or other hard soil area with drilling tool ,please refer to below two choice:

1).Before installing rod ,please drill hole and then fill bentonite and water full to reduce electric resistance; 2).Fill bentonite and water after installing the rods to reduce electric resistance.

Above is the common size, we also can do according to your requests. Please contact us to get to know more information about our products and service.

Products Category





Electrical Insulators Busbar Insulator

Cylindrical Contact Cap Fuse





Staninless Steel Power Combination Sockte Box

Bolted Tag Low Voltage Fuse Link

Packing & Delivery

Packaging Details: woven belt+Iron pallet+container

Lead time: Quantity(pieces) 1 - 1000 > 1000 Lead time (days) 15 To be negotiated





FAQ

- Q1: Are you a factory or trading company
- A1: We are a factory, we can guarantee our price is first-hand, very cheap and competitive.
- Q2: How does your factory do regarding quality control?
- A2: All the products will be 100% checked before the shipment
- Q3: When can I get the price?
- A3:Usually we quote within 24 hours after we get your inquiry.
- Q4: How could I get a sample?

A4: if you can not buy our product in your local area, we will ship a sample to you. You will be charged a sample price plus all related shipping costs. Express delivery charge depends on the quantity of the samples.

Q5: What is the price of shipping?

A5: Depending upon the port of delivery, prices vary.

Any more query please contact with us, thank you!

